

INDEX

INDEX

(Page numbers in *italic type* refer to descriptions in the Annotated List)

A

- abductus*, Schizaster, 368
abnormalis, Disasterina, 138-139
 Pentagonaster, 89
abyssicola, Synapta, 455
 Acantharachna, 251
 Acanthaster, 150, 151
 echinites, 150
 echinus, 150
 planci, 150-151
 Acanthasteridae, 126, 150
acanthinus, Amphioptus, 206
 Acanthocidaris, 483
acanthodes, Anthenea, 101, 102
 Echinaster, 145, 146
 Goniodiscaster, 90, 91, 467
Acaudina, 442, 445, 446
 delicata, 445, 446
 leucoprocta, 445, 446
acerba, Asterometra, 57
acestra, Ophiothrix, 214, 215, 216, 226
acicula, Cucumaria, 405
 Pseudocucumis, 405
aciculatum, Echinostrephus, 327, 328
aciculatus, Echinostrephus, 327, 328
aciculus, Pseudocucumis, 405
Acolochirus, 386, 395
 challengeri, 396
acosmeta, Ophiactis, 207, 210
 Ophiodyscrita, 265
acrisia, Amphiuira, 192, 197
Actinia doliolum, 390
 Actinocrinidae, 9, 10
 Actinocrinites, 10
 triacontadactylus, 10
Actinocrinus, 10, 11
 polydactylus, 11
Actinocucumis, 387, 402-403, 404
 difficilis, 403-404
 longipedes, 403, 404
 quinguangularis, 403, 404
 typica, 402, 403 n.
 typicus, 403, 404
Actinometra alternans, 34
 belli, 32
 maculata, 26
 multifida, 33
 nigra, 25
 nobilis, 32
 robustipinna, 42
 schlegelii, 33
 sentosa, 26, 27
 stelligera, 26
actinometrae, Ophiophthirus, 236
Actinopyga, 420, 421, 436, 439-440, 441, 491
 echinites, 440, 441
 lecanora, 440, 441, 446
 lubrica, 439, 440-441
 mauritiana, 439, 440, 441
 miliaris, 440, 441-442
 nobilis, 439, 440
 parvula, 436
aculeatus, Ophiocentrus, 198
acuminatus, Psilaster, 78, 471, 478, 494
acuta, Anthenea, 101, 102, 103, 469
acuticirra, Craspedometra, 42
acutus, Goniodiscus, 102
adela, Cucumaria, 387, 389
Adelcidaris, 292
adeonae, Comatula, 50
 Oligometrides, 50-51
adhaerens, Astrobrachion, 174, 176
 Ophiocreas, 174
adspersa, Ophioclasma, 259
aequalis, Mediaster, 83
affinis, Cidaris, 289
afra, Antedon, 53
 Tropiometra, 53
africana, Cucumaria, 404
 Discucumaria, 404-405
 Pseudocucumis, 404
africanum, Chaetodiadema, 302
Aganaster, 163, 165, 166
 gregarius, 165-166
agassizii, Schizaster, 363
alba, Asterina, 130, 132
 Opheodesoma grisea var., 449
 Thyone, 399, 400-401
 Tripneustes gratilla var., 326
albanicus, Astropecten preissi, 77
albascopularis, Isocrinus australis var., 20
albiventer, Holothuria, 423, 431-432
albocinctus, Echinus, 323
 Pseudechinus, 324
albolineata, Placophiothrix, 224, 228

- albostrata, *Ophiolithrix*, 227
 Placophiolithrix, 224, 227
 aldingensis, *Prenaster*, 364
Alecto bennetti, 36
 macronema, 55
 multifida, 31, 32
 palmata, 47
 parvicirra, 37, 39
 tessellata, 43
 timorensis, 38
alexandri, *Pentagonaster*, 84
 Salmacis, 311
 Salmacis virgulata var., 310, 311
allani, *Taeniogyrus*, 460
 Trochodota, 460
Allostichaster, 154, 157
 polyplax, 157, 470, 493
 regularis, 157, 158
alpinus, *Prenaster*, 363
alternans, *Actinometra*, 34
 Comantheria, 34
 Comanthus, 34
altimensis, *Holothuria*, 424, 434
 Molpadia, 443-444
amaleta, *Ophiacantha*, 186
ambigua, *Amphiura*, 192, 196
amblyconus, *Conocladus*, 179
Amblypneustes, 37, 307, 317, 318, 319, 470, 491
 formosus, 317-318
 leucoglobus, 317, 318, 319
 ovum, 317, 318-319
 var. *grandis*, 319
 var. *pachistus*, 319
 pallidus, 317, 318
 var. *subglobosus*, 318
ambulator, *Psolus* (*Hypopsolus*), 413
ambulatrix, *Théclia*, 413
americanum, *Labidodemas*, 421 n.
Ammotrophus, 335, 341-342
 cylius, 341, 342
 platyterus, 342
Amphiacantha, 190, 206
 sexradia, 206
Amphimetra, 42, 43
 discoidea, 44
 jaquinoti, 44
 pinniformis, 43, 44
 tessellata, 44
 discoidea, 43-44
 tessellata, 43, 44
Amphiocnida, 198
Amphiodia, 190, 203
 mesopoma, 203
 ochroleuca, 203
Amphiophiothrix, 213, 217
 demessa, 217
Amphiophiura, 266, 269
 colleta, 269
 ctenophora, 268
 urbana, 269
Amphioplus, 190, 204, 206
 acanthinus, 206
 depressus, 204, 205, 467
 didymus, 204, 206, 467
 lobatus, 204, 205-206
 lucidus, 204
 parviclypeus, 204, 205
 relictus, 205
 stenaspis, 204, 206
Amphipholis, 190, 201-202
 australiana, 202
 depressa, 205
 januarii, 201
 lobata, 205
 squamata, 202, 466
Amphistigma, 190, 202
 minuta, 202-203
Amphiura, 189, 190, 191-192, 193, 194, 195, 196, 197, 200, 204, 211, 214, 217 n., 476
 acrisia, 192, 197
 ambigua, 192, 196
 bidentata, 192, 197
 brachyactis, 191, 194
 brocki, 203
 catephes, 191, 193
 chiajii, 191
 constricta, 192, 194-195, 466, 471
 diacritica, 192, 196
 dolia, 192, 197, 469
 leucaspis, 192, 195
 magnisquama, 192, 195
 maxima, 190
 micra, 192, 195
 microsoma, 191, 193, 194, 196
 multiremula, 192, 196, 469
 nannodes, 192, 197
 ochroleuca, 203
 perplexa, 201
 phrixa, 191, 193, 467
 poecila, 192, 197-198
 ptena, 192, 195-196
 pulchella, 203
 rapida, 197
 relicta, 205
 septemspinosa, 192, 194, 195
 stictacantha, 191, 193-194
 trisacantha, 191, 193

- Amphiura*—continued
 tumida, 204
 velox, 192, 196
Amphiuridae, 169, 189-190
anamesus, *Culcitaster*, 109
 Halityle, 109
ananas, *Holothuria* (*Thelenota*), 420
 Stichopus, 420
 Thelenota, 419, 420
 Trepang, 419, 420
Ananchytidae, 360
Anapta, 488
anax, *Thelenota*, 419, 420
anceps, *Colochirus*, 393
andamanense, *Trochostoma*, 443
andamanensis, *Fromia*, 112, 113
andromeda, *Astropecten*, 77
angulatus, *Archaster*, 79, 80
angulosus, *Echinocyamus*, 349
angustior, *Petraster*, 68, 69
anisa, *Iconometra*, 49
 Oligometra, 49
anisacanthum, *Ophiomusium*, 274
annulata, *Asteropora*, 178
 Comanthus, 38
annulatus, *Astroconus*, 179
 Microcyphus, 315, 316
annulifera, *Cidarites*, 286
 Phyllacanthus, 286
 Prionocidaritis baculosa var., 286, 287
annulosa, *Ophiopsis*, 272, 273
 Ophiomastix, 248, 249
 Ophiura, 247, 249, 272
anomala, *Asterina*, 130, 132, 133-134
 Maretia, 379, 380
Anomalanthus, 335
 tumidus, 335-336
Anseropoda, 129, 144
 rosacea, 144
Antedon afra, 53
 bidens, 50
 briareus, 34
 carpenteri, 49
 clarae, 51
 crassipinna, 42
 crenulata, 43
 elegans, 40
 flexilis, 59
 gyges, 47
 hana, 57
 imparipinna, 47
 incommoda, 60
 informis, 52
 longicirra, 56
 loveni, 52, 60, 61
 macronema, 56
 macropoda, 57
 microdiscus, 40
 minor, 61
 moluccana, 61
 monacantha, 45, 46
 multicolor, 54
 nana, 62
 nematodon, 43
 parvicirra, 62
 patula, 59
 perspinosa, 52
 pertusa, 60
 pinniformis, 44
 protomacronema, 55
 pumila, 61
 quinduplicava, 42
 reginae, 46
 serripinna, 49
 spicata, 46
 variipinna, 43
 wilsoni, 59
 woodmasoni, 58
Antedonidae, 55, 60
Anthaster, 82, 98
 valvulatus, 98-99, 470
Anthenca, 82, 93, 99, 100-102, 103, 104, 491
 acanthodes, 101, 102
 acuta, 101, 102, 103, 469
 aspera, 101, 102
 australiae, 101, 102-103
 var. *crudelis*, 103
 var. *sidneyensis*, 102
 chinensis, 100
 conjungens, 101, 103, 467
 crassa, 101, 103
 crudelis, 101, 103
 elegans, 101, 103
 flavescens, 102
 globigera, 99, 100
 godeffroyi, 101, 103
 grayi, 99
 mertoni, 102, 103-104
 obesa, 101, 104
 obtusangula, 99
 polygnatha, 100, 104
 sibogae, 102, 104
 tuberculosa, 102, 104
 viguicri, 102, 104, 105
Antheneinae, 93
Anthenoides, 82, 95, 96, 479
 dubius, 95
 peircei, 95

- antiaustralis, *Linthia*, 365
 antillarum, *Centrechinus*, 296
Apatopygus, 353, 355
 occidentalis, 355
 recens, 354, 355
Apentacta, 386, 395
 spinosa, 395
Aphelodactyla, 445
 delicata, 446
 leucoprocta, 446
aphnostina, *Peronella*, 346
apicatus, *Hemiaster* (*Rhynobrissus*), 374
 Rhynobrissus, 374
Apiocrinida, 17
Apiocrinidae, 17
Apoda, 385, 446
Aporometra, 58
 occidentalis, 58, 59
 paedophora, 58, 59
 wilsoni, 56, 58, 59
Aporometridae, 23, 58
aporum, *Ophiomusium*, 274, 275
Arachnoides, 277, 335, 338, 339-340, 341
 echinarachnius, 339
 elongatus, 338
 incisa, 338, 339, 340
 loveni, 338
 placenta, 339, 340, 341
 tenuis, 340, 341, 467
 zelandiae, 340
arachnoides, *Daidalometra*, 57
 Hesperaster, 341
 Stenometra, 57
Araeosoma, 303
 thetidis, 303, 493
aranciaca, *Asterias*, 72
Arbaciidae, 295, 306
Archaeocidaridae, 279
Archaeocidaris, 279
 selwyni, 279, 473
Archaeopneustes, 362
 niasicus, 362
Archaster, 79, 80, 478
 angulatus, 79, 80
 laevis, 79, 80
 pattersoni, 478
 typicus, 79, 80
Archasteridae, 65, 79
archeri, *Brissopsis*, 372
 Cyclaster, 372
 Hemiaster, 372
 Micraster, 372
arcystatus, *Echinaster*, 145, 146, 470
arenicola, *Holothuria*, 425, 438-439, 468
 arenosa, *Pectinura*, 256, 257
 areolata, *Cucumaria*, 396
 argus, *Bohadschia*, 425
 Holothuria, 422, 425, 468
 aristulata, *Ophiothrix*, 224
 Placophiothrix, 223, 224-225, 493
 armatus, *Echinus*, 491
 Ophidiaster, 120, 121
 armigera, *Heliocidaris erythrogramma var.*,
 329, 330
Articulata, 9, 16-17
articulata, *Comatula* (*Alecto*), 46
 Liparometra, 46
articulosus, *Periechocrinites*, 10
aruana, *Prionocidaris bispinosa var.*, 287
asper, *Ophiocentrus*, 198, 199, 200
 Teliocrinus, 20
aspera, *Anthenea*, 101, 102
 Euryale, 172-173
 Ophiocnida, 200
asperrimus, *Palaeaster*, 127
asperula, *Ophiomastix*, 248
Aspidochirota, 385, 415
Aspidocidaris, 293
assimilis, *Ophiopeza*, 257
 Pectinura, 256, 257
aster, *Ophiopeza*, 264
Asteracanthion polyplax, 157
 sulcifer, 158
Asteria squamata, 202
Asterias, 88
 aranciaca, 72
 aurantiacus, 72
 bidentata, 183
 calamaria, 155, 156
 calcar, 134
 carinifera, 109
 discoidea, 108
 equestris, 96
 euryale, 181
 exigua, 136
 fungifera, 159
 gibbosa, 129
 granifera, 158, 159
 laevigata, 117
 mamillata, 106
 membranacea, 144
 militaris, 151
 milleporella, 112
 multiradiata, 27, 31
 nigra, 188
 nodosa, 105, 106
 nuda, 161

- Asterias—continued*
obtusangula, 99
ocellifera, 85, 86
oculifera, 85
ophidiana, 120
ophiura, 270
papposa, 149
pectinata, 31
pentagonula, 100
pentaphylla, 214
planci, 150
pleyadella, 90
rosaceus, 144
sagena, 145
sanguinolenta, 148
schmideliana, 108
seposita, 145
sinusoida, 159
sphaerulata, 188
striata, 151
variolatus, 114
vernicina, 110
Asterias (*Smilasterias*) *scalprifera*, 156
Asteriidae, 153, 154-155
Asterina, 129-130, 131, 132, 139, 140
 alba, 130, 132
 anomala, 130, 132, 133-134
 atyphoida, 130
 burtonii, 130, 133
 calcar, 134
 cephesus, 133
 coronata, 130, 132-133, 144
 fascicularis, 133, 467
 crassispina, 130, 132
 exigua, 136
 gunnii, 135
 heteractis, 130, 133
 inopinata, 130, 131, 469
 leptalacantha, 138, 139
 lutea, 130, 131-132, 467
 minuta, 129
 modesta, 130
 nuda, 130, 131
 perplexa, 130, 131
 scobinata, 130, 132
Asterina (*Asteriscus*) *regularis*, 134
Asterina (*Nepanthia*) *belcheri*, 141
 brevis, 141
Asterinidae, 109, 125, 128-129, 139
Asterinopsis, 137
 penicillaris, 137
 praetermissa, 137
Asteriscus, 134
Asterodiscus, 105, 108
 elegans, 108
 truncatus, 108
Asteroides, 7, 64, 472-473
Asterometra, 56, 57
 acerba, 57
 mirifica, 57
Asterometridae, 23, 55, 56
Asteronyx, 172, 173
 loveni, 173
Asterope, 109, 110
 carinifera, 109-110, 468
Asteropidae, 65, 109, 111
Asteropora, 177, 178, 487
 annulata, 178
 australiensis, 178
Asterozoa, 162, 473
Asthenosoma, 303, 304
 intermedium, 304
 thetidis, 303
 varium, 304
Astroboa, 177, 182
 ernae, 182
Astrobrachion, 172, 174, 176
 adhaerens, 174, 176
Astroceramus, 95
Astrochalcis, 177, 182
 tuberculosis, 182
Astrocladus, 177, 181
 granulatus, 181
Astroconus, 177, 180, 479, 491
 annulatus, 179
 australis, 180
 occidentalis, 180, 181
 pulcher, 180
Astrodendrum, 177, 181
 pustulatum, 181
Astrogonium crassimanum, 89
 crassissimum, 89
 inaequale, 88
 longimanum, 95
 nobile, 93
 ornatum, 93
Astrogymnotes, 172, 174
 catacticta, 174
astrologorum, *Tosia australis forma*, 93, 94
Astropecten, 72-73, 76
 andromeda, 77
 aurantiacus, 72
 carcharicus, 73, 76
 formosanus, 76
 granulatus, 73, 76
 hartmeyeri, 75
 hemprichi, 76

- Astropecten*—continued
monacanthus, 73, 76, 467
pectinatus, 73, 74, 75
polyacanthus, 73, 74-75
preissi, 73, 77
 albanicus, 77
 problematicus, 73, 74
 pulcherrimus, 73, 76
 schayeri, 72, 73, 74
 syntomus, 73, 74
 triseriatus, 73, 75
 vappa, 73, 74, 75-76, 77, 470
 velitarius, 73, 77
 var. rosea, 77
 var. sibogae, 77
Astropectinidae, 65, 72-74
Astrophyton australe, 180
 clavatum, 182
Astroporpa australiensis, 178
Astropyga, 296, 300, 301, 302
 pulvinata, 301
 radiata, 301, 303, 468
Astrostole, 154, 155
 insularis, 155
Astrothamnus, 177
 furtivus, 177
 rugosus, 177-178
Astrothrombus, 177, 178
 rugosus, 178
Astrotoma, 177
 echinacea, 177
atra, *Holothuria*, 422, 427, 438
 Ophiolithrix stelligera forma, 216
atrolineata, *Ophiolithrix stelligera forma*, 216, 226
atropos, *Spatangus*, 369
atropurpurea, *Stomopneustes*, 305
attenuatus, *Ophidiaster*, 122
atyphoida, *Asterina*, 130
aucklandiae, *Henricia compacta var.*, 149
Aulodonta, 303
Auluroidea, 163, 164
aurantiacus, *Asterias*, 72
 Astropecten, 72
aurata, *Tosia*, 93, 94
auritus, *Echinodiscus*, 352, 467
Australanthus, 355, 357
 longianus, 357
australasiae, *Breynia*, 381
 Clypeaster, 336-337
 Echinanthus, 336
 Spatangus, 381
Australaster, 66-67
 giganteus, 66, 67
 stutchburii, 67
australe, *Astrophyton*, 180
 Echinocardium, 382
 Ophiomusium simplex var., 275
australiae, *Anthenea*, 101, 102-103
 Cidaris (Stereocidaris), 290
 Duncanaster, 361
 Echinobrissus, 354
 Goniocidaris, 291, 293
 Goniodiscaster, 90, 91, 467
 Gualtieria, 376
 Histocidaris, 294, 295
 Holaster, 361
 Leiocidaris, 290
 Luidia, 70, 71, 470
 Nucleolites, 354
 Pachycentrotus, 329
 Sphaerechinus, 328, 329
 Stereocidaris, 290
australiana, *Amphipholis*, 202
 Chiridota, 458, 459
australianus, *Taeniogyrus*, 459, 469
Australiaster, 154, 156
 dubia, 156
australiensis, *Asteroporpa*, 178
 Asteroporpa, 178
 Mediaster, 83
 Nudechinus scotiopremnus var., 324
 Opheodesoma, 448, 449
australis, *Astroconus*, 180
 Coelopleurus, 306
 Colochirus, 392
 Desoria, 364
 Echinolampas, 359
 Encrinus, 55, 56
 Fibularia, 350
 Hudsonaster, 66
 Isocrinus, 19-20
 Molpadia, 445
 Monostychia, 338-339
 Odinia, 153
 Ophiocomina, 188
 Ophiomyxa, 170-171, 471, 476, 477, 494
 Ophiolithrix martensi, 231
 Ophiolithrixoides martensi, 230, 231
 Oreaster, 107
 Paracaudina, 444, 445
 Pentaceraster, 107
 Pentacrinus, 19
 Pentacta, 390, 391, 392, 394
 Phyllacanthus, 285
 Prionocidaris, 284, 285

- australis*—continued
 Protenaster, 364-365, 470, 474
 Pseudocaudina, 445
 Ptilometra, 55-56, 469
 Temnopleurus, 309
 Tosia, 93, 94, 470
Austrocidaris, 491
Austrofromia, 112, 114, 479
 polypora, 114, 470
Austrometra, 48, 50
 thetidis, 50, 469
axiologa, *Holothuria*, 423, 429
 Thyone, 399, 400
axiologum, *Ophioprium*, 188
axiologus, *Colochirus*, 394
 Ophiopristis, 188
 Pseudocolochirus, 394
- B
- baculosa*, *Cidarites*, 285
 Prionocidaris, 285-286
badia, *Ophionereis semoni var.*, 241
bakeri, *Furcaster*, 167, 168
Batocrinidae, 9, 10
belcheri, *Asterina (Nepanthia)*, 141
 Nepanthia, 140, 141
belli, *Actinometra*, 32
 Comanthina, 32-33, 35, 38, 467
 Macrophiothrix, 189, 218 n., 219, 220, 221, 467
 Ophiolithrix, 221
 Salmacis, 310, 311, 468
 Salmacis sphaeroides var., 311
bennetti, *Alecto*, 36
 Cenolia, 35, 36
 Comanthus (Cenolia), 36
Benthopectinidae, 65, 78
bicolor, *Cucumaria*, 387, 388
 Goniodiscaster, 90, 92
 Holothuria impatiens var., 434
 Monilimetra, 63
 Salmacis, 310
bicolumnata, *Mensamaria*, 406, 470
bicolumnatus, *Pseudocucumis*, 406
bidens, *Antedon*, 50
bidentata, *Amphiura*, 192, 197
 Asterias, 183
biradialis, *Salteraster*, 127
bisperforata, *Protankyra*, 455
bisperforatus, *Echinodiscus*, 351
bispinosa, *Cidarites*, 286
 Ophiomastix, 248, 250
 Ophiolonella, 272
 Prionocidaris, 285, 286-287
- bispinosus*, *Ophioplocus*, 275, 276
boardmani, *Mediaster*, 83
 Pseudarchaster, 83
Bohadschia argus, 425
 marmorata, 426
 ocellata, 429
bonani, *Laganum*, 343
bonneyi, *Palasterina*, 69
Bothriocidaris, 277
bothryoides, *Pleurechinus*, 313
 Temnopleurus, 313
 Temnotrema, 313, 314
Botryocrinidae, 12, 13
Botryocrinus, 13
 longibrachiatus, 13
 ramosissimus, 13
Bourgueticrinidae, 17
bowensis, *Holothuria*, 424, 432, 434
brachiolata, *Comatula*, 29
 Comatulella, 29, 470
brachyactis, *Amphiura*, 191, 194
brachygnatha, *Ophiacantha*, 184, 186-187
brachypecha, *Lamprometra*, 47
bracteata, *Dorocidaris*, 289
 Stylocidaris, 289
breviarticulatus, *Lecanocrinus*, 12
brevicirra, *Petasometra*, 51
brevipes, *Ophiocoma*, 242, 243, 245-246, 247
brevis, *Asterina (Nepanthia)*, 141
 Nepanthia, 140, 141
 Ophiactis, 208, 212
brevispina, *Ophiomyxa*, 170, 171
 Patiriella, 134, 135
brevispinosa, *Ophiocoma*, 246
brevistella, *Micraster*, 372
Breynia, 370, 381, 491
 australasiae, 381
briareus, *Antedon*, 34
 Comantheria, 34-35
Brisinga semicoronata, 153 n.
Brisingidae, 153
brisingoides, *Protaster*, 166
 Sturtzura, 166-167
Brissopsis, 370, 371, 473, 491
 archeri, 372
 luzonica, 371
 tatei, 371
Brissus, 370, 375, 473
 latecarinatus, 375
 lyrifer, 371
Brissus (Metalia) sternalis, 372
brissus unicolor, *Spatangus*, 375
 var. latecarinatus, *Spatangus*, 375

brocki, *Amphiura*, 203
Phyllophorus, 407, 408
 brunnea, *Luidia australiae forma*, 70, 71
 buccalis, *Thyone*, 399, 400, 401
 bufo, *Spatangus*, 364
 bullata, *Ophioglypha*, 269
 Bunaster, 112, 118
 ritteri, 118
 uniserialis, 118
 variegatus, 118-119
 burtonii, *Asterina*, 130, 133

C

cacaotica, *Ophiomaza*, 233, 234, 235, 236
 caespitosa, *Ophiothrix*, 214, 215-216
 calamaria, *Asterias*, 155, 156
 Coscinasterias, 156, 471, 476, 477, 478, 493
 calamaria, *Echinothrix*, 299, 300
 Echinus, 299, 300
 calcar, *Asterias*, 134
 Asterina, 134
 Patiriella, 134-135, 469
 Calliaster, 81, 87
 childreni, 87
 erucaradiatus, 87
 spinosus, 87, 88
 callimorphus, *Pentaceros*, 107
 callipecha, *Stephanometra*, 45
 callipepla, *Comanthus*, 38
 callista, *Cryptopelta*, 264, 467
 callizona, *Macrophiothrix*, 219, 221
 Calometridae, 23, 53-54
 calyptaspis, *Macrophiothrix*, 219, 222
 Calveria fenestrata, 303
 camarota, *Lovenia*, 381, 382
 Camerata, 9
 canaliculata, *Ophiocoma*, 233, 244, 245, 470
 capella, *Goniaster (Ogmaster)*, 96
 Goniodiscus, 96
 Ogmaster, 96, 468
 capensis, *Pteraster*, 152
 Retaster, 152
 capillaris, *Macrophiothrix*, 218, 219, 222-223
 Ophiothrix, 222
 Capillaster, 24, 26-27, 28
 multiradiata, 27, 31
 sentosa, 27
 captiva, *Holothuria*, 436
 Caractacaster, 67
 yarraensis, 67
 caractaci, *Palaeaster*, 67
 carcharicus, *Astropecten*, 73, 76

Cardiaster, 360, 361
 latecordatus, 360, 361
 tertiarius, 360-361
 cariboeorum, *Cassidulus*, 356
 carinata, *Comatula*, 53
 carinifera, *Asterias*, 109
 Asterope, 109-110, 468
 Gymnasteria, 109
 carnea, *Ophiura*, 268
 carpenteri, *Antedon*, 49
 Oligometra, 49
 caryophyllata, *Ophiomastix*, 248, 249-250
 Cassidulidae, 355-356
 Cassidulina, 334, 355
 Cassidulus, 355, 356
 cariboeorum, 356
 florescens, 356
 longianus, 357
 castanea, *Thyone*, 399
 cataphracta, *Lütkenia*, 235
 Ophiomaza, 234, 235
 cataphractus, *Stolinus*, 413
 catasticta, *Astrogymnotes*, 174
 catephes, *Amphiura*, 191, 193
 Catopygus elegans, 357
 obovatus, 358
 Caudina chilensis, 444
 ransonnetii, 444
 tetrapora, 445
 Caulocrinida, 17-18
 cavernosa, *Temnopleurus*, 309
 cebuense, *Thyonidium*, 409
 cebuensis, *Phyllophorus*, 408, 409
 Cenolia, 25, 35-36, 39, 477, 478, 480, 493
 bennetti, 35, 36
 plectrophorum, 35, 36
 samoana, 36-37
 tasmaniae, 36, 37
 trichoptera, 36, 37, 470
 Cenometra, 48
 cornuta, 48-49
 Centrechinidae, 295, 296, 302, 303
 Centrechinoida, 278, 295-296
 Centrechinus, 278, 296-297, 298, 299, 300
 antillarum, 296
 savignyi, 297-298
 setosus, 296, 297, 298
 Centrostephanus, 296, 298, 299
 rogersii, 296, 298-299, 469
 tenuispinus, 298, 299
 cepheus, *Asterina*, 133
 cervicornis, *Ophiacantha*, 188
 ceylonica, *Disasterina*, 143

Chaetodiadema, 296, 301, 302
 africanum, 302
 granulatum, 301-302
 tuberculatum, 301, 302
 challengerii, *Acolochirus*, 396
 Colochirus, 395, 396
 Protankyra, 489
 Charitometridae, 23, 59
 Cheiraster, 78, 79
 gazella, 78
 gazellae, 78-79
 chiajii, *Amphiura*, 191
 childreni, *Calliaster*, 87
 Stellaster, 96
 chilensis, *Caudina*, 444
 Molpadia, 444
 Paracaudina, 444
 Chilophiurida, 170, 237
 chinensis, *Anthenea*, 100
 Prionocidaris bispinosa var., 287
 Chiridota, 456-457
 australiana, 458, 459
 contorta, 459
 discolor, 456
 gigas, 457, 470, 494
 ingens, 383, 457, 458
 japonica, 461
 magna, 457
 rigida, 457
 rufescens, 458
 sp.?, 458
 variabilis, 458
 Chiridotidae, 446, 456
 chloronotos, *Stichopus*, 417
 Stichopus (Perideris), 416, 417
 chloronotus, *Stichopus*, 417, 468
 Chondrocidaris, 280, 284
 clarkii, 284
 gigantea, 284
 Chondrocloea, 447, 451-452, 453
 indivisa, 451, 452-453
 macra, 452
 nigra, 451, 452
 recta, 451, 452, 453
 Cidaridae, 279-281, 290
 cidaridis, *Taeniogyrus*, 459, 471
 Cidaris, 280, 281, 288, 482
 affinis, 289
 comptoni, 281, 288, 473
 conferta, 289
 coronalis, 306
 cretosa, 290
 papillata, 288
 pustulifera, 479
 radiata, 300, 301
 torcumatica, 309
 urii, 279
 variegatus, 321
 Cidaris (*Diadema*) longispina, 298
 Cidaris (*Stereocidaris*) australiae, 290
 cidaris, *Echinus*, 288
 Cidarites annulifera, 286
 baculosa, 285
 bispinosa, 286
 geranioides, 292
 imperialis, 282
 metularia, 288
 pistillaris, 284
 tubaria, 290, 291
 verticillata, 287
 Cidarites (*Phyllacanthus*) dubia, 281
 Cidaroida, 278, 279
 ciliaris, *Ophiothrix*, 220
 Ophiura, 216
 cincta, *Ophiocoris*, 255
 Ophiopsis, 272, 273
 Ophiurodon, 255
 cinctum, *Ophiurodon*, 254, 255, 467
 cinctus, *Ophiurodon*, 255
 cinerascens, *Holothuria*, 422, 426, 428, 471
 Stichopus (Gymnochirota), 428
 Cionobrissus, 370, 374
 regularis, 374-375
 revinctus, 374
 clarae, *Antedon*, 51
 clarkei, *Monaster*, 126
 Palaeaster, 126
 Palaeaster (Monaster), 126
 Tribrachyocrinus, 15, 16
 clarkii, *Chondrocidaris*, 284
 Tribrachyocrinus, 15, 16
 clavata, *Eucidaris*, 288
 clavatum, *Astrophyton*, 182
 clavigera, *Ophiacantha*, 183, 184
 Clypeaster, 335, 336, 338, 341, 354, 482
 australasiae, 336-337
 gippslandicus, 336, 337
 humilis, 336, 337
 oviformis, 354
 telurus, 336, 337
 virescens, 336, 338
 Clypeastridae, 334, 335
 Clypeastrina, 334
 clypeata, *Goniocidaris*, 293
 clypeatus, *Nucleolites*, 354
 Cocometra, 62

- Coelopleurus, 306
 australis, 306
 paucituberculatus, 306
 coerulea, Pentacta, 391
 coeruleus, Colochirus, 391
 colleta, Amphiophiura, 269
 Colobometra, 48, 52
 perspinosa, 52
 Colobometridae, 23, 48
 Colochirus, 390, 391, 402
 anceps, 393
 australis, 392
 axiologus, 394
 challengerii, 395, 396
 coeruleus, 391
 crassus, 393
 cucumis, 393
 dispar, 394
 doliolum, 392
 gazellae, 402
 jagorii, 391
 minutus, 392
 quadrangularis, 391
 robustus, 393
 spinosus, 395, 396
 squamatus, 393
 tuberculatus, 393
 violaceus, 394
 coluber, Holothuria, 423, 428-429
 Comantheria, 25, 34, 35, 39
 alternans, 34
 briareus, 34-35
 perplexum, 34, 35
 rotula, 34, 35
 weberi, 35
 Comanthina, 25, 32, 33, 38, 39, 189
 belli, 32-33, 35, 38, 467
 schlegelii, 32, 33, 34
 Comanthoides, 24, 27
 spanoschistum, 28
 Comanthus, 25, 27, 28, 33, 35, 37-38, 39,
 484, 491
 alternans, 34
 annulata, 38
 callipepla, 38
 luteofusca, 36
 parvicirra, 36, 38, 39, 484
 perplexum, 35
 plectrophorum, 36
 schlegelii, 33
 spanoschistum, 27, 28
 tasmaniae, 37
 timorensis, 33, 35, 36, 38-39
 var., xantha, 39
 trichoptera, 37
 Comanthus (Cenolia) bennetti, 36
 plectrophorum, 36
 samoana, 36
 tasmaniae, 37
 trichoptera, 37
 Comanthus (Comanthus) parvicirra, 39
 samoana, 36
 Comanthus (Comanthus, Validia) rotalaria,
 29
 Comanthus (Validia) rotalaria, 29
 Comaster, 24, 31-32, 39
 minima, 31, 32
 multifida, 31, 32
 Comasteridae, 23, 24-25, 48
 Comastrocrinus, 20
 liliaceus, 20
 springeri, 21
 comata, Zygometra, 40, 41, 467
 Comatella, 24, 25
 maculata, 25, 26
 nigra, 25-26
 stelligera, 25, 26
 Comatula, 24, 29, 30, 491
 adeonae, 50
 brachiolata, 29
 carinata, 53
 cratera, 30
 indica, 45
 jaquinoti, 44
 macronema, 55, 56
 multifida, 31
 multiradiata, 31
 pectinata, 28, 30, 31
 purpurca, 30, 31
 rotalaria, 29
 solaris, 30, 31, 236
 trichoptera, 35, 37
 Comatula (Alecto) articulata, 46
 milberti, 43
 Comatulella, 24, 29
 brachiolata, 29, 470
 Comatulida, 17, 21
 Comissia, 24, 27, 28
 lütkeni, 28
 compacta, Henricia, 148
 compressus, Linthia, 365, 366
 Megalaster, 366
 Pericosmus, 366, 376
 Compsometra, 60, 491
 incommoda, 60-61
 loveni, 60, 61
 compsus, Microcyphus, 315, 316-317
 comptoni, Cidaris, 281, 288, 473
 conaminis, Neometra, 54, 55
 concolor, Holothuria impatiens var., 434

- conferta, Cidaris, 289
 Stylocidaris, 289-290
 confertus, Ophiaster, 120, 121-122
 confusa, Ophiacantha, 184-185
 congesta, Ophiacantha, 184, 186
 Ophialcaea, 186
 conica, Holothuria, 423, 432
 conjungens, Anthenea, 101, 103, 467
 Ophiopeza, 257, 258
 Conocladus, 177, 179
 amblyconus, 179
 microconus, 179-180
 oxyconus, 179, 180
 Conoclypeus, 358
 rostratus, 358
 constricta, Amphiuira, 192, 194-195, 466, 471
 constrictum, Ophiocreas, 174, 175, 176
 contorta, Chiridota, 459
 convergens, Cucumaria, 415
 Psolidium, 415
 coppingeri, Goniostaster, 90, 91
 Pentagonaster, 91
 Coptechinus, 308
 corallicola, Ophiomastix, 248, 250
 coranguinum, Echinites, 378
 Eupatagus, 377
 Spatangus, 378
 cor-anguinum, Micraster, 378
 cordatum, Echinocardium, 382, 471, 480,
 493
 cordatus, Echinocardium, 382
 Echinus, 382
 coriaceus, Leiaster, 119
 cornuta, Cenometra, 48-49
 coronalis, Cidaris, 306
 Coronaster, 154
 coronata, Asterina, 130, 132-133, 144
 corrugatus, Tribrachyocrinus, 16
 Coscinasterias, 154, 155-156, 478, 480
 calamaria, 156, 471, 476, 477, 478, 493
 dubia, 156
 gemmifera, 156
 muricata, 155, 156
 Coscinasterinae, 156
 Cosmasterias, 155, 158
 dyscrita, 158
 Cosmiometra, 57, 58
 dasybrachia, 58
 woodmasoni, 58
 craniolaris, Echinocyamus, 347, 348
 Fibularia, 347, 348, 471
 Craspedometra acuticirra, 42
 crassa, Anthenea, 101, 103
 Nepanthia, 143
 Parasterina, 142, 143
 Patiria, 142, 143
 Pentacta, 391, 392, 393
 crassimanum, Astrogonium, 89
 crassimanus, Pentagonaster, 88, 89-90
 crassipinna, Antedon, 42
 crassispina, Asterina, 130, 132
 Histocidaris, 294-295
 Toxocidaris, 329
 crassissimum, Astrogonium, 89
 crassus, Colochirus, 393
 Hesperaster, 341
 Poteriocrinites, 13
 cratera, Comatula, 30
 crenulata, Antedon, 43
 Heterometra, 42, 43
 Crepidosoma, 163, 166
 goslariensis, 166
 kinglakensis, 166
 petri, 166
 wenlockensis, 166
 wenlocki, 166
 cresswelli, Urasterella, 128
 cretosa, Cidaris, 290
 Cribrella hyadesi, 148
 sufflata, 148
 cribrus, Pteraster, 152
 Retaster, 152
 Crinoidea, 7, 9, 472
 Crossaster, 149
 multispinus, 150
 crudelis, Anthenea, 101, 103
 Anthenea australiae var., 103
 crux-andreae, Spatangus, 381
 Cryptopelta, 253, 264, 479
 callista, 264, 467
 granulifera, 264, 476, 487
 Ctenamphiura, 190
 maxima, 190-191
 ctenophora, Amphiophiura, 268
 Dictenophiura, 268, 469
 Ophiura, 268
 Cucumaria, 386, 387, 388, 407, 475, 488, 491
 acicula, 405
 adela, 387, 389
 africana, 404
 areolata, 396
 bicolor, 387, 388
 convergens, 415
 inconspicua, 397
 japonica, 389
 mirabilis, 387, 388
 mutans, 406
 parva, 397

- Cucumaria—*continued*
semperi, 387, 388
squamata, 389, 475
squamatoidea, 387, 389
striata, 387, 388
thomsoni, 406
Cucumariidae, 385, 386–387
cucumis, Colochirus, 393
Pentacta, 391, 393, 468
Culcita, 105, 108
novaeguineae, 108
Culcitaster, 109
anamesus, 109
cumingii, Ferdina, 116
cumulus, Holothuria, 425, 437
cupida, Ophioconis, 255
Ophiurodon, 255
cupidum, Ophiurodon, 254, 255
curiosa, Holothuria, 435
Cuvieria, 413
squamatus, 413
cyaneus, Metacrinus, 18–19
Cyathocrinites pinnatus, 12
Cyathocrinus konincki, 14
Cyclaster, 370, 371–372
archeri, 372
declivus, 371
lycoperdon, 372
morgani, 372
cyclus, Ammotrochus, 341, 342
cyclostomus, Echinoneus, 352, 353, 477
cylindrica, Palaeocoma, 167
Cyllometra taprobanes, 52
Cystipus pleuripus, 432
- D
- Daidalometra, 57
arachnoides, 57
dallasii, Ophiacantha, 186
danae, Ophiothela, 229
darnleyensis, Echinus, 325
Nudechinus, 324, 325
dasybrachia, Cosmiometra, 58
dearmatus, Lipotrachea, 411–412, 470, 494
Phyllophorus, 411
decacantha, Ophionephthys, 200, 201
decagonale, Laganum, 345
decagonalis, Peronella, 346
Decametra, 48, 52, 53
informis, 52
mobiusi, 52
möbiusi, 52
studerii, 52–53

- taprobanes*, 52
zebra, 52, 53
decanus, Echinaster, 149
Plectaster, 149
decipiens, Eupatagus, 376
Macropneustes, 376
Meoma, 376
declivus, Cyclaster, 371
decorum, Temnotrema, 313, 314
delicata, Acaudina, 445, 446
Aphelodactyla, 446
Heterometra, 41, 42
Lissophiothrix, 230, 467
Ophiactis, 207, 209–210
Ophiocoma, 243, 246
demessa, Amphiothrix, 217
Ophiothrix, 217
demissa, Molpadia, 445
Dendrochirota, 385
dennanti, Echinoneus, 353
dentata, Ophiocoma, 246
depressa, Amphipholis, 205
Echinolampas, 360
depressum, Laganum, 343–344, 493
depressus, Amphioplus, 204, 205, 467
Dermechinus, 321, 322, 494
horridus, 322, 480, 488, 494
Desoria australis, 364
diacritica, Amphiuira, 192, 196
Diadema, 278, 296
savignyi, 297
setosum, 297
diadema, Echinothrix, 299, 300
Echinus, 300
Diademata, 296, 302
Dictenophiura, 266, 268, 479
ctenophora, 268, 469
stellata, 268–269, 467
didymus, Amphioplus, 204, 206, 467
difficilis, Actinocucumis, 403–404
Holothuria, 424, 434, 436, 441
dilatata, Ophiocnida, 199
dilatatus, Ophiocentrus, 198, 199
Diplosalenia, 331 n.
Dipsacaster, 72, 78
magnificus, 78
sladeni, 78
Disasterina, 129, 138, 139
abnormalis, 138–139
ceylonica, 143
leptacantha, 139
leptacantha, 138, 139, 478
praesignis, 138, 139
spinulifera, 138, 139

- discoidea*, Amphimetra, 44
Amphimetra tessellata, 43–44
Asterias, 108
Himerometra, 43
Ophiacantha, 184, 185
discolor, Chiridota, 456
Discucumaria, 387, 404, 480, 485
africana, 404–405
dispar, Colochirus, 394
Pentacta, 391, 394
dissimilis, Molpadia, 443
distincta, Staurothyone, 397, 398
dives, Ophiomitra, 187
döderleini, Ophiocoma, 246
dolabrifera, Leptosynapta, 453, 454, 455,
459, 460, 471
Synapta, 454
dolia, Amphiuira, 192, 197, 469
doliolum, Actinia, 390
Colochirus, 392
dolosus, Hypselaster, 367, 368
Dongona, 96
Dorigona reevesii, 96
Dorocidarid, 281
bracteata, 289
Dorometra, 60, 62
nana, 62
parvicirra, 62
dorsipes, Psolidium, 414
dubia, Australiaster, 156
Cidarites (Phyllacanthus), 281
Coscinasterias, 156
Ophiopsis, 239
Ophionereis, 237, 239–240, 241
Phyllacanthus, 281
dubius, Anthenoides, 95
dübeni, Pentagonaster, 88–89, 94, 470
duncani, Phyllacanthus, 281, 282
Duncaniaster, 360, 361
australiae, 361
dussumieri, Salmacis, 311, 312, 468
dyscrita, Cosmasterias, 158
Leptosynapta, 453, 454
Ophiothrix, 214, 216
Pectinura, 256
Uniophora, 159, 160
dyscritum, Laganum, 343, 344
dyscritus, Eupatagus, 377, 378

E

- eburneum*, Ophiomusium, 274
echinacea, Astrotoma, 177
Echinanthus australasiae, 336
humilis, 337

- ovatus*, 358, 359
tumidus, 335
Echinarachnius, 341, 342
Echinarachnius, Arachnoides, 339
Echinaster, 145–146, 147, 148
acanthodes, 145, 146
arcystatus, 145, 146, 470
decanus, 149
eridanella, 147
fallax, 147
glomeratus, 145, 146
var. extremus, 146
luzonicus, 145, 147–148
purpureus, 147
sagenus, 145
stereosomus, 146
superbus, 145, 147, 151
varicolor, 145, 147, 148, 467
vestitus, 147, 148
Echinasteridae, 111, 126, 144–145
echinata, Ophiocnida, 203
Ophiura, 242
echinatus, Ophiophragmus, 203
Echinidae, 296, 321
Echinites coranguinum, 378
echinites, Acanthaster, 150
Actinopyga, 440, 441
Mülleria, 441
Echinobrissus australiae, 354
vincentinus, 354
Echinocardium, 370, 382, 481, 491
australe, 382
cordatum, 382, 471, 480, 493
cordatus, 382
Echinocyamus, 347, 349, 350
angulosus, 349
craniolaris, 347, 348
planissimus, 349, 350
platytatus, 349, 350
provectus, 349, 350
scaber, 349, 350
Echinodiscus, 351–352
auritus, 352, 467
var. tenuissimus, 352
bisperforatus, 351
laganum, 342, 343
orbicularis, 345
tenuissimus, 352
Echinoidea, 7, 277–278, 473–474
Echinolampas, 355, 358–359, 360, 482
australis, 359
depressa, 360
gambierensis, 359
ovata, 359–360

- Echinolampas—*continued*
 ovulum, 359
 posterocrassa, 359
 Echinometra, 330, 332, 489
 lucunter, 332
 mathaei, 332-333
 oblonga, 332
 picta, 332
 setosa, 296, 297
 vanbrunti, 329
 Echinometridae, 296, 330
 Echinoneidae, 352
 Echinoneina, 334, 352
 Echinoneus, 352-353, 481
 cyclostomus, 352, 353, 477
 dennanti, 353
 Echinostrephus, 327, 328
 aciculatum, 327, 328
 aciculatus, 327, 328
 molare, 327-328
 molaris, 327
 Echinothrix, 296, 299
 calamaris, 299, 300
 diadema, 299, 300
 Echinothuriidae, 295, 303
 Echinus, 322, 480
 albocinctus, 323
 armatus, 491
 calamaris, 299, 300
 cidaris, 288
 cordatus, 382
 darnleyensis, 325
 diadema, 300
 elevatus, 319
 erythrogrammus, 329
 globulus, 314, 315
 gratilla, 326
 horridus, 322
 lacunosus, 368
 lucunter, 332
 mamillatus, 333
 mammillatus, 333
 mathaei, 332
 minutus, 349
 molaris, 327
 multicolor, 325
 omalostoma, 329
 ovum, 317, 318
 pallidus, 318
 placenta, 339, 340
 robillardii, 326
 rosaceus, 336
 spatagus, 372
 sphaeroides, 312
 tuberculatus, 329, 330
 variolaris, 305
 ventricosus, 325
 verruculatus, 321
 echinus, Acanthaster, 150
 edulis, Holothuria, 422, 427, 468
 edwardsii, Micraster, 363
 ehrenbergii, Linckia, 117
 elegans, Antedon, 40
 Anthenea, 101, 103
 Asterodiscus, 108
 Catopygus, 357
 Fromia, 112, 113
 Hapalocrinus, 11
 Histocidaris, 294, 295
 Microcyphus, 316
 Ophiarthrum, 242, 251, 252
 Ophiogymna, 235, 236
 Ophioporon, 228
 Ophiolithrix, 226
 Placophiothrix, 224, 226
 Polyaster, 346
 Porocidaris, 294
 Prionocidaris bispinosa *var.*, 287
 Radiaster, 80
 Studeria, 357
 Temnotrema, 313-314
 Zygotetra, 40-41
 elevata, Ophiozona, 271
 Ophiozonella, 271-272, 471
 elevatus, Echinus, 319
 ellipes, Stichopus, 417, 418
 elongata, Lovenia, 381-382
 Plesiolampas, 358
 elongatum, Laganum, 345, 346
 elongatus, Arachnoides, 338
 Spatangus, 381
 emburyi, Tegulaster, 143, 144
 Encrinites testudinarius, 22
 Encrinus, 56
 australis, 55, 56
 Eospondylus, 163, 165
 tenuis, 165
 epigonus, Nucleolites, 356
 Oligopodia, 356
 epistichus, Gymnechinus, 326
 equestris, Asterias, 96
 eridanella, Echinaster, 147
 erinaceus, Holothuria, 422, 426
 Ophiocoma, 242, 243, 244, 245
 ernae, Astroboa, 182
 erucaradiatus, Calliaster, 87
 erythrogramma, Heliocidaris, 329-330, 470

- erythrogrammus, Echinus, 329
 Toxocidaris, 330
 etheridgei, Micraster, 338, 339
 Monostychia, 338, 339
 Euantedon, 60, 61
 paucicirra, 61
 Euapta, 447
 godeffroyi, 447-448
 Eucidaris, 280, 288
 clavata, 288
 metularia, 288-289
 euopla, Euryale, 172, 173
 Eupatagus, 370, 376-377, 378
 coranguinum, 377
 decipiens, 376
 dyscritus, 377, 378
 laubei, 377, 378
 murrayensis, 377
 rotundus, 377
 valenciennesii, 376, 377, 378, 474
 wrightii, 377-378
 Euryale, 172, 173
 aspera, 172-173
 euopla, 172, 173
 verrucosum, 181
 euryale, Asterias, 181
 eurystichus, Pseudocucumis, 406
 Evechinus, 491
 excentricus, Spatangus, 360
 exigua, Asterias, 136
 Asterina, 136
 Ophiolithrix, 214, 215
 Patiriella, 134, 136, 478
 exilis, Ophiopora, 257, 258
 Pectinura, 258
 Exocycloida, 278, 333-334
 extremus, Echinaster glomeratus *var.*, 146
- F
- fallax, Echinaster, 147
 fasciata, Ophionereis, 238
 fascicularis, Asterina coronata, 133, 467
 fenestrata, Calveria, 303
 Ferdina, 116
 cumingii, 116
 ocellata, 116
 ferruginea, Ophioglypha, 270
 Fibularia, 347-348, 349, 351
 australis, 350
 craniolaris, 347, 348, 471
 gregata, 347, 348
var. orbiculus, 348
 nutriens, 348, 349
 ovulum, 348
 plateia, 348, 349
 tatei, 348
 trigona, 347
 volva, 348-349
 Fibulariidae, 334, 347
 fidelis, Ophiacantha, 184, 186
 Ophiomitrella, 186
 finschi, Nardoia, 115
 Fistularia impatiens, 434
 flabellum, Ophiomysidium, 266-267, 469
 Ophiomysium, 266
 flaccida, Ophiomastix, 248, 250-251
 flavescens, Anthenea, 102
 flemingtonensis, Palasterina, 69
 Flexibilia, 9, 12
 flexilis, Antedon, 59
 florescens, Cassidulus, 356
 foraminatus, Goniodiscaster, 90, 92
 Goniodiscus, 92
 forbesi, Lovenia, 381, 382
 Protaster, 167
 Spatangus, 382
 Forcipulata, 64, 152-153
 forficifera, Luidia, 70, 71
 formosanus, Astropecten carcharicus, 76
 formosus, Amblypneustes, 317-318
 fosteri, Ophiacantha (Ophioglyphoida), 187
 Ophioglyphoida, 187
 fragilis, Hypselaster, 367-368
 Ophiocentrus, 198
 Periastrer, 367
 fragilissima, Luidia, 70
 Fromia, 112, 113
 andamanensis, 112, 113
 elegans, 112, 113
 milleporella, 112-113
 polypora, 114
 fulgens, Zoroaster, 153
 fumaria, Ophiolithrix, 220
 fungifera, Asterias, 159
 Uniophora, 158, 159
 Furcater, 163, 167, 168
 bakeri, 167, 168
 kilmorensis, 167, 168
 leptosomoides, 167, 168
 palaeozoicus, 167
 furtivus, Astrothamnus, 177
 fusca, Tamarina, 123, 124-125
 fuscocinerea, Holothuria, 424, 427, 428, 435
 fuscolineata, Ophiactis, 208, 211, 467
 fusco-olivacea, Holothuria, 423, 432
 fuscopunctata, Holothuria, 429, 433
 fusus, Holothuria, 398
var. papuensis, Thyone, 399

G

- galateae, Macrophiolithrix, 218 n.
galathea, Macrophiolithrix, 218 n.
gambierensis, Echinolampas, 359
gardineri, Iconaster, 95
Nymphaster, 95
garretti, Ophioplepis, 273
gazella, Cheiraster, 78
gazellae, Cheiraster, 78-79
Colochirus, 402
Thyone, 399, 402
gemmifera, Coscinasterias, 156
Genocidaris, 307, 308
incerta, 308-309
maculata, 308, 309
geranioides, Cidarites, 292
Goniocidaris, 292
gibba, Salenia, 304
gibberulus, Paraster, 367
Schizaster, 366
gibbosa, Asterias, 129
gibbosus, Stellaster, 96, 98
gigantea, Chondrocidaris, 284
giganteus, Australaster, 66, 67
Palaeaster (Monaster), 66, 67
gigas, Chiridota, 457, 470, 494
Linthia, 365
Pericosmus, 365
gippslandicus, Clypeaster, 336, 337
glabra, Opheodesoma, 448, 449
Synapta, 448
glacialis, Ophiocoelax, 171, 172
globifera, Uniophora, 158, 159
globigera, Anthenea, 99, 100
Gymnanthenea, 100, 467
globosa, Salenia, 305
Salenidia, 304, 305
globulus, Echinus, 314, 315
Mespilia, 315
glomeratus, Echinaster, 145, 146
Glyphodiscus, 95
perierctus, 95
Gnathophiurida, 169, 189
godeffroyi, Anthenea, 101, 103
Euapta, 447-448
Synapta, 447
Goniaster, 96
tessellatus, 81 n.
Goniaster (Ogmaster) capella, 96
Goniasteridae, 65, 81-82, 84
Gonimaretia, 370, 379
interrupta, 379
tylota, 379
Goniocidarina, 293
Goniocidaris, 280, 290-291, 292, 293, 294
australiae, 291, 293
clypeata, 293
geranioides, 292
impressa, 292
mortenseni, 291
murrayensis, 291, 292-293
pentaspinoso, 291, 292 n., 293
prunispinosa, 291, 292
tubaria, 291-292, 333, 470
var. impressa, 291, 292
Goniodiscaster, 82, 90, 92, 93
acanthodes, 90, 91, 467
australiae, 90, 91, 467
bicolor, 90, 92
coppingeri, 90, 91
foraminatus, 90, 92
integer, 90, 91, 468
pleyadella, 90-91
seriatus, 90, 92
Goniodiscus acutus, 102
capella, 96
foraminatus, 92
pleyadella, 90
seriatus, 92
gorgonia, Neometra, 54
Ophiarachna, 259, 260
Ophiarachnella, 260-261, 262
Gorgonocephalidae, 169, 176-177, 179
Gorgonocephalus sagaminus, 181
goslariensis, Crepidosoma, 166
gracilis, Mimaster, 80
Ophiacantha, 184, 186
Ophiiothamnus, 186
Orcaster, 107
Pentacera, 107
Radiaster, 80-81
gracillima, Ophioplepis, 201
grandis, Amblypneustes ovum var., 319
Himerometra, 46
Meoma, 375
Nepanthia, 137
Paranepanthia, 137, 138, 470
Tosia, 93
grandisquama, Ophioconis, 254
granifer, Ophidiaster, 120, 121, 468
granifera, Asterias, 158, 159
Uniophora, 158, 159, 469
granulatum, Chaetodiadema, 301-302
granulatus, Astrocladus, 181
Astropecten, 73, 76
Tribrachyocrinus, 16
granulifera, Cryptopelta, 264, 476, 487

- granuliferum, Psolidium, 414, 415
granulosus, Pentaceros, 92
Stellaster, 97
Graphiocrinus, 14
gratilla, Echinus, 326
Tripneustes, 326
gratiosa, Parasalenia, 331
gravieri, Gymnechinus, 325
Nudechinus, 324, 325, 483 n.
grayi, Anthenea, 99
gregarius, Aganaster, 165-166
Protaster, 165
gregata, Fibularia, 347, 348
Gregoriura, 163
spryi, 163, 164
grisea, Leptopentacta, 389-390
Opheodesoma, 448, 449, 468
Synapta, 449
Thyone, 399, 400
Gualtieria, 370, 376
australiae, 376
orbignyana, 376
guldinii, Linckia, 117-118, 475
gunnii, Asterina, 135
Patiriella, 134, 135, 470
gyges, Antedon, 47
Lamprometra, 47
Gymnanthenea, 82, 99-100
globigera, 100, 467
laevis, 100
Gymnasteria carinifera, 109
Gymnechinus, 321, 326
epistichus, 326
gravieri, 325
gymnonota, Uniophora, 159, 160
Gymnopatagus, 376
gymnopora, Haplophiura, 267, 469
Ophiozona, 267
H
Habroporina, 138
pulchella, 138
Hacelia, 112, 122, 479
helicosticha, 122-123
hadra, Ophiiothela, 229-230
Halityle, 105, 109
anamesus, 109
regularis, 109
Hallaster, 163, 167
parvus, 167
hamatum, Urodemas, 410, 411
hamatus, Phyllophorus, 411
hana, Antedon, 57
Haplocrinus, 11
elegans, 11
victoriae, 11
Haplodactyla molpadioides, 445
Haplophiura, 265, 267
gymnopora, 267, 469
hartmeyerii, Astropecten, 75
Holothuria, 425, 435, 437-438, 470
Ophiolithrix, 215, 216
helianthoides, Petasometra, 51
Helicocrinus, 11
plumosus, 11, 12
helicosticha, Hacelia, 122-123
helicostichus, Ophidiaster, 122
Heliocidaris, 305, 327, 328, 329
erythrogramma, 329-330, 470
var. armigera, 329, 330
var. parvospina, 329, 330
stenopora, 329
tuberculata, 329, 330, 493
Hemiaster, 362, 364
archeri, 372
planadeclevis, 364
Hemiaster (Rhynobrius) apicatus, 374
Hemiasteridae, 362-363
hemiasteroides, Rhynobrius, 373, 374
hemiteles, Ophiactis, 208, 211
hemprichi, Astropecten, 76
Henricia, 144, 145, 146, 148, 149, 471
compacta, 148
var. aucklandiae, 149
heteractis, 141
hyadesi, 148-149, 471
obesa, 148
oculata, 148
heptactis, Ophiotauma, 189
Hesperaster, 335, 341
arachnoides, 341
crassus, 341
hesperus, Pseudechinus, 323
heteracantha, Ophiocrossota, 267
heteractis, Asterina, 130, 133
Henricia, 141
Heterocentrotus, 330, 333
mamillatus, 333
mammillatus, 333
Heterometra, 41, 42, 481
crenulata, 42, 43
delicata, 41, 42
nematodon, 42, 43
heterosigmus, Taeniogyrus, 459
heterotyla, Ophiacantha, 183, 184, 186, 489
hexactis, Luidia, 70, 71
Ophionereis, 237, 240

- Himerometra, 42
 discoidea, 43
 grandis, 46
 paedophora, 58, 59
 robustipinna, 42
 unicornis, 48
 Himerometridae, 23, 42, 55
 hirsuta, Ophiothrix, 219, 222
 hirta, Ophiactis, 208, 211
 hirudo, Urasterella, 127
 hispida, Ophiopsis, 203
 Histocidarid, 280, 294, 295
 australiae, 294, 295
 crassispina, 294-295
 elegans, 294, 295
 Holaster australiae, 361
 Holoctypoida, 352
 Holopneustes, 37, 307, 319-320, 470, 490, 491
 inflatus, 319, 320
 porosissimus, 319, 320
 purpureus, 320
 pycnotilus, 320, 469
 Holopocrinida, 17
 Holothuria, 420, 421-425, 426, 436, 489, 491
 albiventer, 423, 431-432
 altimensis, 424, 434
 arenicola, 425, 438-439, 468
 argus, 422, 425, 468
 atra, 422, 427, 438
 axiologa, 423, 429
 bowensis, 424, 432, 434
 captiva, 436
 cinerascens, 422, 426, 428, 471
 coluber, 423, 428-429
 conica, 423, 432
 cumulus, 425, 437
 curiosa, 435
 difficilis, 424, 434, 436, 441
 edulis, 422, 427, 468
 erinaceus, 422, 426
 fuscocinerea, 424, 427, 428, 435
 fusco-olivacea, 423, 432
 fuscopunctata, 429, 433
 fusus, 398
 hartmeyerii, 425, 435, 437-438, 470
 homoea, 425, 438
 hypamma, 433
 immobilis, 439
 impatiens, 424, 434
 var. bicolor, 434
 var. concolor, 434
 var. lutea, 434
 var. pulchra, 434
 inhabilis, 424, 433
 inhaerens, 453
 insignis, 437
 klunzingeri, 432
 leucospilota, 419, 425, 438
 lineata, 437
 lubrica, 426
 macleari, 436
 macroperona, 424, 435
 maculata, 438, 450
 marmorata, 422, 426
 martensii, 423, 431, 434
 mauritiana, 440
 michaelsoni, 422, 426
 miliaris, 441
 modesta, 422, 427
 moebii, 422, 426, 428
 mollis, 417
 monocaria, 424, 429, 433, 436-437
 var. viridis, 437
 notabilis, 423, 432
 ocellata, 423, 429-430
 olivacea, 432
 pardalis, 425, 437
 parvula, 436
 pentactes, 387
 pervicax, 422, 428, 435
 phantapus, 413
 pleuripus, 432
 pulchella, 428
 purpurea, 459
 quadrangularis, 391
 remollescens, 425, 437
 rigida, 424, 432-433
 rugosa, 424, 435
 scabra, 423, 430-431
 spinifera, 423, 429, 430
 spinosa, 395
 squamifera, 429, 430
 subverta, 431
 tuberculosa, 393
 tubulosa, 421
 vagabunda, 438
 verrucosa, 425, 439
 Holothuria (Psolus) monocaria, 436
 Holothuria (Thelenota) ananas, 420
 Holothuriidae, 415, 420-421
 Holothurioidea, 8, 383-385, 474
 holothurioides, Phyllophorus, 407, 408
 homoea, Holothuria, 425, 438
 horrens, Stichopus, 417, 418
 horridus, Dermochinus, 322, 480, 488, 494
 Echinus, 322

- incrassata, Ophiarachna, 253, 254, 468
 Ophiura, 253
 indiana, Pseudoboletia, 328
 indianus, Toxopneustes, 328
 indica, Comatula, 45
 Stephanometra, 45, 46
 indicator, Periechocrinus, 10
 indivisa, Chondroclaea, 451, 452-453
 Synapta, 451, 452
 infernalis, Ophiarachna, 262
 Ophiarachnella, 260, 262, 263
 Pectinura, 262
 inflatus, Holopneustes, 319, 320
 informis, Antedon, 52
 Decametra, 52
 ingens, Chiridota, 383, 457, 458
 inhabilis, Holothuria, 424, 433
 inhaerens, Holothuria, 453
 inopinata, Asterina, 130, 131, 469
 inornata, Patiriella, 134, 136
 insignis, Holothuria, 437
 Linthia, 365
 Retaster, 152
 insolens, Protankyra, 455, 456
 Synapta, 456
 inspinosus, Stellaster, 96, 97, 98
 insularia, Ophiocoma, 246, 247
 insularis, Astrostole, 155
 integer, Gonioidiacaster, 90, 91, 468
 intercedens, Mensamaria, 406
 Pseudocucumis, 388, 405, 406
 intermedia, Molpadia, 443
 intermedium, Asthenosoma, 304
 interrupta, Gonimaretia, 379
 interruptus, Lonchophorus, 379
 Metacrinus, 18, 19
 Iridometra, 60
 irregularis, Ophiomyxa, 171
 Ophiotrichoides, 231, 233
 Phyllacanthus, 281, 283, 284, 470
 Smilasterias, 157
 Isocrinus, 18, 19, 472
 australis, 19-20
 var. albascopularis, 20
 parvus, 20
 pendulus, 19
 I
 jacksonia, Leptosynapta, 454
 jagorii, Colochirus, 391
 Pentacta, 390, 391-392
 janualis, Ophiomastix, 248, 249
 januarii, Amphipholis, 201
 Hudsonaster, 66
 australis, 66
 narrawayi, 66
 Hudsonasteridae, 65, 66
 humilior, Psammechinus, 323
 humilis, Clypeaster, 336, 337
 Echinanthus, 337
 huttoni, Pseudechinus, 323
 hyadesi, Cribrella, 148
 Henricia, 148-149, 471
 hydriformis, Synaptula, 451
 hymenacantha, Ophiothrix, 233
 Ophiotrichoides, 231, 233
 Hypalocrinus liliaceus, 21
 ornatus, 21
 springeri, 20
 hypamma, Holothuria, 433
 Hypselaster, 363, 367
 dolosus, 367, 368
 fragilis, 367-368
 hystrix, Lovenia, 381
 Palaeopneustes, 362
 I
 Iconaster, 82, 95
 gardineri, 95
 longimanus, 95
 Iconometra, 48, 49
 anisa, 49
 speciosa, 49
 ictinodes, Leptosynapta, 453, 454-455
 imbricata, Ophiopsis, 275
 imbricatus, Ophioplocus, 275-276
 immobilis, Holothuria, 439
 imparipinna, Antedon, 47
 impatiens, Fistularia, 434
 Holothuria, 424, 434
 imperialis, Cidarites, 282
 Phyllacanthus, 281, 282, 283
 impressa, Goniocidarid, 292
 Goniocidarid tubaria var., 291, 292
 impressus, Phialocrinus, 14
 improvisus, Pedicellaster, 155
 Inadunata, 9, 12, 17
 inaequale, Astrogonium, 88
 incei, Stellaster, 96, 97-98
 incerta, Goniocidarid, 308-309
 incertum, Ophiomusium, 275
 incisa, Arachnoides, 338, 339, 340
 incommoda, Antedon, 60
 Compsometra, 60-61
 inconspicua, Cucumaria, 397
 Staurothyone, 397

- japonica, Chiridota, 461
Cucumaria, 389
japonicus, Schizaster, 368
jaquinoti, Amphimetra, 44
Comatula, 44
johnstoni, Nanometra, 61
junori, Schuchertia, 128
- K
- kefersteini, Polyplectana, 449-450
Synapta, 449
keiensis, Taeniogyrus, 459
kilmorensis, Furcaster, 167, 168
kimberi, Phyllacanthus irregularis, 283
kinbergi, Ophioglypha, 270
Ophiura, 270
kinglakensis, Crepidosoma, 166
Kleinia luzonica, 371
klunzingeri, Holothuria, 432
komachi, Thalassometra, 58
konincki, Cyathocrinus, 14
Phialocrinus, 14-15
koreana, Ophiothrix, 215, 216
krebssii, Ophiactis, 207
- L
- Labidodemas, 420, 421, 435
americanum, 421 n.
semperianum, 421
Labidoplax, 488
lacunosus, Echinus, 368
Schizaster, 367, 368
Laemophiurida, 169, 182
laevigata, Asterias, 117
Linckia, 108, 117, 118, 468
laevis, Archaster, 79, 80
Gymnanthenea, 100
Ophiactis, 207, 208
Prionocidaris bispinosa var., 286, 287
Lagana, 342
laganum, 343
Laganidae, 334, 342
Laganum, 342-343, 344
bonani, 343
decagonale, 345
var. rictum, 343, 345
depressum, 343-344, 493
dyscritum, 343, 344
elongatum, 345, 346
laganum, 343
lesueuri, 346
orbiculare, 345
peronii, 344
platymodes, 346
rostratum, 345
Laganum (Peronella) peronii, 344
laganum, Echinodiscus, 342, 343
Lagana, 343
Laganum, 343
lampra, Macrophiothrix, 218, 220, 469
Lamprometra, 45, 47
brachypecha, 47
gyges, 47
palmata, 47
protectus, 47
Lapworthura, 163, 164
miltoni, 164-165
pulcherrima, 164, 165
latecarinatus, Brissus, 375
Spatangus brissus var., 375
latecordatus, Cardiaster, 360, 361
laubei, Eupatagus, 377, 378
leachii, Leiaster, 119, 120, 475
Ophiaster, 119
Lecanocrinidae, 12
Lecanocrinus, 12
breviarticulatus, 12
macropetalus, 12
lecanora, Actinopyga, 440, 441, 446
Mülleria, 436, 439
Leiaster, 112, 119
coriaceus, 119
leachii, 119, 120, 475
speciosus, 119-120
Leiocidaris australiae, 290
Lepidocentroida, 303
lepta, Monilimetra, 63
leptacantha, Disasterina, 139
leptacantha, Asterina, 138, 139
Disasterina, 138, 139, 478
Leptopentacta, 386, 389
grisea, 389-390
leptosoma, Protaster, 167
leptosomoides, Furcaster, 167, 168
Sturtzura, 168
Leptosynapta, 447, 453
dolabrifera, 453, 454, 455, 459, 460, 471
dyscrita, 453, 454
ictinodes, 453, 454-455
jacksonia, 454
parvipatina, 453, 454
variopatina, 454
lesueuri, Laganum, 346
Peronella, 344, 345, 346
leucaspis, Amphiuira, 192, 195
leucoglobus, Amblypneustes, 317, 318, 319

- leucoprocta, Acaudina, 445, 446
Aphelodactyla, 446
leucospilota, Holothuria, 419, 425, 438
Stichopus (Gymnochirota), 438
liliaceus, Comastrocrinus, 20
Hyalocrinus, 21
limbata, Luidia, 71
limicola, Ophionephthys, 200
Periaster, 367
Schizaster (Periaster), 367
Linckia, 112, 117, 118
ehrenbergii, 117
guldinii, 117-118, 475
laevigata, 108, 117, 118, 468
megaloplax, 124
pauciforis, 115
tyloplax, 117, 118
typus, 117
lineata, Holothuria, 437
Ophiogymna, 235, 236
Ophionereis, 237, 238-239
lineatus, Ortholophus, 308
Temnechinus, 308
lineocerulea, Ophiothrix, 225
Placophiothrix, 223, 225, 467
Linthia, 363, 364, 365, 366, 482
antiaustralis, 365
compressus, 365, 366
gigas, 365
insignis, 365
mooraboolensis, 365, 366
nelsoni, 365, 366
lioderma, Ophiaster, 120
liodisca, Ophiothrix, 232
Ophiotrichoides, 231, 232
Liparometra, 45, 46
articulata, 46
Lipotrapeza, 387, 411
dearmatus, 411-412, 470, 494
ventripes, 411, 412
vestiens, 398, 409, 411, 412, 470
Lissophiothrix, 213, 230
delicata, 230, 467
lobata, Amphipholis, 205
lobatus, Amphioplus, 204, 205-206
Lobophora tenuissima, 352
Lonchophorus interruptus, 379
Lonchotaster magnificus, 78
longianus, Australanthus, 357
Cassidulus, 357
longibrachiatus, Botryocrinus, 13
longicirra, Antedon, 56
longimanum, Astrogonium, 95
longimanus, Iconaster, 95
longipeda, Macrophiothrix, 216, 218 n., 219,
220, 221, 223
Ophiothrix, 221
Ophiura, 217, 221
longipedes, Actinocucumis, 403, 404
longispina, Cidaris (Diadema), 298
Manasterina, 139, 140
Ophiocoma, 246
Ophiozona, 271
longispinus, Phyllacanthus, 281, 282, 467
loveni, Antedon, 52, 60, 61
Arachnoides, 338
Asteronyx, 173
Compsometra, 60, 61
Lovenia, 277, 370, 381, 382
camarota, 381, 382
elongata, 381-382
forbesi, 381, 382
hystrix, 381
lubrica, Actinopyga, 439, 440-441
Holothuria, 426
Mülleria, 440
lucidus, Amphioplus, 204
lucunter, Echinometra, 332
Echinus, 332
ludwigi, Stichopus, 417, 418
lütkeni, Comissia, 28
Ophiactis, 208
Ophiopezella, 258
Lütkenia, 235
cataphracta, 235
Luidia, 70
australiae, 70, 71, 470
forma brunnea, 70, 71
forcifera, 70, 71
fragilissima, 70
hexactis, 70, 71
limbata, 71
maculata, 70, 71-72
quinaria, 71
Luidiidae, 65, 70
lumbricus, Ophiocreas, 175
lutea, Asterina, 130, 131-132, 467
Holothuria impatiens var., 434
Ophiactis savignyi var., 210
luteofusca, Comanthus, 36
luteomaculata, Ophiactis, 207, 209
luzonica, Brissopsis, 371
Kleinia, 371
Othilia, 147
luzonicus, Echinaster, 145, 147-148
lycoperdon, Cyclaster, 372
lymani, Ophiotrichoides, 230
Ophiuopsis, 173-174

lyrifer, *Brissus*, 371
Lytechinus, 321
 verruculatus, 321-322, 468

M

macleari, *Holothuria*, 436
macra, *Chondrocloea*, 452
macracantha, *Zoroaster*, 154
macrata, *Schuchertia*, 128
macrobrachia, *Nectria*, 85, 86
macrolepidota, *Ophiactis*, 207, 209
macronema, *Alecto*, 55
 Antedon, 56
 Comatula, 55, 56
 Ptilometra, 55, 56, 470
macronesius, *Pericosmus*, 363
macroperona, *Holothuria*, 424, 435
macropetalus, *Lecanocrinus*, 12
 Rhynobrissus, 373, 374
Macrophiothrix, 189, 213, 216, 217-219, 220, 222, 223
 belli, 189, 218 n., 219, 220, 221, 467
 callizona, 219, 221
 calyptaspis, 219, 222
 capillaris, 218, 219, 222-223
 galateae, 218 n.
 galatheae, 218 n.
 lampra, 218, 220, 469
 longipeda, 216, 218 n., 219, 220, 221, 223
 megapoma, 218, 219-220
 michaelseni, 219, 222
 rhabdota, 218, 220-221
 rugosa, 219, 222
 scotia, 218, 220, 467
 spinifera, 218, 220
 sticta, 218, 219
Macrophreata, 21, 60
Macropneustes, 376
 decipiens, 376
macropoda, *Antedon*, 57
maculata, *Actinometra*, 26
 Comatella, 25, 26
 Genocidaris, 308, 309
 Holothuria, 438, 450
 Luidia, 70, 71-72
 Mülleria, 440
 Nepanthia, 140, 142
 Synapta, 450, 468
 Trochodota, 460
maculatus, *Microcyphus*, 315, 477
maculosa, *Metalia*, 372, 374
magna, *Chiridota*, 457

magnificus, *Dipsacaster*, 78
 Lonchotaster, 78
 Phyllacanthus, 281, 282, 283
magnispina, *Nepanthia*, 140, 142
magnisquama, *Amphiura*, 192, 195
magnus, *Phyllophorus*, 399
mamillata, *Asterias*, 106
mamillatus, *Echinus*, 333
 Heterocentrotus, 333
mamillifera, *Nardoa*, 115, 116
mammillatus, *Echinus*, 333
 Heterocentrotus, 333
mammillosa, *Synapta*, 450
Manasterina, 129, 139
 longispina, 139, 140
Maretia, 370, 379-380
 anomala, 379, 380
 ovata, 380
 peloria, 380
 planulata, 380
Margaraster scaber, 155
mariae, *Oreometra*, 54
 Reometra, 54
Mariametridae, 23, 45
marmorata, *Bohadschia*, 426
 Holothuria, 422, 426
 Ophiarachnella, 260
 Ophiocnemis, 229, 467
 Ophiocoma, 246
 Ophiura, 228, 229
marstoni, *Palaeocoma*, 168
Marsupites, 22, 472
 ornatus, 22
 testudinarius, 22
Marsupitidae, 21, 22
martensi, *Ophiiothrix*, 231
 Ophiotrichoides, 233
martensii, *Holothuria*, 423, 431, 434
Mastigometra, 484
materna, *Ophiodaphne*, 212
mathaei, *Echinometra*, 332-333
 Echinus, 332
mauritiana, *Actinopyga*, 439, 440, 441
 Holothuria, 440
mauritiensis, *Ophiiothrix*, 217
maxima, *Amphiura*, 190
 Ctenamphiura, 190-191
mccoyi, *Pericosmus*, 366
Mediaster, 81, 83, 84
 aequalis, 83
 australiensis, 83
 boardmani, 83
 monacanthus, 84
 praestans, 83

megacantha, *Ophiarachna*, 253, 254
Megalaster compressus, 366
megaloplax, *Linckia*, 124
 Ophiarachnella, 260, 263
 Ophiiothrix, 228
 Pectinura, 263
 Placophiothrix, 224, 228
 Tamaria, 123, 124
megaloprepes, *Stellaster*, 96, 97
megapodia, *Orbithyone*, 396
megapoma, *Macrophiothrix*, 218, 219-220
melambaphes, *Ophiocreas*, 175, 176
melanogramma, *Ophiiothrix*, 216, 226
 Ophiiothrix stelligera forma, 216
melanosticta, *Ophiiothrix*, 223, 224
 Placophiothrix, 223, 224, 467
membranacea, *Asterias*, 144
Mensamaria, 387, 405-406
 bicolumnata, 406, 470
 intercedens, 406
 thomsoni, 406-407, 470, 494
Meoma, 370, 375
 decipiens, 376
 grandis, 375
meridionalis, *Palaeaster*, 68
 Promopalaeaster, 68
mertoni, *Anthena*, 102, 103-104
mesopoma, *Amphiodia*, 203
Mesothuria, 416
 multipes, 416
 murrayi var. parva, 416
 parva, 416
Mespilia, 307, 314
 globulus, 315
 var. pellocrica, 315
Metacrinus, 18, 472
 cyaneus, 18-19
 interruptus, 18, 19
 rotundus, 19
 wyvillii, 18, 19
Metalia, 370, 372
 maculosa, 372, 374
 spatagus, 372
 sternalis, 372-373
Metrodira, 111
 subulata, 111
Metrodiridae, 65, 111
metularia, *Cidarites*, 288
 Eucidaris, 288-289
michaelseni, *Holothuria*, 422, 426
 Macrophiothrix, 219, 222
 Ophiiothrix, 222
 Salmacis, 309
 Temnopleurus, 309-310, 314, 470

micra, *Amphiura*, 192, 195
 Thyone, 398, 400, 401
Micraaster, 370, 378
 archeri, 372
 brevistella, 372
 cor-anguinum, 378
 edwardsii, 363
 etheridgei, 338, 339
 sweeti, 379, 473
microconus, *Conocladus*, 179-180
Microcyphus, 307, 315, 470, 477, 491
 annulatus, 315, 316
 compsus, 315, 316-317
 elegans, 316
 maculatus, 315, 477
 pulchellus, 315, 316
 zigzag, 315, 316, 317
microdiscus, *Antedon*, 40
 Zygometa, 40, 41
Micropyga, 296, 302, 303
 tuberculata, 302-303
Micropygidae, 302
microsoma, *Amphiura*, 191, 193, 194, 196
milberti, *Comatula (Alecto)*, 43
miliaris, *Actinopyga*, 440, 441-442
 Holothuria, 441
militaris, *Asterias*, 151
milleporella, *Asterias*, 112
 Fromia, 112-113
miltoni, *Lapworthura*, 164-165
 Protaster, 164
Mimaster, 80
 gracilis, 80
mimica, *Patiriella*, 134, 135-136
minima, *Comaster*, 31, 32
 Phanogenia, 32
minor, *Antedon*, 61
minuta, *Amphistigma*, 202-203
 Asterina, 129
 Pentacta, 390, 392
 Thyone, 399, 401
minutus, *Colochirus*, 392
 Echinus, 349
 Psolus, 414
mirabilis, *Cucumaria*, 387, 388
 Ophiiothrix (Ophiothela), 229
 Pentathyone, 396
 Thyone, 396
mirifica, *Asterometra*, 57
mitchelli, *Sturtzaster*, 168-169
mixta, *Ophiomastix*, 248-249
mobiusi, *Decametra*, 52
modesta, *Asterina*, 130
 Holothuria, 422, 427
 Ophiactis, 208, 211, 467

- moebii, *Holothuria*, 422, 426, 428
Nymphaster, 86, 87
Pentagonaster (*Dorigona*), 87
möbiusi, *Decametra*, 52
Mocra stygia, 369
Moir, 363, 369
stygia, 369
molare, *Echinostrephus*, 327-328
molaris, *Echinostrephus*, 327
Echinus, 327
mollis, *Holothuria*, 417
Nardoa, 114, 115
Stichopus, 417-418, 470, 494
Molpadia, 442-443
altimensis, 443-444
australis, 445
chilensis, 444
demissa, 445
dissimilis, 443
intermedia, 443
musculus, 442
productamensis, 443
scabrum, 443, 444
Molpadiidae, 442
molpadioides, *Haplodactyla*, 445
Molpadonia, 385, 442
moluccana, *Antedon*, 61
monacantha, *Antedon*, 45, 46
Nectria, 84
Stephanometra, 45, 46
monacanthus, *Astropecten*, 73, 76, 467
Mediaster, 84
Nectriaster, 84
monarthrus, *Teliocrinus*, 20, 21
Monaster, 126
clarkei, 126
Monasteridae, 125, 126
Monilimetra, 60, 62-63, 467, 486
bicolor, 63
lepta, 63
nomima, 62, 63
poecila, 63
monocaria, *Holothuria*, 424, 429, 433, 436-437
Holothuria (*Psolus*), 436
Monostychia, 335, 338, 339, 340
australis, 338-339
etheridgei, 338, 339
mooraboolensis, *Linthia*, 365, 366
morgani, *Cyclaster*, 372
Scutellina, 351
mortenseni, *Goniocidaris*, 291
Mortensenia oblonga, 332
mülleri, *Ptilometra*, 55, 56, 59
Mülleria, 436, 439
echinites, 441
lecanora, 439, 441
lubrica, 440
maculata, 440
nobilis, 440
parvula, 436
mulleri, *Ptilometra*, 56 n.
multicolor, *Antedon*, 54
Echinus, 325
Nudechinus, 324, 325
multifida, *Actinometra*, 33
Alecto, 31, 32
Comaster, 31, 32
Comatula, 31
multipes, *Mesothuria*, 416
multiradiata, *Asterias*, 27, 31
Capillaster, 27, 31
Comatula, 31
multiremula, *Amphiura*, 192, 196, 469
multispina, *Nectria*, 85, 86
Ophiocrossota, 267-268
Ophioglypha, 267
Uniophora, 159, 160
multispinum, *Ophioteichus*, 271
multispinus, *Crossaster*, 150
muricata, *Coscinasterias*, 155, 156
murravica, *Sismondia*, 351
murrayensis, *Eupatagus*, 377
Goniocidaris, 291, 292-293
murrayi var. parva, *Mesothuria*, 416
Stereoderma, 401
musculus, *Molpadia*, 442
mutans, *Cucumaria*, 406

N

- nana*, *Antedon*, 62
Dorometra, 62
nannodes, *Amphiura*, 192, 197
Nanometra, 60, 61
johnstoni, 61
Nardoa, 112, 114-115, 116
finschi, 115
mamillifera, 115, 116
mollis, 114, 115
novaecaledoniae, 114, 115
pauciforis, 114, 115, 468
rosea, 114, 115
tuberculata, 114, 115, 116
tumulosa, 116
narrawayi, *Hudsonaster*, 66
Natanteata, 21

- Nectria*, 81, 84, 85, 86, 494
macrobrachia, 85, 86
monacantha, 84
multispina, 85, 86
ocellata, 85, 86
ocellifera, 85, 86, 142
oculifera, 85, 86
Nectriaster, 81, 84
monacanthus, 84
nelsoni, *Linthia*, 365, 366
Pericosmus, 366
nematodon, *Antedon*, 43
Heterometra, 42, 43
Neoferdina, 112, 116
ocellata, 116
Neometra, 54, 55
conaminis, 54, 55
gorgonia, 54
Nepanthia, 129, 140, 141, 142
belcheri, 140, 141
brevis, 140, 141
crassa, 143
grandis, 137
maculata, 140, 142
magnispina, 140, 142
platydisca, 136
polyplax, 141
tenuis, 140, 142
variabilis, 140, 141-142
nereidina, *Ophiolithrix*, 232
Ophiotrichoides, 231, 232, 468
Ophiura, 232
niasicus, *Archaeopneustes*, 362
Palaeopneustes, 362
nigra, *Actinometra*, 25
Asterias, 188
Chondrocloea, 451, 452
Comatella, 25-26
Ophiocomina, 188
Ophionereis semoni var., 241
Patiriella, 134, 136
Pectinura, 256-257
Synapta, 451, 452
Synaptula, 452
Thyone, 399, 401
nigrescens, *Psolidium*, 414-415
nigro-brunnea, *Prionocidaris bispinosa var.*, 287
nobile, *Astrogonium*, 93
nobilis, *Actinometra*, 32
Actinopyga, 439, 440
Mülleria, 440
nodosa, *Asterias*, 105, 106
Ophiolepis, 271, 272, 273-274
nodosus, *Oreaster*, 106
Phialocrinus, 14, 15
Protoreaster, 106
nodulosus, *Pentaceros*, 106
Protoreaster, 106, 467
nomentis, *Ophiactis*, 212
nomima, *Monilimetra*, 62, 63
notabilis, *Holothuria*, 423, 432
Ophiomastix, 242, 248, 250
Styphlaster, 92
notium, *Temnotrema*, 313, 314
notius, *Parechinus*, 323
Pseudechinus, 323
novaecaledoniae, *Nardoa*, 114, 115
Scytaster, 115
novaeguineae, *Culcita*, 108
novae-hollandiae, *Progonolampas*, 359
novae-zelandiae, *Ophiactis profundi var.*, 209
Ophiocentrus, 199
novus, *Paradoxechinus*, 308
Nucleolites, 353, 354, 482
australiae, 354
clypeatus, 354
epigonus, 356
oviformis, 354
recens, 355
scutatus, 354
vincentinus, 354
Nucleolitidae, 353
Nucleolitina, 334, 353
nuda, *Asterias*, 161
Asterina, 130, 131
Uniophora, 159, 161
Nudechinus, 321, 324, 325
darnleyensis, 324, 325
gravieri, 324, 325, 483 n.
multicolor, 324, 325
scotiopremnus, 324, 483
var. australiensis, 324
nummularia, *Scutellina*, 351
nutriens, *Fibularia*, 348, 349
Nymphaster, 81, 86-87, 95
gardineri, 95
moebii, 86, 87
pentagonus, 87
protentus, 86
symbolicus, 84

O

- obesa*, *Anthenea*, 101, 104
Henricia, 148
Petricia, 110
Uniophora, 159, 160

- oblonga, Echinometra, 332
 Mortensenia, 332
 obovatus, Catopygus, 358
 obscura, Ophiocnemis, 234
 Ophiomaza, 234-235
 obtusangula, Anthenea, 99
 Asterias, 99
 obtusangulus, Pseudoreaster, 99, 467
 occidentalis, Apatopygus, 355
 Aporometra, 58, 59
 Astroconus, 180, 181
 Ophiocoma, 242, 243, 245
 Parasterina, 142, 143
 occitana, Scutella, 350
 oceanica, Synapta, 450
 ocellata, Bohadschia, 429
 Ferdina, 116
 Holothuria, 423, 429-430
 Nectria, 85, 86
 Neoferdina, 116
 ocellifera, Asterias, 85, 86
 Nectria, 85, 86, 142
 Patiria, 142
 ochroleuca, Amphiodia, 203
 Amphiura, 203
 octacantha, Ophionephthys, 200
 oculata, Henricia, 148
 oculifera, Asterias, 85
 Nectria, 85, 86
 Odinia, 153
 australis, 153
 semicoronata, 153
 ogivalis, Synbathocrinus, 12
 Ogmaster, 82, 96
 capella, 96, 468
 Ogmocidaris, 491
 okeni, Thyone, 399, 402
 Oligometra, 48, 49
 anisa, 49
 carpenteri, 49
 serripinna, 49-50, 484
 studerii, 52
 thetidis, 50
 zebra, 53
 Oligometrides, 48, 50
 adeonae, 50-51
 Oligophreata, 21, 23-24
 Oligopodia, 355, 356
 epigonus, 356
 oligopora, Salmacis, 310, 312
 olivacea, Holothuria, 432
 omalostoma, Echinus, 329
 oöplax, Ophiocten, 270
 Ophiura, 270
 opacum, Ophiurodon, 254, 255
 Opheodesoma, 447, 448
 australiensis, 448, 449
 glabra, 448, 449
 grisea, 448, 449, 468
 var. alba, 449
 ramispicula, 449
 spectabilis, 448, 449
 Ophiacantha, 183-184, 186, 187, 473
 amaleta, 186
 brachygnatha, 184, 186-187
 cervicornis, 188
 clavigera, 183, 184
 confusa, 184-185
 congesta, 184, 186
 dallasii, 186
 discoidea, 184, 185
 fidelis, 184, 186
 gracilis, 184, 186
 heterotylo, 183, 184, 186, 469
 spinulosa, 183
 tenuispina, 184, 185
 truncata, 184, 185
 valenciennesi, 184, 187
 Ophiacantha (Ophioglyphoida), fosteri, 187
 Ophiacanthidae, 169, 182-183, 254
 Ophiactis, 189, 190, 207-208, 209, 210, 211, 212, 487
 acosmeta, 207, 210
 brevis, 208, 212
 delicata, 207, 209-210
 fuscolineata, 208, 211, 467
 hemiteles, 208, 211
 hirta, 208, 211
 krebssii, 207
 laevis, 207, 208
 lütkeni, 208
 luteomaculata, 207, 209
 macrolepidota, 207, 209
 modesta, 208, 211, 467
 nomentis, 212
 plana, 209
 profundi, 207, 209, 210
 var. novae-zelandiae, 209
 reinhardtii, 210
 resiliens, 208, 212, 470, 494
 savignyi, 208, 209, 210, 211, 212, 466, 476
 var. lutea, 210
 symbiota, 207, 208
 tricolor, 207, 208
 Ophialcaea, 186
 congesta, 186

- Ophiarachna, 170, 252, 253, 254
 gorgonia, 259, 260
 incrassata, 253, 254, 468
 infernalis, 262
 megacantha, 253, 254
 septemspinosa, 263
 spinosa, 258
 stellata, 259
 Ophiarachnella, 253, 259-260, 261, 262, 265
 gorgonia, 260-261, 262
 infernalis, 260, 262, 263
 marmorata, 260
 megaloplax, 260, 263
 paucigranula, 260, 263
 ramsayi, 260, 261-262, 470
 var. pulchra, 260, 262
 rugosa, 260, 262, 467
 septemspinosa, 260, 263-264
 similis, 260, 263
 sphenisci, 260, 263
 Ophiarthrum, 242, 251
 elegans, 242, 251, 252
 var. unicolor, 251, 252
 pictum, 251-252, 468
 ophidiana, Asterias, 120
 Ophidiaster, 112, 120, 121, 123
 armatus, 120, 121
 attenuatus, 122
 confertus, 120, 121-122
 granifer, 120, 121, 468
 helicostichus, 122
 leachii, 119
 lioderma, 120
 ornatus, 124
 propinquus, 120, 121
 squameus, 120, 122
 tuberifer, 124
 tumescens, 123
 watsoni, 120, 121
 Ophidiasteridae, 65, 111-112
 Ophiobyrsa, 170, 171
 rudis, 171
 Ophiobyrsella, 171
 Ophiocentrus, 190, 198, 199
 aculeatus, 198
 asper, 198, 199, 200
 dilatatus, 198, 199
 fragilis, 198
 novae-zelandiae, 199
 pilosus, 198, 199-200, 469
 verticillatus, 198, 201
 Ophioclasma, 253, 259
 adspersa, 259
 stellata, 259
 stellatum, 259
 Ophiocitonidae, 170, 237
 Ophiocnemis, 213, 228, 229
 marmorata, 229, 467
 obscura, 234
 Ophiocnida, 190, 203
 aspera, 200
 dilatata, 199
 echinata, 203
 pilosa, 199
 sexradia, 206
 verticillata, 198
 Ophiocoma, 241, 242-243, 244, 245, 246, 247, 253, 487
 brevipes, 242, 243, 245-246, 247
 var. variegata, 246
 brevispinosa, 246
 canaliculata, 243, 244, 245, 470
 var. pulchra, 244
 delicata, 243, 246
 dentata, 246
 döderleini, 246
 erinaceus, 242, 243, 244, 245
 insularia, 246, 247
 var. variegata, 242, 243, 246-247
 longispina, 246
 marmorata, 246
 occidentalis, 242, 243, 245
 parva, 241, 242, 243, 247, 250 n.
 pica, 242, 244
 picta, 251
 pulchra, 243, 244-245, 470
 punctata, 245
 schoenleini, 243, 245, 468
 scolopendrina, 242, 243, 244
 tenuispina, 246
 ternispina, 246
 variegata, 246
 wendtii, 242, 245
 Ophiocomella, 247
 Ophiocomidae, 170, 241-242, 250 n.
 Ophiocomina, 183, 188, 487
 australis, 188
 nigra, 188
 Ophiocoris cincta, 255
 cupida, 255
 grandisquama, 254
 Ophiocreas, 172, 175, 176
 adhaerens, 174
 constrictum, 174, 175, 176
 lumbricus, 175
 melambaphes, 175, 176
 phanerum, 175, 176
 rhabdotum, 175-176
 sibogae, 175

- Ophiocrossota*, 265, 267, 491
heteracantha, 267
multispina, 267-268
Ophiocryptus, 265
Ophiocten oöplax, 270
Ophiodaphne, 190, 212
materna, 212
Ophiodermatidae, 170, 252-253, 254, 265
Ophiodyscrita, 253, 265
acosmeta, 265
Ophioglypha, 267, 270
bullata, 269
ferruginea, 270
kinbergi, 270
multispina, 267
stellata, 268
urbana, 269
Ophioglyphoida, 183, 187
fosteri, 187
Ophiogymna, 214, 235
elegans, 235, 236
lineata, 235, 236
Ophiolepididae, 170, 265-266
Ophiolepis, 266, 271, 272, 274
annulosa, 272, 273
cincta, 272, 273
dubia, 239
garretti, 273
gracillima, 201
hispidata, 203
imbricata, 275
nodosa, 271, 272, 273-274
perplexus, 201
savignyi, 207, 210
schayeri, 238
superba, 272-273
unicolor, 272, 273
Ophiomastix, 242, 247-248, 250, 487
annulosa, 248, 249
asperula, 248
bispinosa, 248, 250
caryophyllata, 248, 249-250
corallicola, 248, 250
flaccida, 248, 250-251
janualis, 248, 249
mixta, 248-249
notabilis, 242, 248, 250
Ophiomaza, 189, 214, 233-234, 236
cacaotica, 233, 234, 235, 236
var. picta, 234
cataphracta, 234, 235
obscura, 234-235
Ophiomisidium, 265, 266, 267
flabellum, 266-267, 469
speciosum, 266
Ophiomitra, 183, 187
dives, 187
valida, 187
Ophiomitrella, 186
fidelis, 186
Ophiomusium, 266, 274, 275
anisacanthum, 274
aporum, 274, 275
eburneum, 274
flabellum, 266
incertum, 275
simplex, 274-275, 471
var. australe, 275
Ophiomyxa, 170, 171, 479
australis, 170-171, 471, 476, 477, 494
brevispina, 170, 171
irregularis, 171
Ophiomyxidae, 169, 170
Ophioncus, 265
Ophionephthys, 190, 193, 196, 200, 204
decacantha, 200, 201
limicola, 200
octacantha, 200
perplexa, 200, 201
tenuis, 200, 201
Ophionereis, 237, 239, 240, 241
dubia, 237, 239-240, 241
fasciata, 238
hexactis, 237, 240
lineata, 237, 238-239
porrecta, 237, 238, 239
schayeri, 237, 238, 470
semoni, 237, 239, 240-241
var. badia, 241
var. nigra, 241
stigma, 237, 239, 467
tigris, 237, 241
Ophiopeza assimilis, 257
aster, 264
conjungens, 257, 258
exilis, 257, 258
yoldii, 257
Ophiopezella, 253, 258
lütkeni, 258
spinosa, 258-259
Ophiophragmus echinatus, 203
Ophiophthirius, 214, 236
actinometrae, 236
Ophiopinax stellatus, 259
Ophiopleura, 235
Ophioplocus, 266, 275
bispinosus, 275, 276
imbricatus, 275-276
Ophiopristis axiologus, 188

- Ophioprium*, 183, 188, 487
axiologum, 188
Ophiopsila, 242
Ophiopteron, 213, 223, 225, 227, 228, 232, 233
elegans, 228
puncto-caeruleum, 225
Ophioscolex, 170, 171, 188
glacialis, 171, 172
sp.?, 171-172
Ophioteichus, 266, 271
multispinum, 271
parvispinum, 271
Ophiothamnus gracilis, 186
Ophiothaua, 183, 189
heptactis, 189
Ophiothela, 213, 229
danae, 229
hadra, 229-230
Ophiothrix, 213, 214, 215, 216, 217, 220, 222, 228, 229
acestra, 214, 215, 216, 226
albostrigata, 227
aristulata, 224
belli, 221
caespitosa, 214, 215-216
capillaris, 222
ciliaris, 220
demessa, 217
dyscrita, 214, 216
elegans, 226
exigua, 214, 215
fumaria, 220
hartmeyeri, 215, 216
hirsuta, 219, 222
hymenacantha, 233
koreana, 215, 216
lineocaeerulea, 225
liodisca, 232
longipeda, 221
martensi, 231
australis, 231
mauritiensis, 217
megaloplax, 228
melanogramma, 216, 226
melanosticta, 223, 224
michaelseni, 222
neridina, 232
plana, 227
propinqua, 232
rhabdota, 220
smaragdina, 231
spongicola, 220, 227
stelligera, 214, 215, 216
forma atra, 216
forma atrolineata, 216, 226
forma melanogramma, 216
striolata, 225
trilineata, 226
virgata, 227
vitrea, 214
Ophiothrix (Ophiothela) mirabilis, 229
Ophiotrichidae, 169, 213-214
Ophiotrichoides, 214, 228, 230-231, 232
hymenacantha, 231, 233
irregularis, 231, 233
liodisca, 231, 232
lymani, 230
martensi, 233
australis, 230, 231
neridina, 231, 232, 468
propinqua, 231, 232-233
pulchra, 231, 233
smaragdina, 231-232, 467
Ophiotriton, 240
semoni, 240
Ophiozona elevata, 271
gymnopora, 267
longispina, 271
Ophiozonella, 266, 271
bispinosa, 272
elevata, 271-272, 471
Ophiura, 266, 267, 270
annulosa, 247, 249, 272
carnea, 268
ciliaris, 216
ctenophora, 268
echinata, 242
incrassata, 253
kinbergi, 270
longipeda, 217, 221
marmorata, 228, 229
neridina, 232
oöplax, 270
pentagona, 170
reticulata, 237
rosula, 214
scolopendrina, 243
texturata, 270
ophiura, *Asterias*, 270
Ophiurella primigenia, 165
Ophiurodon, 252, 254, 255
cincta, 255
cinctum, 254, 255, 467
var. pulchellum, 254, 255
cinctus, 255
cupida, 255

- Ophiurodon—*continued*
 cupidum, 254, 255
 opacum, 254, 255
 Ophiuroidea, 7, 162–163, 169–170, 473
 Ophiuropsis, 172, 173
 lymani, 173–174
 orbiculare, Laganum, 345
 orbicularis, Echinodiscus, 345
 Peronella, 344, 345–346
 orbiculus, Fibularia gregata *var.*, 348
 orbignyana, Gualtieria, 376
 Orbithyone, 386, 396
 megapodia, 396
 Orcula perspicillum, 410
 Oreaster, 99, 105, 106
 australis, 107
 gracilis, 107
 nodosus, 106
 regulus, 107
 valvulatus, 98
 Oreasteridae, 65, 105, 107, 108
 Oreasterinae, 107
 Oreometra, 54
 mariae, 54
 pericalles, 54
 ornata, Tamarina, 123, 124
 ornatum, Astrogonium, 93
 ornatus, Hypalocrinus, 21
 Marsupites, 22
 Ophidiaster, 124
 Tribrachyocrinus, 15, 16
 Ortholophus lineatus, 308
 Othilia, 145
 luzonica, 147
 purpurea, 147
 ovata, Echinolampas, 359–360
 Maretia, 380
 ovatus, Echinanthus, 358, 359
 Spatangus, 379, 380
 oviformis, Clypeaster, 354
 Nucleolites, 354
 ovulum, Echinolampas, 359
 Fibularia, 348
 ovum, Amblypneustes, 317, 318–319
 Echinus, 317, 318
 oxyconus, Conocladus, 179, 180
- P
- pachistus, Amblypneustes ovum *var.*, 319
 Pachycentrotus, 327, 328, 329
 australiae, 329
 paedophora, Apometra, 58, 59
 Himerometra, 58, 59
 Palaeaster, 66, 126
 asperrimus, 127
 caractaci, 67
 clarkei, 126
 meridionalis, 68
 speciosus, 68
 Palaeaster (Monaster) clarkei, 126
 giganteus, 66, 67
 stutchburii, 67
 Palaeasteridae, 65, 66
 Palaeocoma cylindrica, 167
 marstoni, 168
 Palaeopneustes hystrix, 362
 niasicus, 362
 Palaeopneustidae, 362
 palaeozoicus, Furcaster, 167
 Palasterina, 68, 69
 bonneyi, 69
 flemingtonensis, 69
 rigidus, 68
 rugosa, 66
 stachi, 69, 70
 stellata, 128
 umbonata, 69, 70
 Palasterinidae, 65, 68
 pallida, Thyone buccalis *var.*, 401
 pallidus, Amblypneustes, 317, 318
 Echinus, 318
 Stichopus variegatus *var.*, 417, 419
 palmata, Alecto, 47
 Lamprometra, 47
 Palmipes rosaceus, 144
 papillata, Cidarid, 288
 papposa, Asterias, 149
 papuensis, Thyone, 398, 399–400
 Thyone fusus *var.*, 399
 Paracaudina, 442, 444, 445
 australis, 444, 445
 chilensis, 444
var. ransonnetii, 444
 ransonetti, 444
 tetrapora, 444, 445, 470
 Paradoxechinus, 307, 308
 novus, 308
 paradoxus, Stichopus, 417, 419
 Paranepanthia, 129, 136–137
 grandis, 137, 138, 470
 praetermissa, 137–138, 469
 rosea, 137, 138
 Parasalenia, 314, 330, 331
 gratiosa, 331
 pöhlii, 331
 Parasaleniiidae, 331 n.

- Paraster, 363, 366
 gibberulus, 367
 savignyi, 367
 Parasterina, 129, 142–143, 479
 crassa, 142, 143
 occidentalis, 142, 143
 trouhoni, 142, 143
 Parastichopus, 416
 pardalis, Holothuria, 425, 437
 Parechinus notius, 323
 parva, Cucumaria, 397
 Mesothuria, 416
 Mesothuria murrayi *var.*, 416
 Ophiocoma, 241, 242, 243, 247, 250 n.
 parvicirra, Alecto, 37, 39
 Antedon, 62
 Comanthus, 36, 38, 39, 484
 Comanthus (Comanthus), 39
 Dorometra, 62
 parvicypeus, Amphioplus, 204, 205
 parvior, Promopalaeaster meridionalis *var.*,
 68
 parvipatina, Leptosynapta, 453, 454
 parvipedes, Phyllophorus, 408, 409
 parvispina, Heliocidaris erythrogramma
var., 329, 330
 Phyllacanthus, 283
 parvispinum, Ophioteichus, 271
 parvispinus, Phyllacanthus, 281, 282, 283–
 284, 469
 parvula, Actinopyga, 436
 Holothuria, 436
 Mülleria, 436
 parvus, Hallaster, 167
 Isocrinus, 20
 patella, Scutellina, 351
 Patinapta, 482
 Patiria crassa, 142, 143
 ocellifera, 142
 Patiriella, 129, 134, 136
 brevispina, 134, 135
 calcar, 134–135, 469
 exigua, 134, 136, 478
 gunnii, 134, 135, 470
 inornata, 134, 136
 mimica, 134, 135–136
 nigra, 134, 136
 regularis, 136
 pattersoni, Archaster, 478
 patula, Antedon, 59
 Perissometra, 59
 paucicirra, Euantedon, 61
 pauciforis, Linckia, 115
 Nardoa, 114, 115, 468
- paucigranula, Ophiarachnella, 260, 263
 paucituberculatus, Coelopleurus, 306
 pectinata, Asterias, 31
 Comatula, 28, 30, 31
 pectinatus, Astropecten, 73, 74, 75
 Pectinura, 253, 256, 257, 265
 arenosa, 256, 257
 assimilis, 256, 257
 dyscrita, 256
 exilis, 258
 infernalis, 262
 megaloplax, 263
 nigra, 256–257
 ramsayi, 261
 similis, 263
 sphenisci, 263
 vestita, 256
 yoldii, 256, 257–258
 Pedicellaster, 154, 155
 improvisus, 155
 reticulatus, 155
 typicus, 155
 peircei, Anthenoides, 95
 pellocrica, Mespilia globulus *var.*, 315
 peloria, Maretia, 380
 Pendekaplectana, 451
 pendulus, Isocrinus, 19
 penicillaris, Asterinopsis, 137
 Pentaceraster, 105, 106–107
 australis, 107
 gracilis, 107
 regulus, 107
 Pentaceros callimorphus, 107
 granulatus, 92
 nodulosus, 106
 rouxi, 107
 Pentacrinida, 17
 Pentacrinidae, 18
 Pentacrinus australis, 19
 stellatus, 20
 Pentacta, 386, 390–391, 392, 393, 395, 402
 australis, 390, 391, 392, 394
 coerulea, 391
var. rubra, 391
 crassa, 391, 392, 393
 cucumis, 391, 393, 468
 dispar, 391, 394
 jagorii, 390, 391–392
 minuta, 390, 392
 quadrangularis, 390, 391, 392
var. rubra, 391
 robusta, 391, 393
 robustoides, 390, 392
 trimorpha, 391, 394

- Pentacta*—*continued*
tuberculosa, 390, 391, 392, 393
tuberculosus, 393
pentactes, *Holothuria*, 387
pentagona, *Ophiura*, 170
Pentagonaster, 81, 88, 89
abnormalis, 89
alexandri, 84
coppingeri, 91
crassimanus, 88, 89–90
dübeni, 88–89, 94, 470
pulchellus, 88
stibarus, 89
validus, 90
Pentagonaster (Dorigona) moebii, 87
pentagonula, *Asterias*, 100
pentagonus, *Nymphaster*, 87
pentaphylla, *Asterias*, 214
pentaspinosa, *Goniocidaris*, 291, 292 n., 293
Pentathyone, 386, 396
mirabilis, 396
perforata, *Thyone*, 399, 400
Periaster fragilis, 367
limicola, 367
pericalles, *Oreometra*, 54
Reometra, 54
Pericosmus, 362, 363, 376
compressus, 366, 376
gigas, 365
macronesius, 363
mccoyi, 366
nelsoni, 366
Periechocrinites, 10
articulosus, 10
Periechocrinus, 10
indicator, 10
Perieocrinites, 10
perierctus, *Glyphodiscus*, 95
Perischoechinoida, 278
perissa, *Thyone*, 398, 399
Perissometra, 59
patula, 59
Peronella, 342, 343, 344, 345, 346, 467
aphnostina, 346
decagonalis, 346
lesueuri, 344, 345, 346
orbicularis, 344, 345–346
peronii, 344–345
platymodes, 344, 346
ricta, 344, 345
rostrata, 345
tuberculata, 344, 346, 467
peronii, *Laganum*, 344
Laganum (Peronella), 344
Peronella, 344–345
perplexa, *Amphiura*, 201
Asterina, 130, 131
Ophionephthys, 200, 201
perplexum, *Comantheria*, 34, 35
Comanthus, 35
perplexus, *Ophioplepis*, 201
perspicillum, *Orcula*, 410
Urodemas, 410, 469
perspinosa, *Antedon*, 52
Colobometra, 52
pertusa, *Antedon*, 60
pervicax, *Holothuria*, 422, 428, 435
Petasometra, 48, 51, 467
brevicirra, 51
helianthoides, 51
variegata, 51
Petraster, 68, 69
angustior, 68, 69
richi, 68, 69
smythi, 68
petri, *Crepidosome*, 166
Protaster, 166
Petricia, 109, 110, 491
obesa, 110
punctata, 110
vernicina, 110
Phanerozonia, 64, 65, 66, 473
phanerum, *Ophiocreas*, 175, 176
Phanogenia minima, 32
phantapus, *Holothuria*, 413
Psolus, 413
Phialocrinus, 13, 14, 15
impressus, 14
konincki, 14–15
nodosus, 14, 15
princeps, 14, 15
stephensi, 14, 15
phoenissa, *Temnotrema*, 313, 314
phrixa, *Amphiura*, 191, 193, 467
Phrynocrinidae, 17
Phrynophiurida, 169, 170
Phyllacanthus, 280, 281, 282, 283, 284, 491
annulifera, 286
australis, 285
dubia, 281
duncani, 281, 282
imperialis, 281, 282, 283
irregularis, 281, 283, 284, 470
kimberi, 283
longispinus, 281, 282, 467

- Phyllacanthus*—*continued*
magnificus, 281, 282, 283
parvispina, 283
parvispinus, 281, 282, 283–284, 469
Phyllophorus, 387, 399, 402, 404, 407–408,
 409, 410, 411, 488
brocki, 407, 408
cebuensis, 408, 409
dearmatus, 411
hamatus, 411
holothurioides, 407, 408
magnus, 399
parvipedes, 408, 409
proteus, 402, 408–409
thyonoides, 408, 409
trapezus, 408, 409–410, 468
urna, 407
ventripes, 412
vestiens, 411, 412
pica, *Ophiocoma*, 242, 244
picta, *Echinometra*, 332
Ophiocoma, 251
Ophiomaza cacaotica var., 234
pictum, *Ophiarthrum*, 251–252, 468
pilosa, *Ophiocnida*, 199
pilosus, *Ophiocentrus*, 198, 199–200, 469
pinnatus, *Cyathocrinites*, 12
pinniformis, *Amphimetra*, 43, 44
Antedon, 44
pistillaris, *Cidarites*, 284
placenta, *Arachnoides*, 339, 340, 341
Echinus, 339, 340
Placophiothrix, 213, 223–224, 226, 227, 228
albolineata, 224, 228
albostrata, 224, 227
aristulata, 223, 224–225, 493
elegans, 224, 226
lineocerulea, 223, 225, 467
megaloplax, 224, 228
melanosticta, 223, 224, 467
plana, 224, 227, 467
spongicola, 224, 225, 227, 470
striolata, 223, 225–226
trilineata, 224, 226
virgata, 224, 227, 228
plana, *Ophiactis*, 209
Ophiactis, 227
Placophiothrix, 224, 227, 467
planadclivis, *Hemiaster*, 364
planci, *Acanthaster*, 150–151
Asterias, 150
planissimus, *Echinocyamus*, 349, 350
planulata, *Maretia*, 380
planulatus, *Spatangus*, 379
plateia, *Fibularia*, 348, 349
Platycrinidae, 9, 11
platydisca, *Nepanthia*, 136
platymodes, *Laganum*, 346
Peronella, 345, 346
platytatus, *Echinocyamus*, 349, 350
platyterus, *Ammotrophus*, 342
Plectaster, 145, 149
decanus, 149
plectrophorum, *Cenolia*, 35, 36
Comanthus, 36
Comanthus (Cenolia), 36
Plesiolampas, 355, 358
elongata, 358
rostrata, 358
rostratus, 358
Pleurechinus bothryoides, 313
siamensis, 314
pleuripus, *Cystipus*, 432
Holothuria, 432
pleyadella, *Asterias*, 90
Goniodiscaster, 90–91
Goniodiscus, 90
Plicatocrinidae, 17
Plococidaris, 287, 288
verticillata, 287
plumosus, *Helicocrinus*, 11, 12
poecila, *Amphiura*, 192, 197–198
Monilimetra, 63
pöhlii, *Parasalenia*, 331
polyacanthus, *Astropecten*, 73, 74–75
Polyaster elegans, 346
Polycheira, 456, 458
rufescens, 458, 468
polydactylus, *Actinocrinus*, 11
polygnatha, *Anthenea*, 100, 104
polyplax, *Allostichaster*, 157, 470, 493
Asteracanthion, 157
Nepanthia, 141
Polyplectana, 447, 449, 452
kefersteini, 449–450
polypora, *Austrofromia*, 114, 470
Fromia, 114
Poraniidae, 109, 138
Porocidaris elegans, 294
porosissimus, *Holopneustes*, 319, 320
porrecta, *Ophionereis*, 237, 238, 239
posterocrassa, *Echinolampas*, 359
Poteriocrinidae, 12, 13
Poteriocrinites, 13
crassus, 13
Poteriocrinus, 13
smithii, 14
praesignis, *Disasterina*, 138, 139

- praestans, *Mediaster*, 83
 praetermissa, *Asterinopsis*, 137
 Paranepanthia, 137-138, 469
 preissi, *Astropecten*, 73, 77
 Prenaster, 362, 363, 364
 aldingensis, 364
 alpinus, 363
 primaevus, *Uraster*, 69
 primigenia, *Ophiurella*, 165
 princeps, *Phialocrinus*, 14, 15
 Stellaster, 96, 97, 467
 Prionocidaris, 229, 280, 284-285, 287, 288
 australis, 284, 285
 baculosa, 285-286
 var. annulifera, 286, 287
 bispinosa, 285, 286-287
 var. aruana, 287
 var. chinensis, 287
 var. elegans, 287
 var. laevis, 286, 287
 var. nigro-brunnea, 287
 var. ramsayi, 287
 scoparia, 285, 286
 verticillata, 285, 287-288
 problematicus, *Astropecten*, 73, 74
 productamensis, *Molpadia*, 443
 profundi, *Ophiactis*, 207, 209, 210
 Progonolampas, 359
 novae-hollandiae, 359
 Promachocrinus, 475
 Promopalaeaster, 67, 68
 meridionalis, 68
 var. parvior, 68
 Promopalaeasteridae, 65, 67
 propetumescens, *Tamaria*, 123
 propinqua, *Ophiotrix*, 232
 Ophiotrichoides, 231, 232-233
 propinquus, *Ophidiaster*, 120, 121
 Protankyra, 447, 455, 490
 bisperforata, 455
 challengeri, 489
 insolens, 455, 456
 similis, 455
 verrilli, 455, 456, 467
 Protaster brisingoides, 166
 forbesi, 167
 gregarius, 165
 leptosoma, 167
 miltoni, 164
 petri, 166
 protecta, *Stephanometra indica*, 46
 protectus, *Lamprometra*, 47
 Protenaster, 363, 364
 australis, 364-365, 470, 474
 protentus, *Nymphaster*, 86
 proteus, *Phyllophorus*, 402, 408-409
 protomacronema, *Antedon*, 55
 Protoreaster, 105-106
 nodosus, 106
 nodulosus, 106, 467
 provectus, *Echinocyamus*, 349, 350
 prunispinosa, *Goniocidaris*, 291, 292
 Psammechinus, 323
 humilior, 323
 verruculatus, 321
 woodsii, 324
 Pseudanthenea, 82, [99]
 Pseudarchaster, 83
 boardmani, 83
 Pseudechinus, 321, 323, 324, 494
 albocinctus, 324
 hesperus, 323
 huttoni, 323
 notius, 323
 woodsii, 323-324
 Pseudoboletia, 327, 328
 indiana, 328
 stenostoma, 328
 Pseudocaudina australis, 445
 ransonetti, 444
 Pseudocolochirus, 386, 390, 394
 axiologus, 394
 Pseudocucumis, 387, 405, 410
 acicula, 405
 aciculus, 405
 africana, 404
 bicolumnatus, 406
 eurystichus, 406
 intercedens, 388, 405, 406
 quinguangularis, 404
 théeli, 404
 thomsoni, 406, 407
 Pseudogoniodiscaster, 82, 93
 wardi, 93
 Pseudophidiaster, 112, 125
 rhysus, 125
 Pseudoreaster, 82, 99
 obtusangulus, 99, 467
 Psilaster, 72, 77, 478, 480, 494
 acuminatus, 78, 471, 478, 494
 Psolidae, 385, 412-413
 Psolidium, 413, 414, 415
 convergens, 415
 dorsipes, 414
 granuliferum, 414, 415
 nigrescens, 414-415
 sp.?, 414, 415

- Psolus*, 413-414, 415, 485
 minutus, 414
 phantapus, 413
 spinuliferus, 414
 squamatus, 413, 414
 Psolus (Hypopsolus) ambulator, 413
 ptena, *Amphiura*, 192, 195-196
 Pteraster, 151-152
 capensis, 152
 cribrosus, 152
 tetracanthus, 152
 Pterasteridae, 126, 151
 Ptilometra, 55, 56, 491
 australis, 55-56, 469
 macronema, 55, 56, 470
 mülleri, 55, 56, 59
 mulleri, 56 n.
 Ptilometridae, 23, 55
 pulchella, *Amphiura*, 203
 Habroporina, 138
 Holothuria, 428
 pulchellum, *Ophiurodon cinctum var.*, 254, 255
 pulchellus, *Microcyphus*, 315, 316
 Pentagonaster, 88
 pulcher, *Astroconus*, 180
 pulcherrima, *Lapworthura*, 164, 165
 pulcherrimus, *Astropecten*, 73, 76
 pulchra, *Holothuria impatiens var.*, 434
 Ophiarachnella ramsayi var., 260, 262
 Ophiocoma, 243, 244-245, 470
 Ophiocoma canaliculata var., 244
 Ophiotrichoides, 231, 233
 pulvinata, *Astropyga*, 301
 pumila, *Antedon*, 61
 punctata, *Ophiocoma*, 245
 Petricia, 110
 Zygometa, 40, 41, 42
 puncto-caeruleum, *Ophiopteron*, 225
 purpurea, *Comatula*, 30, 31
 Holothuria, 459
 Othilia, 147
 purpureus, *Holopneustes*, 320
 purpureus, *Echinaster*, 147
 pusillus, *Spatangus*, 382
 pustulatum, *Astrodendrum*, 181
 pustulifera, *Cidaris*, 479
 pycnotilus, *Holopneustes*, 320, 469
 Pygorhynchus, 355, 358
 vassali, 358
 pyramidalis, *Rhynobrissus*, 373, 374

Q

- quadrangularis*, *Colochirus*, 391
 Holothuria, 391
 Pentacta, 390, 391, 392
queenslandensis, *Tosia*, 93, 94-95
quinaria, *Luidia*, 71
quinduplicava, *Antedon*, 42
quinguangularis, *Actinocucumis*, 403, 404
 Pseudocucumis, 404

R

- Radiaster*, 80
 elegans, 80
 gracilis, 80-81
Radiasteridae, 65, 80
radiata, *Astropyga*, 301, 303, 468
 Cidaris, 300, 301
ramispicula, *Opheodesoma*, 449
ramosissimus, *Botryocrinus*, 13
ramsayi, *Ophiarachnella*, 260, 261-262, 470
 Pectinura, 261
 Prionocidaris bispinosa var., 287
ransonetti, *Paracaudina*, 444
 Pseudocaudina, 444
ransonnetii, *Caudina*, 444
 Paracaudina chilensis var., 444
rapida, *Amphiura*, 197
rarisipina, *Salmacis*, 311
recens, *Apatopygus*, 354, 355
 Nucleolites, 355
recta, *Chondroclaea*, 451, 452, 453
 Synapta, 453
 Synaptula, 453
reevesii, *Dorigona*, 96
reginae, *Antedon*, 46
regularis, *Allostichaster*, 157, 158
 Asterina (Asteriscus), 134
 Cionobrissus, 374-375
 Halityle, 109
 Patriella, 136
regulus, *Oreaster*, 107
 Pentaceraster, 107
reinhardtii, *Ophiactis*, 210
relicta, *Amphiura*, 205
relictus, *Amphioplus*, 205
remollescens, *Holothuria*, 425, 437
Reometra, 54
 mariae, 54
 pericalles, 54
Repometra, 482
resiliens, *Ophiactis*, 208, 212, 470, 494
Retaster, 151, 152
 capensis, 152

- Retaster—*continued*
 cribrosus, 152
 insignis, 152
 reticulata, Ophiura, 237
 reticulatus, Pedicellaster, 155
 revinctus, Cionobrissus, 374
 rhabdota, Macrophiothrix, 218, 220–221
 Ophiiothrix, 220
 rhabdotum, Ophiocreas, 175–176
 Rhipidaster, 149, 150
 vannipes, 150
 Rhynobrissus, 370, 373, 374
 apicatus, 374
 hemiasteroides, 373, 374
 macropetalus, 373, 374
 pyramidalis, 373, 374
 rhusus, Pseudophidiaster, 125
 richi, Petraster, 68, 69
 ricta, Peronella, 344, 345
 rictum, Laganum decagonale *var.*, 343, 345
 rigida, Chiridota, 457
 Holothuria, 424, 432–433
 Thyone, 401
 rigidus, Palasterina, 68
 Stichopus, 432, 433
 ritteri, Bunaster, 118
 robillardi, Echinus, 326
 robusta, Pentacta, 391, 393
 robustipinna, Actinometra, 42
 Himerometra, 42
 robustoides, Pentacta, 390, 392
 robustus, Colochirus, 393
 rogersii, Centrostephanus, 296, 298–299,
 469
 Thrichodiadema, 298
 roebucki, Trochodota, 460, 470
 rosacea, Anseropoda, 144
 rosaceus, Asterias, 144
 Echinus, 336
 Palmipes, 144
 Rosaster, 81, 84
 symbolicus, 84
 rosca, Astropecten zebra *var.*, 77
 Nardoa, 114, 115
 Paranepanthia, 137, 138
 rostrata, Peronella, 345
 Plesiolampas, 358
 rostratum, Laganum, 345
 rostratus, Conoclypeus, 358
 Plesiolampas, 358
 rosula, Ophiura, 214
 rotalaria, Comanthus (Comanthus, Validia),
 29
 Comanthus (Validia), 29
 Comatula, 29
 Validia, 29–30
 rotula, Comantheria, 34, 35
 rotundus, Eupatagus, 377
 Metacrinus, 19
 rouxi, Pentaceros, 107
 rubra, Pentacta coerulea *var.*, 391
 quadrangularis *var.*, 391
 Tosia, 93
 rudis, Ophiobyrssa, 171
 rufescens, Chiridota, 458
 Polycheira, 458, 468
 rugosa, Holothuria, 424, 435
 Macrophiothrix, 219, 222
 Ophiarachnella, 260, 262, 467
 Palasterina, 66
 rugosus, Astrothamnus, 177–178
 Astrothrombus, 178
 ruthveni, Uraster, 127
 Urasterella, 127
- S
- Saccocomidae, 21
 sacellus, Stulus, 401
 Thyone, 401
 sagaminus, Gorgonocephalus, 181
 sagena, Asterias, 145
 sagenus, Echinaster, 145
 Salaria gibba, 304
 globosa, 305
 tertiaria, 304
 Salenidia, 304, 305, 482
 globosa, 304, 305
 tertiaria, 304–305
 Saleniidae, 295, 304
 Salmaciella, 310
 Salmacis, 307, 310–311, 312, 491
 alexandri, 311
 belli, 310, 311, 468
 bicolor, 310
 dussumieri, 311, 312, 468
 michaelseni, 309
 oligopora, 310, 312
 rarispina, 311
 sphaeroides, 310, 312
 var. belli, 311
 virgulata, 310, 311
 var. alexandri, 310, 311
 forma scalaris, 311
 forma viridis, 311
 woodsii, 311
 Salteraster, 127, 128
 biradialis, 127
 selwyni, 127

- samoana, Cenolia, 36–37
 Comanthus (Cenolia), 36
 Comanthus (Comanthus), 36
 sanguinolenta, Asterias, 148
 Saracrinus, 18
 sargassi, Thyone, 397
 savignyi, Centrechinus, 297–298
 Diadema, 297
 Ophiactis, 208, 209, 210, 211, 212, 466,
 476
 Ophioplepis, 207, 210
 Paraster, 367
 Schizaster, 367
 scaber, Echinocyamus, 349, 350
 Margaraster, 155
 scabra, Holothuria, 423, 430–431
 scabrum, Molpadia, 443, 444
 scalaris, Salmacis virgulata *var.* alexandri
 forma, 311
 Temnopleurus, 311
 scalprifera, Asterias (Smilasterias), 156
 schayeri, Astropecten, 72, 73, 74
 Ophioplepis, 238
 Ophionereis, 237, 238, 470
 Schizaster, 363, 368, 369, 482
 abductus, 368
 agassizii, 363
 gibberulus, 366
 japonicus, 368
 lacunosus, 367, 368
 savignyi, 367
 sphenoides, 368, 369
 studerii, 368
 Schizaster (Periaster) limicola, 367
 schlegelii, Actinometra, 33
 Comanthina, 32, 33, 34
 Comanthus, 33
 schmeltzii, Thyonidium, 410
 Urodemas, 410–411
 schmideliana, Asterias, 108
 schoenleinii, Ophiocoma, 243, 245, 468
 Schuchertia, 128
 junori, 128
 macrata, 128
 Schuchertiidae, 125, 128
 scobinata, Asterina, 130, 132
 Scoliodota, 461
 théliei, 461
 Scoliorhapis, 456, 461
 théliei, 461, 469
 scolopendrina, Ophiocoma, 242, 243, 244
 Ophiura, 243
 scoparia, Prionocidaris, 285, 286
 scotia, Macrophiothrix, 218, 220, 467
 scotiopremnus, Nudechinus, 324, 483
 sculpta, Temnotrema, 312, 314
 scutatus, Nucleolites, 354
 Scutella occitana, 350
 tamboensis, 351
 Scutellidae, 334, 341, 342, 351
 Scutellina, 347, 351
 morgani, 351
 nummularia, 351
 patella, 351
 Scytaster novaecaledoniae, 115
 selwyni, Archaeocidaris, 279, 473
 Salteraster, 127
 Urasterella, 127
 semicoronata, Brisinga, 153 n.
 Odia, 153
 semoni, Ophionereis, 237, 239, 240–241
 Ophiotriton, 240
 semperi, Cucumaria, 387, 388
 semperianum, Labidodemas, 421
 sentosa, Actinometra, 26, 27
 Capillaster, 27
 seposita, Asterias, 145
 septemspinosa, Amphiuira, 192, 194, 195
 Ophiarachna, 263
 Ophiarachnella, 260, 263–264
 seriatus, Goniiodiscaster, 90, 92
 Goniiodiscus, 92
 serripinna, Antedon, 49
 Oligometra, 49–50, 484
 setosa, Echinometra, 296, 297
 setosum, Diadema, 297
 setosus, Centrechinus, 296, 297, 298
 sexradia, Amphiacantha, 206
 Ophiocnida, 206
 siamense, Temnotrema, 313, 314
 siamensis, Pleurechinus, 314
 Temnotrema, 314
 sibogae, Anthenea, 102, 104
 Astropecten zebra *var.*, 77
 Ophiocreas, 175
 sidneyensis, Anthenea australiae *var.*, 102
 similis, Ophiarachnella, 260, 263
 Pectinura, 263
 Protankyra, 455
 Synapta, 455
 simplex, Ophiomusium, 274–275, 471
 simulans, Stichopus, 417
 simultans, Stichopus, 417
 sinusoida, Asterias, 159
 Uniophora, 159–160
 Sismondia, 347, 350
 murravica, 351
 sladeni, Dipsacaster, 78

- sluiteri, Thyone, 399, 402
 smaragdina, Ophiiothrix, 231
 Ophiotrichoides, 231-232, 467
 Smilasterias, 154, 156-157, 475
 irregularis, 157
 smithii, Poterionocrinus, 14
 smythi, Petraster, 68
 socialis, Uintacrinus, 22-23
 solaris, Comatula, 30, 31, 236
 Solasteridae, 126, 149
 spanoschistum, Comanthoides, 28
 Comanthus, 27, 28
 spatagus, Echinus, 372
 Metalia, 372
 Spatangidae, 362, 369-370
 Spatangina, 334, 361, 369
 Spatangus, 369, 491
 atropos, 369
 australasiae, 381
 brissus unicolor, 375
 brissus *var.* latecarinatus, 375
 bufo, 364
 coranguinum, 378
 crux-andreae, 381
 elongatus, 381
 excentricus, 360
 forbesi, 382
 ovatus, 379, 380
 planulatus, 379
 pusillus, 382
 sternalis, 372
 speciosa, Iconometra, 49
 speciosum, Ophiomisidium, 266
 speciosus, Leiaster, 119-120
 Palaeaster, 68
 spectabilis, Opheodesoma, 448, 449
 Sphaerechinus australiae, 328, 329
 sphaeroides, Echinus, 312
 Salmacis, 310, 312
 sphaerulata, Asterias, 188
 sphenisci, Ophiarachna, 260, 263
 Pectinura, 263
 sphenoides, Schizaster, 368, 369
 spicata, Antedon, 46
 Stephanometra, 45, 46
 spinifera, Holothuria, 423, 429, 430
 Macrophiothrix, 218, 220
 Valvaster, 151
 spinosa, Apentacta, 395
 Holothuria, 395
 Ophiopezella, 258-259
 spinosum, Ophiarachna, 258
 spinosus, Calliaster, 87, 88
 Colochirus, 395, 396
 spinulifera, Disasterina, 138, 139
 spinuliferus, Psolus, 414
 Spinulosa, 64, 125-126, 473
 spinulosa, Ophiacantha, 183
 spinulosus, Zoroaster, 154
 spongicola, Ophiiothrix, 220, 227
 Placophiothrix, 224, 225, 227, 470
 springeri, Comastrocrinus, 21
 Hypalocrinus, 20
 Teliocrinus, 20-21
 spryi, Gregoriura, 163, 164
 squamata, Amphipholis, 202, 466
 Asteria, 202
 Cucumaria, 389, 475
 squamatoides, Cucumaria, 387, 389
 squamatus, Colochirus, 393
 Cuvieria, 413
 Psolus, 413, 414
 squameus, Ophidiaster, 120, 122
 squamifera, Holothuria, 429, 430
 squamulosus, Stellaster, 97
 stachi, Palasterina, 69, 70
 Staurothyone, 386, 397, 398
 distincta, 397, 398
 inconspicua, 397
 vercoi, 397-398
 Stellaster, 82, 96-97, 98, 491
 childreni, 96
 gibbosus, 96, 98
 granulosus, 97
 incei, 96, 97-98
 inspinosus, 96, 97, 98
 megaloprepes, 96, 97
 princeps, 96, 97, 467
 squamulosus, 97
 stellata, Dictenophiura, 268-269, 467
 Ophiarachna, 259
 Ophioclasma, 259
 Ophioglypha, 268
 Palasterina, 128
 stellatum, Ophioclasma, 259
 stellatus, Ophiopinax, 259
 Pentacrinus, 20
 stelligera, Actinometra, 26
 Comatella, 25, 26
 Ophiiothrix, 214, 215, 216
 stenaspis, Amphioplus, 204, 206
 Stenometra arachnoides, 57
 stenopora, Heliocidaris, 329
 stenostoma, Pseudoboletia, 328
 Stephanometra, 45
 callipecha, 45
 indica, 45, 46
 protecta, 46

Stephanometra—continued

- monacantha, 45, 46
 spicata, 45, 46
 stypacantha, 46
 stephensi, Phialocrinus, 14, 15
 Stereocidaris, 280, 290
 australiae, 290
 Stereoderma murrayi, 401
 validum, 395
 stereosomus, Echinaster, 146
 sternalis, Brissus (Metalia), 372
 Metalia, 372-373
 Spatangus, 372
 stibarus, Pentagonaster, 89
 Stichopodidae, 415, 416
 Stichopus, 416-417, 419, 433, 438
 ananas, 420
 chloronotos, 417
 chloronotus, 417, 468
 ellipes, 417, 418
 horrens, 417, 418
 ludwigi, 417, 418
 mollis, 417-418, 470, 494
 paradoxus, 417, 419
 rigidus, 432, 433
 simulans, 417
 simultans, 417
 variegatus, 416, 417, 418-419
 var. pallidus, 417, 419
 Stichopus (Gymnochirota) cinerascens, 428
 leucospilota, 438
 Stichopus (Perideris) chloronotos, 416, 417
 stictacantha, Amphiuira, 191, 193-194
 stigma, Ophionereis, 237, 239, 467
 Stolasterias, 156
 Stolinus, 413
 cataphractus, 413
 Stulus sacellus, 401
 Stomopneustes, 305
 atropurpurea, 305
 variolaris, 305, 468
 Stomopneustidae, 295, 305
 striata, Asterias, 151
 Cucumaria, 387, 388
 striolata, Ophiiothrix, 225
 Placophiothrix, 223, 225-226
 Strongylocentrotidae, 296, 327
 Strongylocentrotus tuberculatus, 330
 tuberculosus, 330
 studeri, Decametra, 52-53
 Oligometra, 52
 Schizaster, 368
 Studeria, 355, 357
 elegans, 357
 Sturtzaster, 163, 168
 mitchelli, 168-169
 Sturtzura, 163, 166
 brisingoides, 166-167
 leptosomoides, 168
 stutchburii, Australaster, 67
 Palaeaster (Monaster), 67
 stygia, Moera, 369
 Moira, 369
 Stylocidaris, 280, 281, 289, 290, 473
 bracteata, 289
 conferta, 289-290
 stypacantha, Stephanometra, 46
 Styphlaster, 82, 92
 notabilis, 92
 subglobosus, Amblypneustes pallidus *var.*,
 318
 subulata, Metrodira, 111
 subverta, Holothuria, 431
 sufflata, Cribrella, 148
 sulcifer, Asteracanthion, 158
 superba, Ophioplepis, 272-273
 superbus, Echinaster, 145, 147, 151
 sweeti, Micraster, 379, 473
 symbiote, Ophiactis, 207, 208
 symbolicus, Nymphaster, 84
 Rosaster, 84
 Synallactidae, 415, 416
 Synapta, 447, 450
 abyssicola, 455
 dolabrifera, 454
 glabra, 448
 godeffroyi, 447
 grisea, 449
 indivisa, 451, 452
 insolens, 456
 kefersteinii, 449
 maculata, 450, 468
 mammillosa, 450
 nigra, 451, 452
 oceanica, 450
 recta, 453
 similis, 455
 verrilli, 456
 Synaptidae, 446-447
 Synaptula, 451, 452
 hydriformis, 451
 nigra, 452
 recta, 453
 Synbathocrinus ogivalis, 12
 syntomus, Astropecten, 73, 74

T

- Taeniactis, 163, 164
 wenlocki, 164
 yeringae, 164
- Taeniogyrus, 456, 458-459, 491
 allani, 460
 australianus, 459, 469
 cidaridis, 459, 471
 heterosigmus, 459
 keiensis, 459
- Tamaria, 112, 120, 123, 124
 fusca, 123, 124-125
 megaloplax, 123, 124
 ornata, 123, 124
 propetumescens, 123
 tuberifera, 124
 tumescens, 123-124
- tamboensis, Scutella, 351
- taprobanes, Cyllometra, 52
 Decametra, 52
- tasmaniae, Cenolia, 36, 37
 Comanthus, 37
 Comanthus (Cenolia), 37
- tatei, Brissopsis, 371
 Fibularia, 348
- Tegulaster, 129, 143-144
 emburyi, 143, 144
- Teliocrinus, 18, 20, 21
 asper, 20
 monarthrus, 20, 21
 springeri, 20-21
- telurus, Clypeaster, 336, 337
- Temnechinus, 308
 lineatus, 308
- Temnopleuridae, 295, 306-307
- Temnopleurus, 307, 309, 491
 australis, 309
 bothryoides, 313
 cavernosa, 309
 michaelsoni, 309-310, 314, 470
 var. viridis, 310
 scalaris, 311
 toreumaticus, 309, 468
- Temnotrema, 307, 309, 312-313, 314
 bothryoides, 313, 314
 decorum, 313, 314
 elegans, 313-314
 notium, 313, 314
 phoenissa, 313, 314
 sculpta, 312, 314
 siamense, 313, 314
 siamensis, 314
- tenuis, Arachnoides, 340, 341, 467
 Eospondylus, 165
- Nepanthia, 140, 142
 Ophionephthys, 200, 201
- tenuispina, Ophiacantha, 184, 185
 Ophiocoma, 246
- tenuispinus, Centrostephanus, 298, 299
- tenuissima, Lobophora, 352
- tenuissimus, Echinodiscus, 352
 Echinodiscus auritus var., 352
- ternispina, Ophiocoma, 246
- tertiaria, Salenia, 304
 Salenidia, 304-305
- tertiarius, Cardiaster, 360-361
- tessellata, Alecto, 43
 Amphimetra, 44
 Amphimetra tessellata, 43, 44
- tessellatus, Goniaster, 81 n.
- testudinarius, Encrinites, 22
 Marsupites, 22
- tetracanthus, Pteraster, 152
- tetrapora, Caudina, 445
 Paracaudina, 444, 445, 470
- texturata, Ophiura, 270
- Thalassometra komachi, 58
- Thalassometridae, 23, 57
- théeli, Pseudocucumis, 404
- Théelia ambulatrix, 413
- théelii, Scoliodota, 461
 Scoliorhapis, 461, 469
- Thelenota, 416, 419, 420
 ananas, 419, 420
 anax, 419, 420
- thetidis, Araeosoma, 303, 493
 Asthenosoma, 303
 Austrometra, 50, 469
 Oligometra, 50
- Thiolliericrinidae, 17
- Thiolliericrinus, 18
- thomsoni, Cucumaria, 406
 Mensamaria, 406-407, 470, 494
 Pseudocucumis, 406, 407
- Thrichodiadema rogersii, 298
- Thyone, 386, 387, 395, 398-399, 400, 402, 412, 488
 alba, 399, 400-401
 axiologa, 399, 400
 buccalis, 399, 400, 401
 var. pallida, 401
 castanea, 399
 fusus var. papuensis, 399
 gazellae, 399, 402
 grisea, 399, 400
 micra, 398, 400, 401
 minuta, 399, 401
 mirabilis, 396

- Thyone—continued
 nigra, 399, 401
 okeni, 399, 402
 papuensis, 398, 399-400
 perforata, 399, 400
 perissa, 398, 399
 rigida, 401
 sacellus, 401
 sargassi, 397
 sluiteri, 399, 402
 vercoi, 397
- Thyonidium, 407
 cebuense, 409
 schmeltzii, 410
- thyonoides, Phyllophorus, 408, 409
- tigris, Ophionereis, 237, 241
- timorensis, Alecto, 38
 Comanthus, 33, 35, 36, 38-39
- toreumatica, Cidaris, 309
- toreumaticus, Temnopleurus, 309, 468
- Tosia, 82, 93, 94, 479, 491
 aurata, 93, 94
 australis, 93, 94, 470
 forma astrologorum, 93, 94
 grandis, 93
 queenslandensis, 93, 94-95
 rubra, 93
 tubercularis, 93, 94
 tuberculata, 93
- Toxicidaris crassispina, 329
 erythrogrammus, 330
- Toxopneustes, 483
 indianus, 328
- trapezus, Phyllophorus, 408, 409-410, 468
- Tremaster, 131
- Trepang ananas, 419, 420
- triacontadactylus, Actinocrinites, 10
- Tribrachiocrinus, 15
- Tribrachyocrinus, 13, 15-16
 clarkei, 15, 16
 clarkii, 15, 16
 corrugatus, 16
 granulatus, 16
 ornatus, 15, 16
- Trichasteridae, 169, 172
- trichoptera, Cenolia, 36, 37, 470
 Comanthus, 37
 Comanthus (Cenolia), 37
 Comatula, 35, 37
- tricolor, Ophiactis, 207, 208
- trigona, Fibularia, 347
- trilineata, Ophiothrix, 226
 Placophiothrix, 224, 226
- trimorpha, Pentacta, 391, 394
- Tripneustes, 321, 325
 gratilla, 326
 var. alba, 326
- triscantha, Amphiuira, 191, 193
- triseriatus, Astropecten, 73, 75
- Trochodota, 456, 459-460, 461, 488, 491
 allani, 460
 maculata, 460
 roebucki, 460, 470
- Trochostoma andamanense, 443
- Tropiometra, 53, 477, 478
 afra, 53
- Tropiometridae, 23, 53
- troughtoni, Parasterina, 142, 143
- truncata, Ophiacantha, 184, 185
- truncatus, Asterodiscus, 108
- tubaria, Cidarites, 290, 291
 Goniocidaris, 291-292, 333, 470
- tubercularis, Tosia, 93, 94
- tuberculata, Heliocidaris, 329, 330, 493
 Micropyga, 302-303
 Nardoa, 114, 115, 116
 Peronella, 344, 346, 467
 Tosia, 93
- tuberculatum, Chaetodiadema, 301, 302
- tuberculatus, Echinus, 329, 330
 Strongylocentrotus, 330
- tuberculosa, Anthenea, 102, 104
 Holothuria, 393
 Pentacta, 390, 391, 392, 393
- tuberculosis, Astrochalcis, 182
 Colochirus, 393
 Pentacta, 393
 Strongylocentrotus, 330
- tuberifer, Ophidiaster, 124
- tuberifera, Tamaria, 124
- tubulosa, Holothuria, 421
- tumescens, Ophidiaster, 123
 Tamaria, 123-124
- tumida, Amphiuira, 204
- tumidus, Anomalanthus, 335-336
 Echinanthus, 335
- tumulosa, Nardoa, 116
- tyloplax, Linckia, 117, 118
- tylota, Gonimaretia, 379
- typica, Actinocucumis, 402, 403 n.
- typicus, Actinocucumis, 403, 404
 Archaster, 79, 80
 Pedicellaster, 155
- Typocidaris, 281
- typus, Linckia, 117

U

- Uintacrinidae, 21, 22
 Uintacrinus, 22, 23, 472
 socialis, 22-23
 umbonata, Palasterina, 69, 70
 unicolor, Ophiarthrum elegans var., 251, 252
 Ophiolepis, 272, 273
 Spatangus brissus, 375
 unicornis, Himerometra, 48
 Uniophora, 154, 155, 158-159, 160, 161, 491
 dyscrita, 159, 160
 fungifera, 158, 159
 globifera, 158, 159
 granifera, 158, 159, 469
 gymnonota, 159, 160
 multispina, 159, 160
 nuda, 159, 161
 obesa, 159, 160
 sinusoida, 159-160
 uniserialis, 159, 160
 uniserialis, Bunaster, 118
 Uniophora, 159, 160
 Uraster primaevus, 69
 ruthveni, 127
 Urasterella, 127
 creswelli, 128
 hirudo, 127
 ruthveni, 127
 selwyni, 127
 Urasterellidae, 125, 126-127
 urbana, Amphiophiura, 269
 Ophioglypha, 269
 Urechinina, 334, 360
 urii, Cidaris, 279
 urna, Phyllophorus, 407
 Urodemas, 387, 405, 410, 491
 hamatum, 410, 411
 perspicillum, 410, 469
 schmeltzii, 410-411
 Urosoma, 166

V

- vagabunda, Holothuria, 438
 valenciennesi, Ophiacantha, 184, 187
 valenciennesii, Eupatagus, 376, 377, 378, 474
 valida, Ophiomitra, 187
 Validia, 24, 29, 30
 rotalaria, 29-30
 validum, Stereoderma, 395
 validus, Pentagonaster, 90
 Valvaster, 151
 spinifera, 151

- Valvasteridae, 126, 151
 valvulatus, Anthaster, 98-99, 470
 Oreaster, 98
 vanbrunti, Echinometra, 329
 vannipes, Rhipidaster, 150
 vappa, Astropecten, 73, 74, 75-76, 77, 470
 variabilis, Chiridota, 458
 Nepanthia, 140, 141-142
 varicolor, Echinaster, 145, 147, 148, 467
 variegata, Ophiocoma, 246
 Ophiocoma brevipes var., 246
 insularia var., 242, 243, 246-247
 Petasometra, 51
 variegatus, Bunaster, 118-119
 Cidaris, 321
 Stichopus, 416, 417, 418-419
 variipinna, Antedon, 43
 variolaris, Echinus, 305
 Stomopneustes, 305, 468
 variolatus, Asterias, 114
 variopatina, Leptosynapta, 454
 varium, Asthenosoma, 304
 vassali, Pygorhynchus, 358
 velitaris, Astropecten, 73, 77
 velox, Amphiuira, 192, 196
 ventricosus, Echinus, 325
 ventripes, Lipotrapeza, 411, 412
 Phyllophorus, 412
 vercoi, Staurothyone, 397-398
 Thyone, 397
 vernicina, Asterias, 110
 Petricia, 110
 verrilli, Protankyra, 455, 456, 467
 Synapta, 456
 verrucosa, Holothuria, 425, 439
 verrucosum, Euryale, 181
 verruculatus, Echinus, 321
 Lytechinus, 321-322, 468
 Psammechinus, 321
 verticillata, Cidarites, 287
 Ophiocnida, 198
 Plococidaris, 287
 Prionocidaris, 285, 287-288
 verticillatus, Ophiocentrus, 198, 201
 vestiens, Lipotrapeza, 398, 409, 411, 412, 470
 Phyllophorus, 411, 412
 vestita, Pectinura, 256
 vestitus, Echinaster, 147, 148
 victoriae, Hapalocrinus, 11
 viguieri, Anthenea, 102, 104, 105
 vincentinus, Echinobrissus, 354
 Nucleolites, 354
 violaceus, Colochirus, 394
 virescens, Clypeaster, 336, 338

X

- virgata, Ophiothrix, 227
 Placophiothrix, 224, 227, 228
 virgulata, Salmacis, 310, 311
 viridis, Holothuria monocaria var., 437
 Salmacis virgulata var. alexandri forma, 311
 Temnopleurus michaelsoni var., 310
 vitrea, Ophiothrix, 214
 volva, Fibularia, 348-349

W

- wardi, Pseudogoniodiscaster, 93
 watsoni, Ophidiaster, 120, 121
 weberi, Comantheria, 35
 wendtii, Ophiocoma, 242, 245
 wenlockensis, Crepidosoma, 166
 wenlocki, Crepidosoma, 166
 Taeniactis, 164
 wilsoni, Antedon, 59
 Aporometra, 56, 58, 59
 woodmasoni, Antedon, 58
 Cosmiometra, 58
 woodsi, Psammechinus, 324
 Pseudechinus, 323-324
 woodsii, Salmacis, 311
 wrightii, Eupatagus, 377-378
 wyvillii, Metacrinus, 18, 19

Y

- yarraensis, Caractacaster, 67
 yeringae, Taeniactis, 164
 yoldii, Ophiopeza, 257
 Pectinura, 256, 257-258

Z

- zebra, Astropecten, 73, 77
 Decametra, 52, 53
 Oligometra, 53
 zelandiae, Arachnoides, 340
 Zenocentrotus, 489
 zigzag, Microcyphus, 315, 316, 317
 Zoroaster, 153-154
 fulgens, 153
 macracantha, 154
 spinulosus, 154
 Zoroasteridae, 153
 Zygometa, 40, 41
 comata, 40, 41, 467
 elegans, 40-41
 microdiscus, 40, 41
 punctata, 40, 41, 42
 Zygometridae, 23, 39