

REFERENCES

[The numbers are those used in the distribution tables. Capital letters in brackets indicate papers dealing only with restricted areas corresponding to the columns in those tables, as outlined on pp. 1, 2, for instance works dealing only with Mauritius are designated (B).]

1. OPINION 762. 1966. Suppression under the plenary powers of seven specific names of Holothurioidea. *Bull. zool. Nom.* **23**(1) : 15-18.
2. (N) AGASSIZ, A. 1863a. Synopsis of the Echinoids collected by Dr. W. Stimpson on the N. Pacific Exploring Expedition under the commands of Capts. Ringgold and Rodgers. *Proc. Acad. nat. Sci. Philad.* **1863** : 352-360.
3. — 1863b. List of the Echinoderms sent to different institutions in exchange for other specimens, with annotations. *Bull. Mus. comp. Zool. Harv.* **1**(2) : 17-28.
4. — 1872. Preliminary notice of a few Echini. *Bull. Mus. comp. Zool. Harv.* **3**(4) : 58.
5. — 1872-73. Revision of the Echini. *Illust. Cat. Mus. comp. Zool. Harv.* **7**(1) [1872] : vii-xii + 242, pls. A-G; **7**(3) [1873] : 381-629, 26 pls.
6. — 1881. Echinoidea. *Rep. scient. Results Voy. Challenger, (Zool.)* **3** : 1-321, pls. 1-45.
7. (P) AGASSIZ, A. & CLARK, H. L. 1907. Preliminary report on the Echini collected among the Hawaiian Islands by the U.S.F.C. Steamer 'Albatross' in the charge of Comm. Chauncey Thomas, U.S.N. *Bull. Mus. comp. Zool. Harv.* **50** : 229-259.
8. (O & P) — 1908. Hawaiian and other Pacific Echini. The Salenidae, Arbaciadae, Aspidodiadematidae and Diadematidae. *Mem. Mus. comp. Zool. Harv.* **34** : 47-132, pls. 43-59.
9. (O & P) — 1909. Hawaiian and other Pacific Echini. The Echinothuriidae. *Mem. Mus. comp. Zool. Harv.* **34** : 135-203, pls. 60-89.
10. AGASSIZ, L. 1841. *Monographie d'Echinodermes vivans et fossiles*. II. Echinites. Famille des Clypeasteroides. Des Scutelles. Neuchatel : 1-151, pls. 1-27.
11. AGASSIZ, L. In AGASSIZ, L. & DÉSAR, E. 1846. Catalogue raisonné des familles, des genres et des espèces de la classe des Echinodermes. *Annls Sci. nat.* (3)**6** : 325-374.
12. — 1847a. Catalogue raisonné des espèces, des genres, et des familles des Echinides. *Annls Sci. nat.* (3)**7** : 129-168.
13. — 1847b. [Same title] *Annls Sci. nat.* (3)**8** : 5-35.
14. (J) ANDERSON, A. R. S. 1907. *Breyinia vredenburgi*, an undescribed echinoid from the Indian Ocean. *J. Asiat. Soc. Beng.* **3** : 145-148, pl. 5.
15. (D) AUDOUIN, V. 1826. Explication sommaire des planches d'Echinodermes de l'Égypte et de la Syrie, publiées par J. C. de Savigny. In : *Description de l'Égypte*. Histoire naturelle. Paris. **1**(4) : 203-212.
16. AYRES, W. O. 1851. Descriptions of Holothuria. *Proc. Boston Soc. nat. Hist.* **4** : 11-70.
17. — 1852. Remarks on the Holothuridae. *Proc. Boston Soc. nat. Hist.* **4** : 243.
18. (N) BABA, K. & OTHERS. 1966. *Encyclopaedia zoologica, illustrated in colour*. Tokyo. **3** : 1-200, 91 pls. [In Japanese.]
19. (C) BALINSKY, J. B. 1957. The Ophiuroidea of Inhaca Island. *Ann. Natal Mus.* **14** : 1-33, 7 figs., pls. 1-4.
20. (C) BALINSKY, B. I. 1958. The Echinoderms. In Macnae, W. & Kalk, M. *Natural History of Inhaca Island, Moçambique*. Johannesburg : 96-107, 1 fig.
21. (O) BEDFORD, F. P. 1898. Report on the Holothurians collected by J. S. Gardiner at Funafuti and Rotuma. *Proc. zool. Soc. Lond.* **1898** : 834-838, pls. 52, 53.
22. (J-O) — 1899. Holothurians. In Willey, A., *Zoological results based on material from New Guinea, New Britain, Loyalty Islands and elsewhere, collected during 1895-7*. London. Part II : 141-150, pl. xvii.

23. (K) — 1900. On the Echinoderms from Singapore and Malacca. *Proc. zool. Soc. Lond.* 1900 : 271-299, 1 fig., pls. 21-24.
24. (K) BEDOT, M. 1909. Sur la faune de l'Archipel Malais. *Revue suisse Zool.* 17 : 143-169. [Echinoderms on pp. 158-160.]
25. BELL, F. J. 1880. Observations on the characters of the Echinoidea. Part III. On some genera and species of the Temnopleuridae. *Proc. zool. Soc. Lond.* 1880 : 422-440, pl. xli.
26. — 1881a. Observations on the characters of the Echinoidea. IV. The Echinometridae; their affinities and systematic position. *Proc. zool. Soc. Lond.* 1881 : 410-433, 2 figs.
27. (O) — 1881b. Description of a new species of the genus *Mespilia*. *Proc. zool. Soc. Lond.* 1881 : 433-435.
28. (I) — 1882a. Note on the Echinoderm Fauna of the Island of Ceylon, together with some observations on heteractinism. *Ann. Mag. nat. Hist.* (5)10 : 218-225.
29. — 1882b. Descriptions of new or rare species of Asteroidea in the collections of the British Museum. *Proc. zool. Soc. Lond.* 1882 : 121-124, pl. vi.
30. — 1883a. Studies on the Holothuroidea. II. Descriptions of new species. *Proc. zool. Soc. Lond.* 1883 : 58-62, pl. xv.
31. (O) — 1883b. Descriptions of two new species of Asteroidea in the collection of the British Museum. *Ann. Mag. nat. Hist.* (5)12 : 333-335.
32. — 1884a. On the species of *Pseudoboletia*. *Ann. Mag. nat. Hist.* (5)13 : 109-111.
33. — 1884b. Contributions to the systematic arrangement of the Asteroidea. II. The species of *Oreaster*. *Proc. zool. Soc. Lond.* 1884 : 57-87.
34. — 1884c. Echinodermata. In Coppinger, R. W. *Report on the Zoological collections made in the Indo-Pacific Ocean during the voyage of H.M.S. 'Alert', 1881-2.* London : 117-177 & 509-512, pls. 8-17 and 45.
35. (L) — 1884d. Report on a collection of Echinoderms from Australia. *Proc. Linn. Soc. N.S.W.* 9 : 496-508.
36. (J) — 1886. On the Holothurians of the Mergui Archipelago collected for the Trustees of the Indian Museum, Calcutta, by Dr. John Anderson. *J. Linn. Soc. (Zool.)* 20 : 25-28, pl. 2.
37. (I) — 1887a. The Echinoderm fauna of the Island of Ceylon. *Scient. Trans. R. Dubl. Soc.* (2)3 (14) : 643-658, pls. 39, 40.
38. (J) — 1887b. Report on a collection of Echinodermata from the Andaman Islands. *Proc. zool. Soc. Lond.* 1887 : 139-145, pl. xvi.
39. — 1887c. Studies in the Holothuroidea. VI. Descriptions of new species. *Proc. zool. Soc. Lond.* 1887 : 531-534, pl. xlv.
40. (I) — 1888. Report on a collection of Echinoderms made at Tuticorin, Madras, by Mr. E. Thurston. *Proc. zool. Soc. Lond.* 1888 : 383-389.
41. (J) — 1889a. Additions to the Echinoderm Fauna of the Bay of Bengal. *Proc. zool. Soc. Lond.* 1889 : 6-7.
42. (B) — 1889b. Note on a remarkably large specimen of *Luidia* from the island of Mauritius. *Ann. Mag. nat. Hist.* (6)3 : 422-423.
43. (B) — 1892. Description of a new species of *Antedon* from Mauritius. *Ann. Mag. nat. Hist.* (6)9 : 427-428, pl. xviii.
44. (N) — 1894. On the Echinoderms collected during the voyage of H.M.S. 'Penguin', and by H.M.S. 'Egeria' when surveying the Macclesfield Bank. *Proc. zool. Soc. Lond.* 1894 : 392-413, pls. xxiii-xxvii.
45. (O) — 1898. On the Actinogonidiate Echinoderms collected by Mr. J. S. Gardiner at Funafuti and Rotuma. *Proc. zool. Soc. Lond.* 1898 : 849-850.
46. (K-O) — 1899. Report on Echinoderms (other than Holothurians) collected by Dr. Willey. In Willey, A. *Zoological Results based on material from New Guinea, New Britain, Loyalty Islands and elsewhere, collected 1895-7.* London. Part II : 135-140, pl. xvii.
47. (K) — 1900. Echinodermata. In Andrews, C. W. On the marine fauna of Christmas Island (Indian Ocean). *Proc. zool. Soc. Lond.* 1900 : 116.
48. (H) — 1902. The Actinogonidiate Echinoderms of the Maldive and Laccadive Islands. In Gardiner, J. S. *The Fauna and Geography of the Maldive and Laccadive Archipelagoes.* Cambridge. 1(3) : 223-233.
49. (C) — 1903. Report on a collection of Echinoderms from the neighbourhood of Zanzibar. *Ann. Mag. nat. Hist.* (7)12 : 244-248.

50. (E) — 1904. Description of a new genus of Spatangoid. *Ann. Mag. nat. Hist.* (7)13 : 236-237.
51. (A) — 1909. Report on the Echinoderms (other than Holothurians) collected by Mr. J. S. Gardiner in the western parts of the Indian Ocean. *Trans. Linn. Soc. Lond. (Zool.)* 13(1) : 17-22, pl. 3.
52. (L) BENNETT, I. 1958. Echinoderms from the Capricorn Group, Queensland, 23° 27' S. Some new locality records. *Abstr. Linn. Soc. N.S.W.* No. 681 : 2-3.
53. BLAINVILLE, H. M. DE. 1821. Holothurians. In : *Dictionnaire des Sciences Naturelles* 21 : 310-319.
54. — 1825. Oursins. In : *Dictionnaire des Sciences Naturelles* 37 : 59-102.
55. — 1827. Scutelles. In : *Dictionnaire des Sciences Naturelles* 48 : 222-231.
56. — 1834. *Manuel d'actinologie ou de zoophytologie.* Paris : 1-688, 100 pls.
57. BOLAU, C. C. H. 1873. *Die Spatangiden des Hamburgens Museums.* Hamburg : 1-23, 1 pl.
58. BÖHLSCHKE, W. 1866. Ueber *Actinometra Bennetti* und eine neue *Comatula*-Art (*Antedon Dübeni*). *Arch. Naturgesch.* 1866 : 90-92, 2 figs.
59. BOONE, L. 1938. The marine Algae, Coelenterata, Annelida Polychaeta, Echinodermata, etc. of the world cruises of the yachts 'Ara', 1928-1929 and 'Alva' 1931-1933. Part 4. Echinodermata. *Bull. Vanderbilt mar. Mus.* 7 : 115-193, figs. 8-13, pls. 33-70.
60. BORY DE ST. VINCENT, J. B. G. M. 1791-1827. *Encyclopédie Méthodique.* Zoologie. 7. Vers, Coquilles, Mollusques, Polypiers. Tableaux. Paris 1 : 138, 140-144, pls. 85-87; 2 : pls. 96-159.
61. BRANDT, J. F. 1835. *Prodromus descriptionis animalium ab H. Mertensio in orbis terrarum circumnavigatione observatorum.* Petropoli. 1 : 1-75, 1 pl.
62. (K) BROCK, J. 1888. Die Ophiuriden-fauna des indischen Archipels. *Z. wiss. Zool.* 47(3) : 465-539.
63. BRONN, H. G. 1860. Die Klassen und Ordnungen der Strahlenthiere (Actinozoa). *Klassen und Ordnungen des Thier-reiches.* Leipzig. (1)2 : 1-434, 48 pls.
64. (J) BROWN, R. N. R. 1910a. Echinoidea and Asteroidea from the Mergui Archipelago and Mokos Islands, Lower Burma. *Proc. R. phys. Soc. Edinb.* 18 : 21-35.
65. (C) — 1910b. Echinoidea from the Kerimba Archipelago, Portuguese East Africa. *Proc. R. phys. Soc. Edinb.* 18 : 36-44.
66. (D) BURFIELD, S. T. 1924. A new species and a new variety of Ophiuroid with notes on a collection of the Ophiuroidea from the Sudanese Red Sea. *Ann. Mag. nat. Hist.* (9)13 : 144-154, 2 figs.
67. (M) CARPENTER, P. H. 1879. On the genus *Actinometra*, Müll., with a morphological account of a new species, *A. polymorpha*, from the Philippine Islands. Part I. *Trans. Linn. Soc. Lond.* (2)2 : 1-122, pls. i-viii.
68. (M) — 1880. On the genus *Solanocrinus* Goldfuss and its relations to recent Comatulæ. *J. Linn. Soc. (Zool.)* 15 : 187-217, 3 pls.
69. — 1881. The Comatulæ of the Leyden Museum. *Notes Leyden Mus.* 3 : 173-217.
70. — 1882a. Descriptions of new or little-known Comatulæ. II. The Comatulæ of the Hamburg Museum. *J. Linn. Soc. (Zool.)* 16 : 487-526.
71. (J) — 1888a. Report on the Comatulæ of the Mergui Archipelago collected for the Trustees of the Indian Museum, Calcutta, by Dr. J. Anderson. *J. Linn. Soc. (Zool.)* 21 : 304-316, pls. 26, 27.
72. — 1888b. Crinoidea. II. The Comatulæ. *Rep. scient. Results Voy. 'Challenger'* (Zool.) 26 : ix + 339, 70 pls.
73. (M) CASTO DE ELERA, R. P. F. 1896. *Catálogo sistemático de toda la Fauna de Filipinas, etc.* 3. Moluscos y Radiados. Manila : iv + 942 + lxiv. [Echinoderms on pp. 820-838.]
74. (I) CHADWICK, H. C. 1904. On the Crinoidea. In Herdman, W. A. *Report to the Government of Ceylon on the Pearl Oyster Fisheries of the Gulf of Manaar.* London (Royal Society). Suppl. Rep. 11 : 151-158, 1 pl.
75. (D) — 1908. Reports on the Marine Biology of the Sudanese Red Sea. VII. The Crinoidea. *J. Linn. Soc. (Zool.)* 31 : 44-47.
76. CHAMISSO, A. DE & EYSENHARDT, C. G. 1821. De animalibus quibusdam e classe vermium linneana, in circumnavigatione terrae, auspicante Comite N. Romanzoff, Duce Ottone de Kotzbue, 1815-18 peracta observatis. II. *Nova Acta Acad. Caesar. Leop. Carol.* 10 : 345-374, pls. 24-33.
77. (N) CHANG, F.-Y. 1932. Echinoidea of the China coast. *Contr. Inst. Zool. natn. Acad. Peiping* 1(2) : 1-21, 11 figs., 3 pls.
78. (N) — 1934. Report on the Holothurians collected from the China coast. *Contr. Inst. Zool. natn. Acad. Peiping* 2(1) : 1-52, 20 figs., 3 pls.
79. (N) — 1935. Additions to the Holothurians of the China coast. *Contr. Inst. Zool. natn. Acad. Peiping* 2(3) : 1-18, 10 figs.

80. (N) CHANG, F.-Y. & WU, B.-L. 1957. The Echinoids of Kwangtung Province. *Bull. Inst. mar. Biol. Acad. sin.* **1**(1): 1-80, 52 figs., 25 pls. [In Chinese with English summary.]
81. (N) CHANG, F.-Y., LIAO, Y.-L. & WU, B.-L. 1962. [Euryalae of the China Sea.] *Acta zool. sin.* **14**: 53-68, 2 figs., 4 pls. [In Chinese with Russian summary.]
82. (N) CHEN, T.-Y. 1932. Notes on the Echinodermata of Amoy. *Rep. mar. biol. Ass. China* **1**: 65-74, 3 pls.
83. (L) CHERBONNIER, G. 1946. Sur une Holothurie de Quoy et Gaimard, type d'un nouveau genre *Plesiocolochirus* n.g. *Bull. Mus. Hist. nat., Paris* (2)**18**: 280-286, figs. a-u.
84. — 1951. Les Holothuries de Lesson. *Bull. Mus. Hist. nat., Paris* (2)**23**: 295-301, figs. a-p; 396-401, figs. 1-3; 532-536, figs. 1-3.
85. — 1952. Les Holothuries de Quoy et Gaimard. *Mém. Inst. r. Sci. nat. Belg.* (2)**44**: 1-50, 16 figs., 3 pls.
86. (B) — 1953. Note sur une nouvelle espèce de Synapte de l'île Maurice: *Patinafta vaughani* n.sp. *Bull. Mus. Hist. nat., Paris* (2)**25**: 501-504, figs. a-m.
87. (D) — 1954a. Note préliminaire sur les holothuries de la Mer Rouge. *Bull. Mus. Hist. nat., Paris* (2)**26**: 252-260.
88. (O) — 1954b-1955a. Holothuries récoltées en Océanie Française par G. Ranson en 1952. *Bull. Mus. Hist. nat., Paris* (2)**26** [1954]: 685-690, 2 figs.; **27** [1955]: 77-82, 2 figs.; 319-323, 2 figs.; 380-386, 2 figs.
89. (D) — 1955b. Résultats scientifiques des campagnes de la 'Calypso'. Les Holothuries de la Mer Rouge. *Annls Inst. océanogr., Monaco* **30**: 129-183, pls. 22-49.
90. — 1958. Sur le genre *Globosita* n.n. = *Sphaerella* Heding et Panning (Holothurie, Dendrochirotes). *Bull. Mus. Hist. nat., Paris* (2) **30**: 198.
91. (D) — 1959. Holothurioidea. *Rés. scient. Miss. R. P. Dollfus en Egypte, 1927-29*. No. 32: 249-251.
92. (N) — 1960-1961. Holothuries récoltées par A. Gallardo dans la baie de Nha Trang (Sud Viet-Nam). *Bull. Mus. Hist. nat., Paris* (2)**32** [1960]: 425-435, 6 figs.; **33** [1961]: 132-136.
93. (D) — 1963. Les Holothuries de la Mer Rouge de l'Université hébraïque de Jerusalem. *Bull. Sea Fish. Res. Stn Israel* **34**: 5-10, 2 figs.
94. (M) CLARK, A. H. 1908a. Preliminary notice of a collection of recent crinoids from the Philippine Islands. *Smithson. misc. Collns* **52**(2)1820: 199-234.
95. — 1909a. Revision of the crinoid family Comasteridae with descriptions of new genera and species. *Proc. U.S. natn. Mus.* **36**: 493-507.
96. — 1909b. The crinoids of the 'Gazelle' expedition. *Zool. Anz.* **34**: 363-376.
97. — 1909c. Five new species of recent unstalked crinoids. *Proc. U.S. natn. Mus.* **37**: 29-34.
98. (D) — 1909d. Red Sea crinoids: review of paper by C. Chadwick. *Am. Nat.* **43**: 253-256.
99. — 1909e. New recent crinoids from the Indian Ocean. *Proc. biol. Soc. Wash.* **22**: 75-85.
100. (O) — 1910. A new crinoid from the Solomon Islands. *Proc. biol. Soc. Wash.* **23**: 7-8.
101. (C) — 1911a. The recent crinoids of the coasts of Africa. *Proc. U.S. natn. Mus.* **40**: 1-51.
102. (M) — 1911b. On a collection of unstalked crinoids made by the United States Fisheries steamer 'Albatross' in the vicinity of the Philippine Islands. *Proc. U.S. natn. Mus.* **39**: 529-563.
103. (L) — 1911c. The recent crinoids of Australia. *Mem. Aust. Mus.* **4**: 703-803.
104. — 1911d. Note sur les crinoïdes actuels du Museum d'Histoire naturelle de Paris. *Bull. Mus. Hist. nat., Paris* **17**: 243-260, 2 figs.
105. (K) — 1912a. Preliminary descriptions of eleven new crinoids belonging to the families Himero-metridae, Mariametridae and Colobometridae, discovered by the 'Siboga' in the Dutch East Indies. *Ann. Mag. nat. Hist.* (8)**10**: 31-41.
106. (O) — 1912b. The crinoids of the Solomon Islands. *Rec. Aust. Mus.* **9**: 81-86.
107. (G-J) — 1912c. On a small collection of recent crinoids from the Indian Ocean. *Rec. Indian Mus.* **7**: 267-271.
108. — 1912d. Crinoidea. *Echinoderma of the Indian Museum*. Calcutta: 1-325, 61 figs.
109. (K) — 1912e. Descriptions of twenty new unstalked crinoids, belonging to the families Antedonidae and Atelecrinidae, from the Dutch East Indies. *Notes Leyden Mus.* **34**: 129-155.
110. (K) — 1912f. Seventeen new East Indian crinoids belonging to the families Comasteridae and Zygo-metridae. *Proc. biol. Soc. Wash.* **25**: 17-28.
111. — 1912g. The crinoids of the Natural History Museum at Hamburg. *Smithson. misc. Collns* **60**(10): 1-33.

112. — 1912h. The crinoids of the Museum für Naturkunde, Berlin. *Mitt. zool. Mus. Berl.* **9**: 231-237. [Also in *Proc. U.S. natn. Mus.* **43**: 381-410.]
113. — 1913. Notes on the recent crinoids in the British Museum. *Smithson. misc. Collns* **61**(15): 1-89.
114. (L) — 1915. The distribution of the recent crinoids on the coasts of Australia. *Int. Revue ges. Hydrobiol. Hydrogr.* **7**: 222-234.
115. (N) — 1917. Two new ophiurans from the China Sea. *Proc. biol. Soc. Wash.* **30**: 13-16.
116. (K) — 1918. The unstalked crinoids of the Siboga expedition. *Siboga Exped.* **42b**: 1-300, 28 pls.
117. (M) — 1920. A new unstalked crinoid from the Philippine Islands. *Proc. biol. Soc. Wash.* **33**: 21-22.
118. — 1929. On some recent crinoids in the collection of the British Museum. *J. Linn. Soc. (Zool.)* **36**: 635-664, pls. 40-44.
119. (O) — 1931a. Echinoderms from the islands of Niuafoou and Nukualofa, Tonga Archipelago, with the description of a new genus and two new species. *Proc. U.S. natn. Mus.* **80**(5): 1-12, 8 pls.
120. — 1931b. A Monograph of the Existing Crinoids. 1(3). Superfamily Comasterida. *Bull. U.S. natn. Mus.* **82**(3): vii + 816, 82 pls.
121. (G-J) — 1932. On a collection of crinoids from the Indian Ocean and the Bay of Bengal. *Rec. Indian Mus.* **34**(4): 551-566, pls. 19, 20.
122. — 1933. The crinoids of the Buitenzorg Museum. *Treubia* **14**: 207-214.
123. (K) — 1934. On a collection of crinoids from the Raffles Museum, Singapore. *Proc. biol. Soc. Wash.* **47**: 9-14.
124. — 1936. Biological results of the Snellius Expedition. 1. The unstalked crinoids. *Temminckia* **1**: 295-320, pls. 7-9.
125. (C-H) — 1937. Crinoidea. *Scient. Rep. John Murray Exped.* **4**(4): 88-108, 1 pl.
126. — 1941a. A Monograph of the Existing Crinoids. 1(4a). Superfamily Mariametrida (except the family Colobometridae). *Bull. U.S. natn. Mus.* **82**(4a): vii + 603, 61 pls.
127. (O) — 1941b. A new brittle-star of the genus *Ophiocomella* from Canton Island. *J. Wash. Acad. Sci.* **31**: 481-483.
128. — 1947. A Monograph of the Existing Crinoids. 1(4b). Superfamily Mariametrida (concluded—the family Colobometridae) and Superfamily Tropiometrida (except the families Thalassometridae and Charitometridae). *Bull. U.S. natn. Mus.* **82**(4b): vii + 473, 43 pls.
129. (K) CLARK, A. H. & BAYER, F. M. 1948. Some echinoderms from Biak, Schouten Islands (New Guinea). *J. Wash. Acad. Sci.* **38**: 143-144.
130. (F) CLARK, A. H. & BOWEN, R. LE B., Jr. 1949. Echinoderms from Tarut Bay and vicinity, Saudi Arabia, with notes on their occurrence. *Am. Mus. Novit.* No. 1390: 1-20, 2 figs., 1 map.
131. (P) CLARK, A. H. 1949a. Ophiuroidea of the Hawaiian Islands. *Bull. Bernice P. Bishop Mus.* **195**: 1-133, 22 figs.
132. (M) — 1949b. Some littoral sea urchins from the Philippines. *J. Wash. Acad. Sci.* **39**: 271-272.
133. (M) — 1949c. Collection of sea-stars from the Philippines. *Proc. biol. Soc. Wash.* **62**: 73-77.
134. — 1950a. A Monograph of the Existing Crinoids. 1(4c). Superfamily Tropiometrida (the families Thalassometridae and Charitometridae). *Bull. U.S. natn. Mus.* **82**(4c): vii + 383, 32 pls.
135. (K) — 1950b. Echinoderms from the Cocos-Keeling Islands. *Bull. Raffles Mus.* **22**: 53-67, pl. 15.
136. (O) — 1952. Echinoderms from the Marshall Islands. *Proc. U.S. natn. Mus.* **102**: 265-303.
137. — 1954. Records of Indo-Pacific echinoderms. *Pacif. Sci.* **8**: 243-263.
138. — 1964. Description of two new species of Ophiuroidea collected during the Snellius Expedition. *Zool. Meded., Leiden* **39**: 385-390, 2 figs.
139. CLARK, A. H. & CLARK, A. M. 1967. A Monograph of the Existing Crinoids. 1(5). Suborders Oligophreata (concluded) and Macrophreata. *Bull. U.S. natn. Mus.* **82**(5): xiv + 860, 53 figs.
140. CLARK, A. M. 1951. On some echinoderms in the British Museum (Natural History). *Ann. Mag. nat. Hist.* (12)**4**: 1256-1268, 4 figs., pl. 22.
141. (D) — 1952. The 'Manihine' Expedition to the Gulf of Aqaba, 1948-1949. VII. Echinodermata. *Bull. Br. Mus. nat. Hist. (Zool.)* **1**: 203-214, pls. 31, 32.
142. — 1953a. Notes on Asteroids in the British Museum (Natural History). III. *Luidia*. IV. *Tosia* and *Pentagonaster*. *Bull. Br. Mus. nat. Hist. (Zool.)* **1**: 379-412, 15 figs., pls. 39-46.
143. — 1953b. A revision of the genus *Ophionereis*. *Proc. zool. Soc. Lond.* **123**(1): 65-94, 12 figs., 3 pls.
144. — 1963. Proposed rejection of nine specific names of Holothurioidea (Echinodermata). *Bull. zool. Nom.* **20**(5): 383-387.

145. CLARK, A. M. & OWEN, H. G. 1965. *Eucidaris* Pomel, 1883, *Papula* Bayle, 1887, *Cidaris papilataconoidea* Parkinson, 1811 and *Cidaris savignyi* Audouin, 1826, proposed suppression; coupled with validation of *Eucidaris* Döderlein, 1887, *Stereocidaris* Pomel, 1883, and *Diadema savignyi* Michelin, 1845. (Class Echinoidea). *Bull. zool. Nom.* **22**(4) : 237-242.
146. (N) CLARK, A. M. 1965. Japanese and other ophiuroids from the collections of the Munich Museum. *Bull. Br. Mus. nat. Hist. (Zool.)* **13**(2) : 37-71, 6 figs., 1 pl.
147. (H) CLARK, A. M. & SPENCER DAVIES, P. 1966. Echinoderms of the Maldive Islands. *Ann. Mag. nat. Hist.* (13) **8** : 597-612, pl. 18.
148. (D) CLARK, A. M. 1967a. Echinoderms from the Red Sea. Part 2. (Crinoids, Ophiuroids, Echinoids and more Asteroidea.) *Bull. Sea Fish. Res. Stn Israel* **41** : 26-58, 5 figs.
149. — 1967b. Notes on the family Ophiotrichidae (Ophiuroidea). *Ann. Mag. nat. Hist.* **9** : 637-655, 1 fig., 2 pls.
150. — 1967c. Notes on Asteroidea in the British Museum (Natural History). V. *Nardoa* and some other Ophiasterids. *Bull. Br. Mus. nat. Hist. (Zool.)* **15** : 169-198, 6 pls.
151. CLARK, A. M. & ROWE, F. W. E. 1967a. Proposals for stabilization of the names of certain genera and species of Holothuroidea. *Z.N.(S.)* 1782. *Bull. zool. Nom.* **24** : 98-115.
152. — 1967b. The identity of the species commonly known as *Holothuria monacaria* Lesson, 1830. *Z.N.(S.)* 1793. *Bull. zool. Nom.* **24** : 126-128.
153. CLARK, A. M. 1967d. Variable symmetry in fissiparous Asterozoa. In Millott, N. (Editor). *Echinoderm Biology. Symp. zool. Soc. Lond.* No. 20 : 143-157, 1 fig.
154. CLARK, H. L. 1907. The Apodous holothurians. *Smithson. Contr. Knowl.* **35** : 1-206, 13 pls.
155. (K & N) — 1908. Some Japanese and East Indian Echinoderms. *Bull. Mus. comp. Zool. Harv.* **51** : 277-311.
156. — 1909. Notes on some Australian and Indo-Pacific Echinoderms. *Bull. Mus. comp. Zool. Harv.* **52** : 107-135, 1 pl.
157. — 1912. Hawaiian and other Pacific Echini. Pedinidae, Phymosomatidae, Stomopneustidae, Echinidae, Temnopleuridae, Stronglyocentrotidae and Echinometridae. *Mem. Mus. comp. Zool. Harv.* **34** : 209-383, pls. 90-121.
158. — 1914a. Hawaiian and other Pacific Echini. The Clypeastridae, Arachnoididae, Laganidae, Fibulariidae and Scutellidae. *Mem. Mus. comp. Zool. Harv.* **46** : 1-78, pls. 122-143.
159. (L) — 1914b. The Echinoderms of the Western Australian Museum. *Rec. West Aust. Mus.* **1** : 132-173, pls. 17-26.
160. (I) — 1915a. The Echinoderms of Ceylon (other than Holothurians). *Spolia zeylan.* **10**(37) : 83-102.
161. — 1915b. Catalogue of recent ophiurans. *Mem. Mus. comp. Zool. Harv.* **25** : 165-376, 20 pls.
162. (L) — 1915c. The comatulids of Torres Strait with special reference to their habits and reactions. *Pap. Dep. mar. biol. Carnegie Instn Wash.* **8** : 67-125.
163. (L) — 1916. Report on the sea lilies, starfishes, brittle-stars and sea-urchins obtained by the F.I.S. 'Endeavour' on the coasts of Queensland, N.S.W., Tasmania, Victoria, S. Australia and W. Australia. *Endeavour Res.* **4** : 1-123, 11 figs., 44 pls.
164. (O) — 1917a. Reports on the scientific results of the expedition to the tropical Pacific in charge of A. Agassiz, on the U.S. Fish Commission steamer 'Albatross', from Aug., 1899-Mar., 1900. XVIII. Oct., 1904-Mar., 1905. XXX. Ophiuroidea. *Bull. Mus. comp. Zool. Harv.* **61** : 429-453, 5 pls.
165. — 1917b. Hawaiian and other Pacific Echini. The Echinoneidae, Nucleolitidae, Urechinidae, Echinocorythidae, Calymnidae, Pourtalesidae, Palaeostomatidae, Aeropsidae, Palaeopneustidae, Hemiasteridae and Spatangidae. *Mem. Mus. comp. Zool. Harv.* **46** : 85-283, pls. 144-161.
166. — 1918. Brittle-stars, new and old. *Bull. Mus. comp. Zool. Harv.* **62** : 265-338, 8 pls.
167. 1920a. Eastern tropical Pacific Asteroidea. *Mem. Mus. comp. Zool. Harv.* **39** : 73-113, 6 pls.
168. 1920b. Tropical Pacific Holothuroidea. *Mem. Mus. comp. Zool. Harv.* **39** : 121-154, 4 pls.
169. (L) — 1921. The Echinoderm fauna of Torres Strait. *Pap. Dep. mar. biol. Carnegie Instn Wash.* **10** : vi + 223, 38 pls.
170. — 1922. Holothurians of the genus *Stichopus*. *Bull. Mus. comp. Zool. Harv.* **65** : 39-74, 2 pls.
171. (C) — 1923a. The Echinoderm Fauna of South Africa. *Ann. S. Afr. Mus.* **13**(7) : 221-435, 4 figs., pls. 8-23.
172. (L) — 1923b. Some Echinoderms from W. Australia. *J. Linn. Soc. (Zool.)* **35** : 229-251, pl. 13.

173. — 1924. Holothurians of the Museum of Comparative Zoology. The Synaptinae. *Bull. Mus. comp. Zool. Harv.* **65** : 459-501, 12 pls.
174. (O & P) — 1925a. Echinoderms (other than sea-stars) of the tropical central Pacific. *Bull. Bernice P. Bishop Mus.* **27** : 89-112, pls. 9-11.
175. — 1925b. *A Catalogue of the recent sea-urchins in the collection of the British Museum (Nat. Hist.)*. London : xxviii + 250, 12 pls.
176. — 1926a. Some sea-stars from the Riksmuseum, Stockholm. *Ark. Zool.* **18A**(8) : 1-8, 2 figs.
177. (L) — 1926b. Notes on a collection of Echinoderms from the Australian Museum. *Rec. Aust. Mus.* **15** : 183-192, 1 fig.
178. (L) — 1928. The sea-lilies, sea-stars, brittle-stars and sea-urchins of the South Australian Museum. *Rec. S. Aust. Mus.* **3** : 361-482, figs. 108-142.
179. (L) — 1932. Echinodermata (other than Asteroidea) of the Great Barrier Reef Expedition, 1928-1929. *Scient. Rep. Gt Barrier Reef Exped.* **4** : 197-239, 9 figs., 1 pl.
180. (L) — 1938. Echinoderms from Australia. *Mem. Mus. comp. Zool. Harv.* **55** : viii + 596, 63 figs., 28 pls.
181. (C-H) — 1939. Ophiuroidea. *Scient. Rep. John Murray Exped.* **6** : 29-136, 62 figs.
182. (L) — 1946. The Echinoderm Fauna of Australia. *Publ. Carnegie Instn* No. 566 : 1-567.
183. (E) COUTIÈRE, H. 1898. Notes sur les récifs madreporiques de Djibouti. *Bull. Mus. Hist. nat., Paris* **4** : 87-90, 155-157.
184. CUVIER, G. 1817. *Le Règne Animal, distribue d'après son organisation*. Paris **4** : vi + 255, 15 pls.
185. (C) DECARY, R. 1921. Observations sur des Echinodermes de Madagascar. *Bull. Mus. Hist. nat., Paris* **27** : 243-244.
186. (C) — 1924. Liste d'échinodermes recueillis à Madagascar. *Bull. Acad. malgache* **6** : 37-41.
187. DEICHMANN, E. 1922. On some cases of multiplication by fission and of coalescence in holothurians; with notes on the synonymy of *Actinopyga parvula* (Sel.). *Vidensk. Meddr dansk naturh. Foren.* **73** : 199-214, 10 figs.
188. — 1941. The Holothuroidea collected by the Velero III during the years 1932-38. Part 1. Dendrochirota. *Allan Hancock Pacif. Exped.* **8** : 61-153, 6 figs., pls. 10-30.
189. — 1945. *Urodemas bifurcatum*, a new holothurian from South Africa, with a revision of the genus *Urodemas* Selenka. *Ann. Mag. nat. Hist.* (11) **11** : 731-737, 3 figs.
190. — 1958. The Holothuroidea collected by the Velero III and IV during the years 1932 to 1954. Part 2. Aspidochirota. *Allan Hancock Pacif. Exped.* **11** : 249-349, pls. 1-9.
191. DES MOULINS, C. 1835-1837. *Études sur les Échinides*. Bordeaux : 1-520, 2 tables, 3 pls. [Also published in *Actes Soc. Vinn. Bordeaux* (1)7[1835] : 167-432, pls. i-iii; (1)9[1837] : 45-364, 2 tables.]
192. (N) DJAKONOV, A. M. 1930. Echiniden, Ophiuriden und Asteriden gesammelt von Prof. P. J. Schmidt bei den Riu-Kiu Inseln im Jahre 1926-27. *Zool. Jb.* **59** : 233-252, pls. 12, 13.
193. (K) — 1950. [The echinoderm fauna of the Malayan Archipelago and its connection with the past and present forms of the Pacific.] *Trudy leningr. Obshch. Estest.* **70** : 109-126, 2 figs. [In Russian].
194. (N) DÖDERLEIN, L. 1885. Seeigel von Japan und den Liu-Kiu Inseln. *Arch. Naturgesch.* **51**(1) : 73-112.
195. (N) — 1887. *Die Japanischen Seeigel*. I. Cidaridae und Saleniidae. Stuttgart **1** : 1-59, 11 pls.
196. (I) — 1889. Echinodermen von Ceylon. Bericht über die von den Herren Dres. Sarasin gesammelten Asteroidea, Ophiuroidea und Echinoidea. *Zool. Jb.* **3** : 822-846, pls. 31-33.
197. (K & L) — 1896a. Bericht über die von Herrn Prof. Semon bei Amboina und Thursday Island gesammelten Ophiuroidea. In Semon, R. W. Zoologische Forschungsreisen in Australien und dem Malayischen Archipel. *Denk. Ges. Jena* **8** : 279-300, pls. 14-18.
198. (K & L) — 1896b. Bericht über die von Herrn Prof. Semon bei Amboina und Thursday Island gesammelten Asteroidea. *Denk. Ges. Jena* **8** : 301-322, pls. 28-32.
199. (K & L) — 1898a. Bericht über die von Herrn Prof. Semon bei Amboina und Thursday Island gesammelten Crinoidea. *Denk. Ges. Jena* **8** : 475-480, pl. 36.
200. (K & L) — 1902a. Bericht über die von Herrn Prof. Semon bei Amboina und Thursday Island gesammelten Echinoidea. *Denk. Ges. Jena* **8** : 683-726, pls. 58-65.
201. (N) — 1902b. Japanische Seesterne. *Zool. Anz.* **25** : 326-335.
202. (K) — 1911a. Ueber Echinoidea von den Aru Inseln. *Abh. senckenb. naturforsch. Ges.* **34** : 235-248, pls. 9, 10.
203. — 1911b. Beiträge zur Naturgeschichte Ostasiens. Über japanische und andere Euryalae. *Abh. bayer. Akad. Wiss. suppl.* **2**(5) : 1-123, 9 pls.

204. — 1915. Die Arten der Asteroidea : Gattung *Anthenea* Gray. *Jb. nassau. Ver. Naturk.* **68** : 21-55, 11 pls.
205. — 1916. Über die Gattung *Oreaster* und Verwandte. *Zool. Jb. (Syst.)* **40** : 409-440, 18 figs.
206. (K) — 1917. Die Asteriden der Siboga Expedition. I. Die Gattung *Astropecten* und ihre Stammesgeschichte. *Siboga Exped.* **46a** : 1-190, 20 figs., pls. 1-17.
207. (K) — 1920. Die Asteriden der Siboga Expedition. II. Die Gattung *Luidia* und ihre Stammesgeschichte. *Siboga Exped.* **46b** : 193-291, 5 figs., pls. 18-20.
208. (K) — 1924. Die Asteriden der Siboga Expedition. II. Pentagonasteridae. *Siboga Exped.* **46²** : 49-69, pls. 14-19.
209. — 1926. Über Asteriden aus dem Museum von Stockholm. *K. svenska VetenskAkad. Handl.* (3)**2**(6) : 1-22, 4 pls.
210. — 1927. Indopacifische Euryalae. *Abh. bayer. Akad. Wiss.* **31**(6) : 1-105, 10 pls.
211. (K) — 1935. Die Asteriden der Siboga Expedition. III. Oreasteridae. *Siboga Exped.* **46³** : 71-110, pls. 20-27.
212. (K) — 1936. Die Asteriden der Siboga Expedition. III. Die Unterfamilie Oreasterinae. *Siboga Exped.* **46c** : 295-369, pls. 21-32.
213. (D) DOLLFUS, R. 1936. *Stellasteropsis fouadi* n.g., n.sp. Stelleride commun dans le Golfe de Suez. *Bull. Soc. zool. Fr.* **61** : 151-158, 3 figs.
214. (M) DOMANTAY, J. S. 1933. Littoral Holothuroidea of Port Galera Bay and adjacent waters. *Nat. appl. Sci. Bull. Univ. Philipp.* **3** : 41-101, 4 pls.
215. (M) — 1934. Four additional species of littoral Holothuroidea of Port Galera Bay and adjacent waters. *Nat. appl. Sci. Bull. Univ. Philipp.* **4** : 109-115, 1 pl.
216. (M) — 1936. The ecological distribution of the echinoderm fauna of the Puerto Galera Marine Biological Station. *Nat. appl. Sci. Bull. Univ. Philipp.* **5** : 385-403, 7 pls.
217. (M) DOMANTAY, J. S. & ROXAS, H. A. 1938. The littoral Asteroidea of Puerto Galera Bay and adjacent waters. *Philipp. J. Sci.* **65** : 203-237, 17 pls.
218. (M) DOMANTAY, J. S. 1953. Littoral holothurians from Zamboanga and vicinity. *Philipp. J. Sci.* **82** : 109-131.
219. (O) — 1954. Some holothurians from Guam and vicinity. *Nat. appl. Sci. Bull. Univ. Philipp.* **12** : 336-357.
220. — 1957. The zoogeographical distribution of the Indo-Pacific littoral Holothuroidea. *Proc. 8th Pacif. Sci. Congr.* **3** : 417-455, 1 pl.
221. (M) — 1962. Littoral holothurians of Hundred Islands and vicinity, Lingayen Gulf, Luzon Island, Philippines. *Philipp. J. Sci.* **89** : 79-108, 24 figs.
222. (N) DUNCAN, P. M. 1879. On some Ophiuroidea from the Korean Seas. *J. Linn. Soc. (Zool.)* **14** : 445-482, pls. ix-xi.
223. (J) — 1887. On the Ophiuridae of the Mergui Archipelago, collected for the Trustees of the Indian Museum, Calcutta, by Dr. J. Anderson. *J. Linn. Soc. (Zool.)* **21** : 85-106, figs. 28-40, pls. viii, ix & xi.
224. (J) DUNCAN, P. M. & SLADEN, W. P. 1889. Report on the Echinoidea of the Mergui Archipelago, collected for the Trustees of the Indian Museum, Calcutta, by Dr. J. Anderson. *J. Linn. Soc. (Zool.)* **21** : 316-319. [Also in *J. R. microsc. Soc.* (1890) **1** : 45-46.]
225. (P) EDMONDSON, C. H. 1933. Reef and shore fauna of Hawaii. *Spec. Publ. Bernice Pauahi Bishop Mus.* **22** : 1-295. [Echinoderms on pp. 60-87, figs. 30-38.]
226. (P) — 1935. Autotomy and regeneration in Hawaiian starfishes. *Occ. Pap. Bernice P. Bishop Mus.* **11**(8) : 1-29, 3 figs.
227. (K-P) — 1940. The relation of the marine fauna of Hawaii to that of other sections of the Pacific area. *Proc. 6th Pacif. Sci. Congr.* **3** : 593-598.
228. (L) EKMAN, S. 1918. Results of Dr. E. Mjöberg's Swedish Scientific Expedition to Australia, 1910-1913. XIX. Holothuroidea. *K. svenska VetenskAkad. Handl.* **58**(6) : 1-70, 5 pls.
229. (P) ELY, C. A. 1942. Shallow water Asteroidea and Ophiuroidea of Hawaii. *Bull. Bernice P. Bishop Mus.* **17** : 1-163, 18 figs., 13 pls.
230. (O) — 1944. A new brittle-star (*Ophiocoma anaglyptica*) from Canton Island. *J. Wash. Acad. Sci.* **34** : 373-375, 1 fig.
231. (L) ENDEAN, R. 1953. Queensland faunistic records. III. Echinodermata (excluding Crinoidea). *Pap. Dep. Zool. Univ. Qd* **1** : 51-60.

232. (L) — 1956. Queensland faunistic records. IV. Further records of Echinodermata (excluding Crinoidea). *Pap. Dep. Zool. Univ. Qd* **1** : 123-140, 1 pl.
233. (L) — 1957. The biogeography of Queensland's shallow-water echinoderm fauna (excluding Crinoidea), with a re-arrangement of the faunistic provinces of tropical Australia. *Aust. J. Mar. Freshwat. Res.* **8** : 233-273, 5 figs.
234. (L) — 1961. Queensland faunistic records. VII. Additional records of Echinodermata (excluding Crinoidea). *Pap. Dep. Zool. Univ. Qd* **1** : 289-298, 1 fig.
235. (L) — 1965. Queensland faunistic records. VIII. Further records of Echinodermata (excluding Crinoidea) from southern Queensland. *Pap. Dep. Zool. Univ. Qd* **2** : 229-235.
236. (K) ENGEL, H. 1933. Résultats scientifiques du voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Belgique. Holothuriers. *Mém. Mus. r. Hist. nat. Belg.* **3**(13) : 1-42, 25 figs., 1 pl., 5 maps.
237. (K) — 1938a. Astéries du voyage aux Indes Orientales Néerlandaises (1932) de LL. AA. RR. le Prince et la Princesse Léopold de Belgique. *Bull. Mus. r. Hist. nat. Belg.* **14**(18) : 1-4, 2 figs.
238. (K) — 1938b. Résultats scientifiques du voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Belgique. Astéries et Ophiures. *Mém. Mus. r. Hist. nat. Belg.* **3**(18) : 3-31, 5 figs., 4 pls.
239. ENGEL, H., JOHN, D. D. & CHERBONNIER, G. 1948. The genus *Mithrodia* Gray, 1840. *Zool. Verh., Leiden* **2** : 1-39, 12 figs., 8 pls.
240. (C) ENGEL, H. 1949. *Ophioteropsis beauforti* n.sp. *Bijdr. Dierk.* **28** : 140-143, 2 figs.
241. (K) — 1959. Chapter 9. The Echinoderms. In: *Rumphius memorial volume*. Amsterdam : 209-223, 4 pls.
242. (L) ERWE, W. 1913. Holothuroidea. In: Michaelsen und Hartmeyer, *Die Fauna Südwest-Australiens*. Jena. **4** : 351-402, 1 fig., pls. 5-8.
243. (D) — 1919. Holothurien aus dem Roten Meer. *Mitt. zool. Mus. Berl.* **9** : 177-189, 5 figs.
244. ESCHSCHOLTZ, F. 1829-1833. *Zoologischer Atlas; enthaltend Abbildungen und Beschreibungen neuer Thierarten während der Flottcapitains von Kotzbuë zweiter Reise um die Welt, 1823-1826*. Berlin. 1[1829] : iv + 17, pls. i-v; 2[1829] : 1-13, pls. vi-x; 3[1829] : 1-18, pls. xi-xv; 4[1831] : 1-19, pls. xvi-xx; 5[1833] : viii + 28, pls. xxi-xxxv.
245. (P) FISHER, W. K. 1906. The starfishes of the Hawaiian Islands. *Bull. U.S. Fish. Comm.* **23**(3) : 987-1130, 49 pls.
246. (P) — 1907. The Holothurians of the Hawaiian Islands. *Proc. U.S. natn. Mus.* **32** : 637-744, pls. 66-82.
247. (K & M) — 1913a. New starfishes from the Philippine Islands, Celebes and the Moluccas. *Proc. U.S. natn. Mus.* **46** : 201-224.
248. (K & M) — 1919. Starfishes of the Philippine Seas and adjacent waters. *Bull. U.S. natn. Mus.* **100**(3) : xii + 711, 156 pls.
249. (N) — 1922. A new sea-star from Hong-Kong. *Ann. Mag. nat. Hist.* (9)**10** : 415-418, 2 figs., pl. 10.
250. (O & P) — 1925. Sea-stars of tropical central Pacific. *Bull. Bernice P. Bishop Mus.* **27** : 63-88, fig. 9, pls. 5-8.
251. (K) — 1934. Note on a starfish from Christmas Island, Indian Ocean. *Bull. Raffles Mus.* **9** : 74.
252. FORSKÅL, P. 1775. *Descriptiones animalium quae in itinere orientali observavit P. Forskål*. Hauniae 1-164, 1 map.
253. (K & N) FOSTER, R. J. 1964. Echinoidea collected on the Dampier expedition. *Rep. geol. Surv. Brit. Borneo*, **1963** : 138-139.
254. (D) FOURTAU, R. 1904. Contribution à l'étude des Echinides vivant dans le Golfe de Suez. *Bull. Inst. Egypt* (4)**4** : 407-446, 2 figs., 1 pl.
255. (K) GIBSON-HILL, C. A. 1947. The Echinodermata of Christmas Island, Indian Ocean. *Bull. Raffles Mus.* **18** : 22-26.
256. (L) GILLET, K. & McNEILL, F. 1959. *The Great Barrier Reef and adjacent isles*. Sydney : 1-194, 161 pls. [Echinoderms on pp. 95-103.]
257. (L) GISLÉN, T. 1919. Results of Dr. Mjöberg's Swedish Scientific Expedition to Australia, 1910-1913. XXIII. Crinoids. *K. svenska VetenskAkad. Handl.* **59** : 3-37, 3 figs., 1 pl.
258. (N) — 1922. The crinoids from Dr. S. Bock's Expedition to Japan, 1914. *Nova Acta R. Soc. scient. upsal.* (4)**5** : 1-183, 162 figs., 2 pls.
259. (N) — 1927. Japanese crinoids. *Vidensk. Meddr dansk naturh. Foren.* **83** : 1-69, 80 figs., 2 pls.

260. (N) — 1938. Crinoids of French Indo-China and Macclesfield Bank. *K. fysiogr. Sällsk. Lund Forh.* 7: 1-21, 8 figs.
261. (C) — 1938. Crinoids of South Africa. *K. svenska VetenskAkad. Handl.* (3)17: 1-22, 26 figs., 2 pls.
262. (O) — 1940a. A collection of crinoids from the South Sea Islands. *K. svenska VetenskAkad. Handl.* (3) 18: 3-16, 1 fig., 3 pls.
263. (F) — 1940b. Crinoidea. In Mortensen, T. Echinoderms from the Iranian Gulf. *Dan. scient. Invest. Iran.* Part 2: 110-112, fig. 24.
264. GOLDFUSS, G. A. 1820. *Handbuch der Zoologie.* Nuremburg 1: 1-696, 2 pls.
265. (N) GOTO, S. 1914. A descriptive monograph of Japanese Asteroidea. I. Archasteridae, Benthoplectinidae, Porcellanasteridae, Astropectinidae, Luidiidae, Pentagonasteridae, Oreasteridae, Gymnasteriidae, Asterinidae, *J. Coll. Sci. imp. Univ. Tokyo* 29(1): 1-808, 19 pls.
266. (O) GRÄFFE, E. 1866. Notizen über die Fauna der Viti-Inseln eingesandt als vorläufiger Bericht über die zweite in Auftrage der Herren Joh. E. Godeffroy und Sohn in Hamburg dahin unternommene Explorationsreise. *Verh. zool.-bot. Ges. Wien* 16: 586.
267. (I) GRAVELY, F. H. 1927. The littoral fauna of Krusadai Island in the Gulf of Manaar: Echinodermata. *Bull. Madras Govt Mus.* (Nat. Hist.) 1(1): 1-11.
268. (I & J) — 1941. Shells and other animal remains found on the Madras beach. I. Groups other than snails, etc. *Bull. Madras Govt Mus.* (Nat. Hist.) 5(1): 1-112, 30 figs.
269. GRAY, J. E. 1840. A synopsis of the genera and species of the class Hypostoma (*Asterias* Linn.). *Ann. Mag. nat. Hist.* (1)6: 175-184; 275-290.
270. — 1851a. Description of some new genera and species of Spatangidae in the British Museum. *Ann. Mag. nat. Hist.* (2)7: 130-134.
271. — 1851b. Description of two new genera and some new species of Scutellidae and Echinolampidae in the collection of the British Museum. *Proc. zool. Soc. Lond.* 1851: 34-38.
272. — 1855a. *Catalogue of the recent Echinida or Sea Eggs in the collection of the British Museum.* I. Echinida Irregularia. London: 1-69, 6 pls.
273. — 1855b. An arrangement of the families of Echinida with descriptions of some new genera and species. *Proc. zool. Soc. Lond.* 1855: 35-39.
274. (D) — 1872. List of echinoderms collected by Rob. M'Andrew in the Gulf of Suez, Red Sea. *Ann. Mag. nat. Hist.* (4)10: 115-124.
275. (C) GRINDLEY, J. R. 1963. A specimen of the asteroid *Acanthaster planci* (Linnaeus) from the Mozambique coast. *Durban Mus. Novit.* 6: 265-268, 1 fig.
276. GRUBE, A. E. 1857. Diagnosen einiger neuen Echinodermen. *Arch. Naturgesch.* 1857: 340-344.
277. — 1860. Beschreibung neuer oder weniger bekannter Seesterne und Seeigel. *Nova Acta Acad. Caesar. Leop. Carol.* 27: 3-50, 3 pls.
278. — 1866. Über einige neue Seesterne im zoologischen Museum zu Breslau. *Jber. schles. Ges. vaterl. Kult.* 43: 59-61.
279. — 1868a. Ueber einige seltener oder neue Ophiuriden. *Jber. schles. Ges. vaterl. Kult.* 45: 44-45.
280. (A & B) HAACKE, W. 1880. Holothurien. In Möbius, K. *Beiträge zur Meeresfauna der Insel Mauritius und der Seychelles.* Berlin: 46-48.
281. (K) HARTLAUB, C. 1890. Beitrag zur Kenntniss der Comatuliden-Fauna des Indischen Archipels. *Nachr. Ges. Wiss. Göttingen* 5: 168-187.
282. (K) — 1891. Beitrag zur Kenntniss der Comatuliden-Fauna des Indischen Archipels. *Nova Acta Acad. Caesar. Leop. Carol.* 58: 5-120, 5 pls.
283. HARTMEYER, R. 1916. Berichtigung zu: Clark, A. H. The Crinoids of the Museum für Naturkunde, Berlin. *Mitt. zool. Mus. Berl.* 8: 233-237.
284. (L) HARVEY, E. N. 1914. Report of researches conducted at Murray Island, Torres Strait during September and October, 1913. *Yb. Carnegie Instn* 13: 204-207.
285. (N) HAYASAKA, I. 1948. Notes on the echinoids of Taiwan (Formosa). *Bull. oceanogr. Inst. Taiwan* 4: 1-35, 6 pls.
286. (N) — 1949. On some starfishes from Taiwan. *Bull. oceanogr. Inst. Taiwan* 5: 11-19, 3 pls.
287. (O) HAYASHI, R. 1937. Arrangement of plates and tubercles of a tropical sea-star *Oreaster nodosus* (Linn.). *Palao trop. biol. Sin Stud.* 2: 177-186, 3 figs., pls. 4, 5.
288. (N) — 1938a. Sea-stars of the Riu-Kiu Islands. *Bull. biogeogr. Soc. Japan* 8: 197-222, 1 fig., pls. 1, 2.
289. (N) — 1938b. Sea-stars in the vicinity of the Seto Marine Biological Laboratory. *Bull. biogeogr. Soc. Japan* 8: 271-292, 4 figs., pls. 5-7.

290. (N) — 1938c. Sea-stars of the Ogasawara Islands. *Annotnes zool. jap.* 17(1): 59-68, 5 figs., 1 pl.
291. (O) — 1938. Sea-stars of the Caroline Islands. *Palao trop. biol. Sin Stud.* 3: 417-446, 5 figs., pls. 2-4.
292. (N) — 1952. Sea-stars of Seto and adjacent waters. *Publs. Seto mar. biol. Lab.* 2: 143-159, 8 figs., pl. 8.
293. HEDING, S. G. 1928. Synaptidae. *Vidensk. Meddr dansk naturh. Foren.* 85: 105-323, 69 figs., pls. 2, 3.
294. — 1929. Contributions to the knowledge of the Synaptidae. *Vidensk. Meddr dansk naturh. Foren.* 88: 139-154, 7 figs.
295. — 1931a. Über die Synaptiden des Zoologischen Museums zu Hamburg. *Zool. Jb. (Syst.)* 61: 637-696, 17 figs., pl. 2.
296. — 1931b. On the classification of the Molpadids. *Vidensk. Meddr dansk naturh. Foren.* 92: 275-284.
297. — 1932. *Paracaudina* nom. nov., a correction together with some remarks concerning the supposed fossil holothurian *Pseudocaudina brachyura* Broili. *Vidensk. Meddr dansk naturh. Foren.* 92: 455-456.
298. (N) — 1934. On some holothurians from Hong-Kong. *Hong-Kong Nat.*, suppl. 3: 15-25, 5 figs., pl. 9.
299. — 1938. [Footnote] In Mortensen, T. see no 441, p. 55.
300. (O) — 1939. Holothurians collected during the cruises of the M/S 'Monsunen' in the tropical Pacific in 1934. *Vidensk. Meddr dansk naturh. Foren.* 102: 213-222, 34 figs.
301. (F) — 1940a. Echinoderms from the Iranian Gulf. Holothuroidea. *Danish scient. Invest. Iran.* Part 2: 113-137, 12 figs.
302. — 1940b. Die Holothurien der deutschen Tiefsee-Expedition. II. Aspidochirote und Elaspode Formen. *Wiss. Ergebn. dt. Tiefsee-Expd. 'Valdivia'* 24: 317-375, 21 figs.
303. HEDING, S. G. & PANNING, A. 1954. Phyllophoridae. Eine Bearbeitung der polytentaculaten dendrochiroten Holothurien des zoologischen Museums in Kopenhagen. *Spolia zool. Mus. haun.* 13: 7-209, 102 figs.
304. (O) HEDLEY, C. 1899. Summary of the fauna of Funafuti. *Mem. Aust. Mus.* 3: 513-535.
305. (D) HELFER, H. 1912. Über einige von Dr. Hartmeyer im Golf von Suez gesammelte Holothurien. *Mitt. zool. Mus. Berl.* 6: 327-334, 17 figs.
306. (I) HERDMAN, W. A. & HERDMAN, J. B. 1904. On the Echinoderma. *Report to the Government of Ceylon on the Pearl Oyster Fisheries of the Gulf of Manaar.* London (Royal Society) Suppl. rep. 10: 137-147, 1 fig. [with notes and additions by F. J. Bell.]
307. (K) HERKLOTS, J. A. 1869. Echinodermes peintes d'après nature, par les soins de Kuhl, Van Hasselt et Sal. Müller. *Bijdr. Dierk.* 2(9): 1-12, 10 pls.
308. (D) HEROUARD, E. 1893. Recherches sur les Holothuries de la Mer Rouge. *Arch. Zool. exp. gén.* (3)1: 125-138, pls. 7-8.
309. HERTZ, M. 1927. Die Ophiuriden de deutschen Tiefsee-Expedition. I. *Wiss. Ergebn. dt. Tiefsee-Expd. 'Valdivia'* 22(3): 59-122, 7 figs., pls. 6-9.
310. (B-C) HOFFMANN, C. K. 1874. Crustacés et Echinodermes de Madagascar et de l'Île de la Réunion. In Pollen, F. P. L. & Van Dam, D. C. *Recherches sur la faune de Madagascar et de ses dépendances.* Leyde 5(2): 1-58, pls. i-x. [Echinoderms on pp. 45-56, pl. x.]
311. (P) HOLLY, M. 1932. Echinodermata from Pearl and Hermes Reef. *Occ. Pap. Bernice P. Bishop Mus.* 10(1): 1-9, 2 figs.
312. HUTTON, F. W. 1879. Notes on some New Zealand Echinodermata, with descriptions of new species. *Trans. Proc. N.Z. Inst.* 11: 305-308.
313. (N) IKEDA, H. 1935. A new *Clypeaster* from Japan. *Annotnes zool. jap.* 15: 103-104, pl. 7.
314. IVES, J. E. 1889. Catalogue of the Asteroidea and Ophiuroidea in the collection of the Academy of Natural Sciences of Philadelphia. *Proc. Acad. nat. Sci. Philad.* 1889: 169-179.
315. JÄGER, G. F. 1833. *De Holothuriis.* Turici: 1-40, 3 pls.
316. JOHN, D. D. 1948. Notes on asteroids in the British Museum (Natural History). 1. The species of *Astropecten.* *Novit. zool.* 42(3): 485-508, 4 pls.
317. (C) KALK, M. 1958. Ecological studies on the shores of Mozambique. 1. The fauna of intertidal rocks at Inhaca Island, Delagoa Bay. *Ann. Natal Mus.* 14: 189-242, 8 figs., pls. 5, 6.
318. (C) — 1959. A general ecological survey of some shores in northern Mozambique. *Revta Biol., Lisb.* 2: 1-24, 4 pls.

319. (L) KENT, W. SAVILE. 1893. *The Great Barrier Reef of Australia: its products and potentialities*. London: xx + 388, 48 + 16 pls.
320. (K) KOEHLER, R. 1895a. Catalogue raisonné des Echinodermes recueillis par M. Korotnev aux îles de la Sonde. *Mém. Soc. zool. Fr.* 8: 374-423, pl. 9.
321. (K) — 1895b. Echinodermes de la Baie d'Amboine (Holothuries et Crinoïdes). *Revue suisse Zool.* 3: 275-293, 2 figs.
322. (G-J) — 1898a. Echinodermes recueillis par l'Investigateur dans l'Océan Indien. II. Les ophiures littorales. *Bull. scient. Fr. Belg.* 31: 55-124, pls. ii-v.
323. (I) — 1898b. Description d'une ophiure littorale nouvelle de l'Océan Indien. *Bull. Soc. zool. Fr.* 23: 164-165, figs. 26-28, 39.
324. (G-J) — 1900. Illustrations of the shallow-water Ophiuroidea collected by the Royal Indian Marine Survey Ship Investigator. *Echinoderma of the Indian Museum*. Calcutta: vi + 4, pls. xv-xxii.
325. — 1904. Ophiures nouvelles ou peu connues. *Mém. Soc. zool. Fr.* 17: 54-119, 98 figs.
326. (K) — 1905a. Ophiures littorales. *Siboga Exped.* 45b: 1-142, 18 pls.
327. (D) — 1905b. Echinodermes: échinides, astéries et ophiures recueillis par M. Gravier dans la Mer Rouge (Golfe de Tadjourah). *Bull. Mus. Hist. nat., Paris* 11: 184-186, fig. 1.
328. (D) — 1905c. Echinides, stellérides et ophiures recueillis par MM. Bonnier et Perez dans la Mer Rouge (côtes d'Arabie) en 1903. *Bull. Mus. Hist. nat., Paris* 11: 458-463, 3 figs.
329. — 1907. Revision de la collection des ophiures du Muséum d'Histoire Naturelle de Paris. *Bull. scient. Fr. Belg.* 41: 279-351, pls. 10-14.
330. (N) — 1908. Description d'une Astérie nouvelle (*Nepanthia joubini*) provenant du Cap Saint Jacques (Cochinchina). *Bull. Mus. Hist. nat., Paris* 14: 232-235, 2 figs.
331. (G-J) KOEHLER, R. & VANEY, C. 1908a. Littoral Holothuroidea. *Echinoderma of the Indian Museum*. Calcutta: 1-54, 3 pls.
332. (J) — 1908b. Une curieuse espèce de *Cucumaria* de l'Océan Indien. *C. r. Ass. fr. Avanc. Sci.* 36(2): 723-724.
333. (K) KOEHLER, R. 1910a. Astéries et ophiures des îles Aru et Kei. *Abh. senckenb. naturforsch. Ges.* 33: 265-295, pls. 15-17.
334. (G-J) — 1910b. Shallow-water Asteroidea. *Echinoderma of the Indian Museum*. Calcutta: 1-192, 20 pls.
335. — 1911. Description de quelques Astéries nouvelles. *Revue suisse Zool.* 19: 1-21, 1 pl.
336. (G-J) — 1914. Echinoidea. I. Spatangidae. *Echinoderma of the Indian Museum*. Calcutta: 1-258, 20 pls.
337. (K & M) — 1922a. Ophiurans of the Philippine Seas. *Bull. U.S. natn. Mus.* 100(5): x + 486, 103 pls.
338. (G-J) — 1922b. Echinoidea. II. Clypeastridés et Cassidulidés. *Echinoderma of the Indian Museum*. Calcutta: 1-161, 15 pls.
339. (G-J) — 1927a. Echinoidea. III. Echinides réguliers. *Echinoderma of the Indian Museum*. Calcutta: 1-158, 27 pls.
340. (O) — 1927b. Ophiures recueillis aux îles Gilbert, Marshall et Fiji. *Göteborgs K. Vetensk. o. Vitterh-Samh. Handl.* 33(3): 1-13, 1 pl.
341. (K & L) — 1930. Ophiures recueillis par le docteur Th. Mortensen dans les mers d'Australie et dans l'Archipel Malais. *Vidensk. Meddr dansk naturh. Foren.* 89: 1-295, 22 pls.
342. (K) KOEHLER, R. & ENGEL, H. 1956. Résultats scientifiques du voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Belgique. Echinides. *Bull. Inst. r. Sci. nat. Belg.* 32(31): 1-3.
343. (G) KURIAN, C. V. 1953. A preliminary survey of the bottom fauna and bottom deposits of the Travancore coast within the 15 fathom line. *Proc. natn. Inst. Sci. India* 19: 746-775. [Echinoderms on p. 756.]
344. LAMARCK, J. B. P. A. DE. 1816. *Histoire naturelle des animaux sans vertèbres*. Paris. Ed. 1. 2: 522-568 (Stellérides); 3: 1-59 (Echinides); 3: 60-76 (Fistulides).
345. (C) LAMBERT, J. 1923. Echinides vivants et fossiles recueillis à Madagascar par M. Raymond Decary. *Mém. Soc. acad. Agric. Sci. Dép. Aube* 85: 13-55, 1 pl.
346. (M) LAMPERT, K. 1885. Die Seewalzen (Holothuroidea). In Semper, C. *Reisen im Archipel der Philippinen*. Wiesbaden (2)4(3): 1-312, 1 pl.
347. — 1889. Die während der Expedition S.M.S. 'Gazelle' 1874-1876 von Prof. Dr. Th. Studer gesammelten Holothurien. *Zool. Jb. (Syst.)* 4: 806-858, pl. 24.

348. (C) — 1896. Die von Dr. Stuhlmann in den Jahren 1888-1889 an der Ostküste Afrikas gesammelten Holothurien. *Mitt. zool. Mus. Hamb.* 13: 49-71, 3 figs.
349. LEACH, W. E. 1815. *Zoological Miscellany*. London 2: 1-154, 120 pls. [Echinoderms on pp. 51-59.]
350. (D) LEIPOLDT, F. 1895. Asteroidea der 'Vettor-Pisani' Expedition (1882-1885). Anhang: Die von F. Orsini im Rothen Meere gesammelten Asteroideen. *Z. wiss. Zool.* 59: 545-654, pls. 31-32.
351. LESKE, N. G. 1778. *Additamenta ad Jacobi Theodori Klein Naturalem Dispositionem Echinodermatum et Lucubratiunculam de Aculeis Echinorum Marinorum*. Lipsiae: xx + 214, pls. 37-53.
352. LESSON, R. P. 1830. *Centurie zoologique ou choix d'animaux rares, nouveaux ou imparfaitement connus*. Paris: 1-244, 80 pls.
353. LINCK, J. H. 1733. *De Stellis Marinis*. Lipsiae: xxiv + 107, 42 pls.
354. LINNAEUS, C. 1758. *Systema Naturae*. Holmiae. Ed. 10. 1: 1-824.
355. — 1767. *Systema Naturae*. Holmiae. Ed. 12. 1: 1327 + 36.
356. (L) LIVINGSTONE, A. A. 1930. On some new and little-known Australian asteroids. *Rec. Aust. Mus.* 18: 15-24, pls. 4-8.
357. (L) — 1931a. On a new asteroid from Queensland. *Rec. Aust. Mus.* 18: 135-137, pls. 17-19.
358. (B & O) — 1931b. On the restriction of the genus *Ferdina* Gray. *Aust. Zool.* 6(4): 305-309, pls. 21-24.
359. (L) — 1932a. Asteroidea. *Scient. Rep. Gt Barrier Reef Exped.* 4: 241-265, 2 figs., 12 pls.
360. — 1932b. Notes on some representatives of the asteroid genus *Culcita*. *Aust. Zool.* 7(3): 14-17.
361. — 1932c. Some further notes on species of *Tamaria*. *Rec. Aust. Mus.* 18: 368-372, 2 figs., pls. 40-42.
362. (L) — 1932d. The Australian species of *Tosia*. *Rec. Aust. Mus.* 18: 373-382, pls. 43, 44.
363. (L & O) — 1933a. Some genera and species of Asterinidae. *Rec. Aust. Mus.* 19: 1-22, pls. 1-6.
364. (K & L) — 1936. Descriptions of new Asteroidea from the Pacific. *Rec. Aust. Mus.* 19: 383-397, pls. 27, 28.
365. LJUNGMAN, A. 1867a. Ophiuroidea viventia huc usque cognita enumerat. *Öfvers. K. Vetensk. Akad. Förh.* 1866(9): 303-336.
366. LORIOU, P. DE. 1876. Note sur quelques espèces nouvelles appartenant à la classe des Echinodermes. *Mem. Soc. Phys. Hist. nat. Genève* 24: 1-17, 2 pls.
367. (B) — 1883. Catalogue raisonné des Echinodermes recueillis par M. V. de Robillard à l'île Maurice. I. Echinides. *Mem. Soc. Phys. Hist. nat. Genève* 28(8): 1-64, pls. 1-6.
368. (B) — 1885. Catalogue raisonné des Echinodermes recueillis par M. V. de Robillard à l'île Maurice. II. Stellérides. *Mem. Soc. Phys. Hist. nat. Genève* 29(4): 1-84, pls. 7-22.
369. — 1891. Notes pour servir à l'étude des Echinodermes. III. *Mem. Soc. Phys. Hist. nat. Genève* vol. suppl. (8): 1-31, pls. 1-3.
370. (B) — 1893a. Catalogue raisonné des Echinodermes recueillis par M. V. de Robillard à l'île Maurice. III. Ophiurides et Astrophytides. *Mem. Soc. Phys. Hist. nat. Genève* 32(3): 1-63, pls. 23-25.
371. (K) — 1893b. Echinodermes de la Baie d'Amboine. *Revue suisse Zool.* 1: 359-426, pls. xiii-xv.
372. (K) — 1895. Supplément aux Echinodermes de la Baie d'Amboine. *Revue suisse Zool.* 3: 365-366, pls. x, xi.
373. — 1899. Notes pour servir à l'étude des Echinodermes. VII. *Mem. Soc. Phys. Hist. nat. Genève* 33(2): 1-34, pls. 1-3.
374. — 1900. Notes pour servir à l'étude des Echinodermes. VIII. *Revue suisse Zool.* 8: 55-96, pls. 6-9.
375. LUDWIG, H. 1875. Beiträge zur Kenntniss der Holothurien. *Arb. zool.-zoot. Inst. Würzburg* 2(2): 77-120, pls. 6, 7.
376. (D) — 1880. Echinodermata. In Kossmann, R. *Zoologische Ergebnisse einer im Auftrage der Königl. Academie der Wissenschaften zu Berlin ausgeführten Reise in die Küstengebiete des Rothen Meeres*. Leipzig 2(5): 1-7.
377. — 1882. List of the Holothurians in the collection of the Leyden Museum. *Notes Leyden Mus.* 4(10): 127-137.
378. — 1883. Verzeichniss der Holothurien des Kieler Museums. *Ber. oberhess. Ges. Nat.-u. Heilk.* 22: 155-176.
379. — 1886. Die von G. Cherchia auf der Fahrt de Kgl.-Ital. Korvette 'Vettor Pisani' gesammelten Holothurien. *Zool. Jb. (Syst.)* 2: 1-36, pls. 1, 2.

380. — 1887. Drei mittheilungen über alte und neue Holothurienarten. *Abh. preuss. Akad. Wiss.* **54**: 1-28, pl. 15.
381. (K) — 1888a. Die von Dr. Brock im Indischen Archipel gesammelten Holothurien. *Zool. Jb. (Syst.)* **3**: 805-820, pl. 30.
382. (K) — 1888b. *Ophiopteron elegans* eine neue wahrscheinlich schwimmende Ophiuridenform. *Z. wiss. Zool.* **47**(3): 459-464, pl. 35.
383. — 1889-1892. Die Seewalzen. In Bronn, H. G. *Klassen und Ordnungen des Thier-Reiches*. Leipzig **2**(3): 1-447, 25 figs., 17 pls., 12 maps.
384. (I) — 1890. Bemerkungen über einige ceylonische Echinodermen. *Sber. neiderrhein. Ges. Nat.-u. Heilk. (Med. Abt.)* **1890**: 98-105.
385. (C) — 1899. Echinodermen des Sansibargebietes. In Voeltzbow, A. *Wissenschaftliche Ergebnisse der Reisen in Madagascar und Ostafrika in den Jahren 1889-95*. *Abh. senckenb. naturforsch. Ges.* **21**: 537-563.
386. (O) — 1905. Asteroidea. Reports on an exploration . . . by the U.S. Fish Commission steamer 'Albatross' during 1891, . . . XXXV. Reports on the scientific results of the expedition to the tropical Pacific, . . . on the U.S. Fish Commission steamer 'Albatross', from Aug., 1899-Mar., 1900 . . . VII. *Mem. Mus. comp. Zool. Harv.* **32**: xii + 292, 35 pls.
387. LÜTKEN, C. 1864. *Bidrag til Kundskab om Echinoderne*. Kjobenhavn: 140 + ix, 2 pls.
388. — 1865. Kritiske Bemaerkninger om forskellige Söstjerner (Asterider), med Beskrivelse af nogle nye Arter. *Vidensk. Meddr dansk naturh. Foren.* **1864**: 123-169.
389. — 1869a. Additamenta ad historiam Ophiuridarum. 3. Beskrivende og kritiske Bidrag til kundskab om Slangestjernerne. *K. danske Vidensk. Selsk. Skr.* **5**(8): 24-109, 3 figs.
390. (O) — 1869b. Über *Choriaster granulatus* eine neue Gattung aus der Familie de Asteriden. In Schmeltz, *Catalog Godeffroy Museum*. Hamburg **4**: xxxv.
391. — 1872a. Fortsatte kritiske og beskrivende Bidrag til Kundskab om Söstjernerne (Asteriderne). *Vidensk. Meddr dansk naturh. Foren.* **1871**: 227-304.
392. — 1872b. Ophiuridarum novarum vel minus cognitarum descriptiones nonnullae. [Beskrivelse af nogle nye eller mindre bekjendte Slangestjerner.] Med nogle Bemaerkninger om Selvdelingen hos Straalydyrene. *Overs. K. danske Vidensk. Selsk. Forh.* **77**: 75-158, 2 pls. [English version in: *Ann. Mag. nat. Hist.* (4) **12**[1873]: 323-337, 391-399.]
393. LYMAN, T. 1861. Descriptions of new Ophiuridae. *Proc. Boston Soc. nat. Hist.* **8**: 75-86.
394. — 1865. Ophiuridae and Astrophytidae. *Illust. Cat. Mus. comp. Zool. Harv.* No. 1: vi + 200, 18 figs., 2 pls.
395. (O) — 1873. Sur les Ophiures rapportées . . . de la Nouvelle-Caledonie par M. Balansa, etc. *Act. Soc. linn. Bordeaux* (3) **8**: lxxix-lxxx.
396. — 1874. Ophiuridae and Astrophytidae new and old. *Bull. Mus. comp. Zool. Harv.* **3**(10): 221-272.
397. — 1879. Ophiuridae and Astrophytidae of the 'Challenger' Expedition. 2. *Bull. Mus. comp. Zool. Harv.* **6**(2): 17-83, pls. 11-19.
398. — 1880. *A preliminary list of the known genera and species of living Ophiuridae and Astrophytidae*, etc. Cambridge, Mass.: 1-45.
399. — 1882. Ophiuroidea. *Rep. scient. Results Voy. "Challenger"* (Zool.) **5**: 1-386, 46 pls.
400. (C-H) MACAN, T. T. 1938. Asteroidea. *Scient. Rep. John Murray Exped.* **4**(9): 323-435, 12 figs., 6 pls.
401. (P) MACCAUGHEY, V. 1918. A survey of the Hawaiian coral reefs. *Am. Nat.* **52**: 409-438.
402. (J) MCINTOSH, D. C. 1910. The marine fauna of the Mergui Archipelago, Lower Burma. Ophiuroidea. *Proc. R. phys. Soc. Edinb.* **8**: 154-173, 2 figs.
403. (C) MACNAE, W. & KALK, M. 1962. The fauna and flora of sand flats at Inhaca Island, Moçambique. *J. Anim. Ecol.* **31**: 93-128, 5 figs.
404. (L) MCNEILL, F. A. & LIVINGSTONE, A. A. 1926. A supplementary list of the Echinoderms collected by Surgeon Lieutenant-Commander W. E. J. Paradise, R. A. N. in Queensland and N. Australia. *Rec. Aust. Mus.* **15**(2): 193-196, 1 pl.
405. MADSEN, F. J. 1955. A note on the sea-star genus *Acanthaster*. *Vidensk. Meddr dansk naturh. Foren.* **117**: 179-192, 6 pls.
406. (D) MAGNUS, D. B. E. 1963. Der Federstern *Heterometra savignyi* im Roten Meer. *Natur. Mus., Frankf.* **93**: 355-368, 11 figs.

407. (N) MARENZELLER, E. VON. 1882. Neue Holothurien von Japan und China. *Verh. zool.-bot. Ges. Wien* **31**: 121-140, pls. 4, 5.
408. (O) — 1895. Über eine neue *Echinaster*-Art von den Salomons-Inseln. *Denkschr. Akad. Wiss., Wien* **62**: 1-2, 1 pl.
409. (K) — 1900. Holothurien von Ternate. In Kukenthal, W. *Ergebnisse einer zoologischen Forschungsreise in den Molukken und Borneo*. *Abh. senckenb. naturforsch. Ges.* **25**: 86.
410. MARKTANNER TURNERETSCHER, G. 1887. Beschreibung neuer Ophiuriden und Bemerkungen zu Bekannten. *Ann. naturh. Mus. Wien* **2**: 291-316, pls. 12, 13.
411. (N) MARTENS, E. VON. 1865. Ueber ostasiatische Echinodermen. 1. Japanische Seesterne. 2. Chinesische Seesterne. *Arch. Naturgesch.* **31**: 345-360.
412. (K, M & N) — 1866. Ueber ostasiatische Echinodermen. 3. Seesterne des indischen Archipels. Echiniden. *Arch. Naturgesch.* **32**: 57-88, 133-189.
413. (M & N) — 1867a. Ueber ostasiatische Echinodermen. Fortsetzung. *Arch. Naturgesch.* **33**: 106-119, pl. iii.
414. — 1867b. Ueber vier neue Schlangensterne (Ophiuren) des Kgl. zoologischen Museums. *Mber. dt. Akad. Wiss. Berl.* **1867**: 345-348.
415. (C) — 1869. Seesterne und Seeigel. In Decken, C. C. von der: *Reisen in Ost Afrika*. Leipzig & Heidelberg **3**(1): 125-134, 1 pl.
416. — 1870. Die Ophiuriden des indischen Oceans. *Arch. Naturgesch.* **36**: 245-262.
417. (K) — 1889. Echinodermen aus Neu-Guinea. *Sber. Ges. naturf. Freunde Berl.* **1889**: 183-185.
418. (K) — 1902. Die Mollusken (Conchylien) und die übrigen wirbellosen Thiere in Rumpf's Rariteitkammer. In: *Rumphius Gedenkböck*. Haarlem (Kolon. Mus.): 109-136.
419. (N) MATSUMOTO, H. 1917. A monograph of Japanese Ophiuroidea arranged according to a new classification. *J. Coll. Sci. imp. Univ. Tokyo* **38**: 1-408, 100 figs., 7 pls.
420. (D) MAZZETTI, G. 1893. Echini del Mar Rosso dragati nella campagna idrografica della R. Nave 'Scilla' nel 1891-92. *Atti Soc. Nat. Mat.* (3) **12**: 100.
421. (D) — 1894. Catalogo degli Echini del Mar Rosso e descrizione di sp.n. *Atti Soc. Nat. Mat.* (3) **12**: 238-243. [Also in *Mem. Soc. Nat. Mat.* (2) **10**: 211-228.]
422. (K) MEIJERE, J. C. H. DE. 1903. Vorläufige Beschreibung der neuen durch die Siboga-Expedition gesammelten Echiniden. *Tijdschr. ned. dierk. Vereen.* (2) **8**: 1-16.
423. (K) — 1904. Die Echinoidea der Siboga Expedition. *Siboga Exped.* **43**: 1-252, 23 pls.
424. MEISSNER, M. 1892a. Asteriden gesammelt von Herrn Stabsarzt Dr. Sander auf der Reise S.M.S. 'Prinz Adalbert'. *Arch. Naturgesch.* **58**: 183-190, pl. 12.
425. (C) — 1892b. Über *Parasalenia gratiosa* A. Ag. von Madagascar. *Sber. Ges. naturf. Freunde Berl.* **1892**: 185-186.
426. (B) MICHELIN, H. M. 1844. Description de quatre Echinides et Stellérides nouvelles, . . . recueillies . . . à l'Ile de France (aujourd'hui Ile Maurice). *Rev. zool. Paris* **7**: 173.
427. (B) — 1845. Zoophytes, Echinodermes et Stellérides de l'Ile Maurice. *Mag. zool. Paris* (2). Zoophytes. **1845**: 1-27, pls. 7-12.
428. (O) — 1861. Notice sur quelques espèces d'Echinides provenant de la Nouvelle Calédonie. *Rev. Mag. zool.* (2) **13**: 325-329, pl. 9.
429. (B) — 1863. Echinides et Stellérides. In: Maillard, L. *Notes sur l'Ile la de Réunion*. II. Ed. 2. Paris. Annex. A: 1-7, pls. 14-16.
430. MITSUKURI, K. 1912. Studies on Actinopodous Holothuroidea. *J. Coll. Sci. imp. Univ. Tokyo* **29**(2): 1-284, 55 figs., 8 pls.
431. MÖBIUS, K. 1859. Neue Seesterne des Hamburgens und Keiler Museums. *Abh. Verh. naturw. Ver. Hamburg* **4**(2): 1-14, 4 pls.
432. (A & B) — 1880. *Beiträge zur Meeresfauna der Inseln Mauritius und der Seychellen*. Berlin.: 1-352, 22 pls. [Echinoderms on pp. 46-50.]
433. (K) MORTENSEN, T. 1903. *Chaetodiadema granulatum* n.g., n.sp., a new Diadematid from the Gulf of Siam. *Vidensk. Meddr dansk naturh. Foren.* **1903**: 1-4.
434. (K) — 1904. The Danish Expedition to Siam, 1899-1900. II. Echinoidea. *K. danske Vidensk. Selsk. Skr.* (7) **1**(1): 1-124, 7 pls.
435. (L) — 1918. Results of Dr. E. Mjöberg's Swedish scientific expedition to Australia, 1910-1913. 21. Echinoidea. *K. svenska VetenskAkad. Handl.* **58**(9): 1-22, 5 pls.

436. (K) — 1923. The Danish Expedition to the Kei Islands, 1922. *Vidensk. Meddr dansk naturh. Foren.* **76** : 25-99, 3 pls.
437. (D) — 1926. Cambridge Expedition to the Suez Canal in 1924. VI. Echinoderms. *Trans. zool. Soc. Lond.* **22** : 117-131, figs. 11-13.
438. (M & K) — 1927. Report on the Echinoidea collected by the U.S.F.S. 'Albatross' during the Philippine Expedition, 1907-10. I. The Cidaridae. *Bull. U.S. natn. Mus.* **100**(6)4 : 243-312, 22 figs., 32 pls.
439. — 1928. *Monograph of the Echinoidea*. I. Cidaroida. Copenhagen : 1-551, 173 figs., 88 pls.
440. (N) — 1930. Some new Japanese Echinoids. *Annotnes zool. jap.* **12** : 387-404, 2 figs., 4 pls.
441. (B & K) — 1931a. Contributions to the study of the development and larval forms of Echinoderms. I-II. *K. danske Vidensk. Selsk. Skr.* (naturv.-math.) (9)4(1) : 1-39, 12 figs., 7 pls.
442. (C) — 1931b. Echinoderms from Madagascar. *Faune Colon. fr.* **4** : 590-596, 1 fig.
443. — 1932a. On an extraordinary ophiurid *Ophiocanops fugiens* Koehler: with remarks on *Astrogymnotes*, *Ophiopleron* and on an albino *Ophiocoma*. *Vidensk. Meddr dansk naturh. Foren.* **93** : 1-21, 16 figs., 1 pl.
444. — 1933a. Biological observations on ophiurids, with descriptions of two new genera and four species. *Vidensk. Meddr dansk naturh. Foren.* **93** : 171-194, 7 figs., pl. 7.
445. (N) — 1934. Echinoderms from Hong-Kong. *Hong-Kong Nat. suppl.* **3** : 3-14, 8 pls.
446. — 1935. *Monograph of the Echinoidea*. II. Bothriocidaroida, Melonechinoida, Lepidocentroida and Stirodonta. Copenhagen : 1-647, 377 figs., 89 pls.
447. (J) — 1936. *Phyllacanthus forcipulatus* n.sp. a new cidarid from the Indian Ocean. *Rec. Indian Mus.* **38**(3) : 307-309, 1 fig., pls. 10-12.
448. (D) — 1937. Contributions to the study of the development and larval forms of Echinoderms. III. *K. danske Vidensk. Selsk. Skr.* (naturv.-math.) (9)7(1) : 1-65, 51 figs., 15 pls.
449. (D) — 1938. [Same title.] IV. *K. danske Vidensk. Selsk. Skr.* (naturv.-math.) (9) 7(3) : 1-59, 30 figs., 12 pls.
450. (C-H) — 1939. Report on the Echinoidea of the Murray Expedition. I. [Regular Echinoidea.] *Scient. Rep. John Murray Exped.* **6**(1) : 1-28, 10 figs., 4 pls.
451. (F) — 1940a. Echinoderms from the Iranian Gulf. Asteroidea, Ophiuroidea and Echinoidea. *Dan. scient. Invest. Iran.* Part 2 : 55-110, 14 figs., 2 pls.
452. — 1940b. *Monograph of the Echinoidea*. III. I. Aulodonta. Copenhagen : 1-370, 196 figs., 77 pls.
453. (K & M) — 1940c. Report on the Echinoidea collected by the U.S.F. steamer 'Albatross' during the Philippine Expedition, 1907-10. 2. Echinothuriidae, . . . Echinometridae. *Bull. U.S. natn. Mus.* **100**(14) : 1-52, 3 figs., 1 pl.
454. — 1943. *Monograph of the Echinoidea*. III (2 & 3). Camarodonta. Copenhagen. (2) : 1-533, 321 figs., 56 pls.; (3) : 1-446, 215 figs., 66 pls.
455. — 1948a. *Monograph of the Echinoidea*. IV (1 & 2). Holecypoida and Cassiduloida (1); Clypeastroida (2). Copenhagen. (1) : 1-371, 326 figs., 14 pls.; (2) : 1-471, 256 figs., 72 pls.
456. (C-H) — 1948b. Report on the Echinoidea of the Murray Expedition. II. [Irregular Echinoidea.] *Scient. Rep. John Murray Exped.* **9** : 1-15, 1 pl.
457. (K & M) — 1948c. Report on the Echinoidea collected by the U.S.F. steamer 'Albatross' during the Philippine Expedition, 1907-10. 3. Echinoneidae, . . . Spatangidae. *Bull. U.S. natn. Mus.* **100**(14) : 93-140.
458. — 1949. New Echinoidea (Cassiduloida, Clypeastroida): preliminary notice. *Vidensk. Meddr dansk naturh. Foren.* **111** : 67-72.
459. — 1951. *Monograph of the Echinoidea*. V(2). Spatangoida 2. Copenhagen : 1-593, 286 figs., 64 pls.
460. (J) MUKERJI, D. D. 1932. Biological observations on and instances of commensalism of an ophioid fish with echinoderms of the Andaman Islands. *Rec. Indian Mus.* **34** : 567-570.
461. MÜLLER, J. & TROSCHER, F. H. 1840a. Ueber die Gattungen der Asterien. *Arch. Naturgesch.* **6**(1) : 318-326. [Also in: *Ber. K. preuss. Akad. Wiss.* **1840** : 100-106.]
462. — 1840b. Ueber die Gattungen der Ophiuren. *Arch. Naturgesch.* **6**(1) : 327-330.
463. MÜLLER, J. 1841. Ueber die Gattungen und Arten der Comatulen. *Arch. Naturgesch.* **7**(1) : 139-148 [Also in: *Ber. K. preuss. Akad. Wiss.* **1841** : 179-189.]
464. MÜLLER, J. & TROSCHER, F. H. 1842. *System der Asteriden*. Braunschweig : xx + 134, 12 pls.

465. — 1843. I. Neue Beiträge zur Kenntniss der Asteriden. II. Über die Ophiuren mit Hakchen an der Armen. III. Über die geographische Verbreitung der Asteriden. IV. Neue Beiträge zur Kenntniss der Arten von Comatulen. *Arch. Naturgesch.* **9**(1) : 113-136.
466. — 1844. Beschreibung neuer Asteriden. *Arch. Naturgesch.* **10**(1) : 178-185.
467. MÜLLER, J. 1846. Nachtrag zu der Abhandlungen über die Comatulen. *Ber. K. preuss. Akad. Wiss.* **1846** : 177-179.
468. — 1849. Über die Gattung *Comatula* Lam. und ihre Arten. *Abh. preuss. Akad. Wiss.* **1847** : 237-265.
469. — 1850. Anatomische Studien über die Echinodermen. *Arch. Anat. Physiol.* **1850** : 117-155.
470. (N) MURAKAMI, S. 1942. Ophiurans of Izu, Japan. *J. Dep. Agric. Kyushu imp. Univ.* **7**(1) : 1-36, 12 figs.
471. (N & O) — 1943. Report on the ophiurans of Palao, Caroline Islands. Report on the ophiurans of Yaeyama, Ryu-Kyu. Ophiurans from some gulfs and bays of Nippon. *J. Dep. Agric. Kyushu imp. Univ.* **7**(4-6) : 159-204, 17 figs. (4); 205-222, 2 figs. (5); 223-234, 2 figs. (6).
472. (N) — 1944. Report on the ophiurans from Ogasawara Islands and from off the Yaeyama group, Nippon. Note on the ophiurans of Amakusa, Kyusyu. *J. Dep. Agric. Kyushu imp. Univ.* **7**(7-8) : 235-257, 14 figs. (7); 259-280, 5 figs., 1 pl. (8).
473. (N) — 1963a. On some ophiurans from Kii and vicinities, with description of a new species. *Publ. Seto mar. biol. Lab.* **11** : 171-184, 1 fig.
474. — 1963b. The dental and oral plates of Ophiuroidea. *Trans. R. Soc. N.Z.* **4**(1) : 1-48, 7 pls.
475. (J) NAIR, R. V. 1946. On *Chondrocloea varians*, a new apodous holothurian from the Madras harbour. *Proc. natn. Inst. Sci. India* **12** : 361-384, 30 figs.
476. (I) NAYAR, K. N. & MAHADEVAN, S. 1965. Underwater ecological observations in the Gulf of Mannar, off Tuticorin. II. The occurrence of the synaptid *Chondrocloea* along with the massive sponge *Petrosia*. *J. mar. biol. Ass. India* **7**(1) : 199-201, 1 fig.
477. (N) NIKAIKO, M. 1963. The tropical starfish *Culcita novaeguineae* Müller et Troschel has been found in the sea near Okinoshima, Kochi Prefecture, Japan. *Zool. Mag., Tokyo* **72** : 163-164, 2 figs. [In Japanese with English summary.]
478. OESTERGREN, H. 1898. Zur Anatomie der Dendrochiroten nebst Beschreibungen neuer Arten. *Zool. Anz.* **21** : 102-110; 133-136.
479. (N) OHSHIMA, H. 1912. On the system of Phyllophorinae with descriptions of the species found in Japan. *Annotnes zool. jap.* **8**(1) : 53-96, 7 figs., 1 pl.
480. (N) — 1914. The Synaptidae of Japan. *Annotnes zool. jap.* **8** : 467-482.
481. (N) — 1915. Report on the holothurians collected by the U.S.F. steamer 'Albatross' in N.W. Pacific during the summer of 1906. *Proc. U.S. natn. Mus.* **48** : 213-291, 1 fig., pls. 8-11.
482. (N) — 1935a. Homerceblaj Holoturioj de Riukiu. *Bull. Sci. Fak. terk. Kjusu Univ.* **6** : 139-155, 11 figs. [In Japanese with Esperanto summary.]
483. (N) OKADA, Y. 1959. *Annotated list of animals of Okinawa Islands*. Naha City, Japan (Okinawa Biological Education and Research Association) : 6 + 384. [Echinoderms on pp. 118-124.]
484. OKEN, L. 1815. *Lehrbuch der Naturgeschichte*. Part 3. Zoologie. Leipzig & Jena : xxviii + 850 + xviii.
485. (N) ONODA, K. 1936. Notes on the development of some Japanese echinoids, with special reference to the structure of the larval body. *Jap. J. Zool.* **6** : 637-654, 9 figs., pls. 10-14.
486. (N) — 1938. [Same title] II. *Jap. J. Zool.* **8** : 1-13, 18 figs., 2 pls.
487. PALLAS, P. S. 1774. *Spicilegia Zoologica*. Berolini. Fasc. 10 : 1-44, 4 pls.
488. PANNING, A. 1929-1935. Die Gattung *Holothuria*. *Mitt. zool. StInst. Hamb.* **44** [1929] : 91-138, figs. 1-21; **45**[1934] : 24-50, figs. 22-44; [1934] : 65-84, figs. 45-71; [1935] : 85-107, figs. 72-102; **46**[1935] : 1-18, figs. 103-121.
489. (C) — 1941. Über einige ostafrikanische Seewalzen und ihre Eignung zur Trepanggewinnung. *Thalassia* **4**(8) : 1-18, 10 figs.
490. — 1944. Die Trepangfischerei. *Mitt. zool. StInst. Hamb.* **49** : 1-76, 40 figs.
491. — 1949. Versuch einer Neuordnung der Familie Cucumariidae. *Zool. Jb.* **78** : 404-470, 62 figs.
492. — 1951. Bemerkungen über die Holothurien Sammlung Rüppell's. *Senckenbergiana* **32** : 171-182, 14 figs.
493. (G) PATIL, A. M. 1953. Study of the marine fauna of the Karwar coast. *J. Bombay nat. Hist. Soc.* **51** : 429-434. [Echinoderms on pp. 429-431.]

494. PAWSON, D. L. 1963. The holothurian fauna of Cook Strait, New Zealand. *Zoology Publs Vict. Univ.* No. 36: 1-38, 7 pls.
495. (I) PEARSON, J. 1903. Holothurioidea. In Herdman, W. A. *Report to the Government of Ceylon on the Pearl Oyster Fisheries of the Gulf of Manaar*. London (Royal Society). suppl. rep. 5: 181-208, 3 pls.
496. (C) — 1910a. Littoral marine fauna of Kerimba Archipelago, Portuguese East Africa. Holothuroidea. *Proc. zool. Soc. Lond.* 1910: 167-182, figs. 13-17.
497. (J) — 1910b. Marine fauna of the Mergui Archipelago. Holothuroidea. *Proc. zool. Soc. Lond.* 1910: 183-194, figs. 18-21.
498. (A-J) — 1913. Notes on the Holothuroidea of the Indian Ocean. *Spolia zeylan.* 9(34): 49-101, pls. 5-14.
499. (A-J) — 1914a. Proposed reclassification of the genera *Mülleria* and *Holothuria*. *Spolia zeylan.* 9(35): 163-172, pl. 26.
500. (A-J) — 1914b. Notes on the Holothuroidea of the Indian Ocean. *Spolia zeylan.* 9(35): 173-190, pls. 27-29.
501. PERRIER, E. 1875. *Révision de la collection de Stellérides du Muséum d'Histoire Naturelle de Paris*. Paris: 1-384. [Also published in: *Arch. Zool. exp. gén.* 4(1875): 263-449; 5(1876): 1-104, 209-304.]
502. (C) PETERS, W. 1851. Übersicht der von ihm an der Küste von Mossambique eingesammelten Ophiuren, unter denen sich zwei neue Gattungen befinden. *Ber. K. preuss. Akad. Wiss.* 1851: 463-466.
503. (C) — 1852. Übersicht der Seesterne (Asteridae) von Mossambique. *Ber. K. preuss. Akad. Wiss.* 1852: 177-178.
504. (C) — 1853. Abhandlung über die an der Küste von Mossambique beobachteten Seeigel und insbesondere über die Gruppe der Diademen, von welcher hier ein Auszug folgt. *Ber. K. preuss. Akad. Wiss.* 1853: 484-488.
505. (C) — 1854. Über die an der Küste von Mossambique beobachteten Seeigel und insbesondere über die Gruppe der Diademen. *Abh. preuss. Akad. Wiss.* 1854: 101-109, 1 pl.
506. PFEFFER, G. 1887. Zoologische Kleinigkeiten. IX. Ueber *Parasalenia gratiosa* (A. Agassiz) und *Parasalenia Pöhlhi* nov. spec. *Verh. Ver. naturw. Heimatforsch.* 6: 110-113.
507. (C) — 1896. Ostafrikanische Echiniden, Asteriden und Ophiuriden, gesammelt von Herrn. Dr. F. Stuhlmann im Jahre 1888 und 1889. *Mitt. zool. StInst. Hamb.* 13: 43-48.
508. (K) — 1900. Echinodermen von Ternate, Echiniden, Asteriden, Ophiuriden und Comatuliden. *Abh. senckenb. naturforsch. Ges.* 25: 81-86.
509. (N) PING, C. 1930. Zoological notes on Amoy and its vicinity. *Bull. Fan meml Inst. Biol.* 1: 127-140. [Echinoderms on pp. 132-133.]
510. QUOY, J. R. C. & GAIMARD, J. P. 1833. *Voyage de découvertes de l'"Astrolabe."* Zoologie: Zoophytes. Paris: 1-390, 26 pls.
511. (L) RAMSEY, E. P. 1885. *Catalogue of the Echinodermata in the Australian Museum*. 1. Echini: Desmosticha and Petalosticha. Sydney: ii + 54 + iii, 3 pls.
512. (L) — 1891. [Same title.] Ed. 2. Sydney: 1-60, 4 pls.
513. (K) REICHENSPERGER, A. 1913. Ungestielte Crinoiden der Aru- und Kei-Inseln. In Merton, H. *Ergebnisse zoologischen Forschungsreise in den südöstlichen Molukken*. 3(1). *Abh. senckenb. naturforsch. Ges.* 35(1): 79-108, 7 figs.
514. RETZIUS, A. J. 1805. *Dissertatio sistens species cognitae Asteriarum*. Lundae: 1-37.
515. (L) ROWE, F. W. E. & PAWSON, D. L. 1967. A new genus in the family Synaptidae with a new species from Tasmania. *Pap. Proc. R. Soc. Tasm.* 101: 31-35, 15 figs.
516. ROWE, F. W. E. 1969. A review of the family Holothuriidae (Holothurioidea Aspidochirotida). *Bull. Br. Mus. nat. Hist. (Zool.)* 18(4): 119-170, 21 figs.
517. — 1970. A note on the British species of Cucumarians, involving the erection of two new nominal genera. *J. mar. biol. Ass. U.K.* 50(3): 683-687.
518. (M) ROXAS, H. A. 1928. Philippine littoral Echinoidea. *Philipp. J. Sci.* 36: 243-270, 7 pls.
519. (K) RUMPHIUS, G. E. 1705. *D'Amboinischer Rariteitkammer*. Amsterdam: 1-340, 60 pls. [Echinoderms on pp. 29-43, pls. xiii-xvi.]
520. (D) RUSSO, A. 1894. Echinodermi raccolti nel Mar Rosso degli Ufficiali della R. marina italiana. *Boll. Soc. Nat. Napoli* 7: 159-163.

521. (D) — 1932. Echinodermi raccolti dal Prof. L. Sanzo nella campagna della R.N. Ammiraglio Magnaghi in Mar Rosso e zone viciniori, 1923-1924. 3. Echinoidea, Ophiuroidea. *Memorie R. Com. talassogr. ital.* 194: 1-5, 4 figs.
522. (G) SANE, S. R. & CHHAPGAR, B. F. 1962. Intertidal Echinodermata of Bombay. *J. Bombay nat. Hist. Soc.* 59: 672-676, 2 pls.
523. SCHMELTZ, J. D. E. 1866. *Catalog III der zum verkauf stehenden Doubletten aus der naturhistorischen Expeditionen der Herren Joh. Ces. Godeffroy & Sohn in Hamburg*. Hamburg: xii + 52. [Echinoderms on pp. 44-46.]
524. — 1869. *Catalog IV*: xxix + 139. [Echinoderms on pp. 119-125.]
525. — 1874. *Catalog V*: xxxvi + 215. [Echinoderms on pp. 184-190.]
526. (O) SCHNEE, P. 1903. Einige Bemerkungen über die Tierwelt der Litoral-region von Jaluit. *Z. Naturw.* 75: 373-384.
527. SELENKA, E. 1867. Beiträge zur Anatomie und Systematik der Holothurien. *Z. wiss. Zool.* 17: 291-374, pls. 17-20.
528. (M) SEMPER, C. 1868. Holothurien. *Reisen in Archipel der Philippinen*. 2. Wissenschaftliche Resultate. Weisbaden: x + 288, 40 pls.
529. (C) — 1869. Die Holothurien Ostafrikas. In Decken, C. C. von der. *Reisen in Ost Afrika*. Leipzig & Heidelberg, 3(1): 117-122, 1 pl.
530. (N) SERÈNE, R. 1937. Inventaire des Invertébrés marins de l'Indochine (tre. liste). *Notes Stn marit. Cauda* 30: 1-83.
531. (O) SEURAT, L. G. 1934. La faune et le peuplement de la Polynésie française. *Mém. Soc. Biogéogr.* 4: 41-74. [Echinoderms on pp. 65-66.]
532. (C) SIMPSON, J. J. & BROWN R. N. R. 1910. Asteroidea of Portuguese East Africa collected by Jas. J. Simpson. *Proc. R. phys. Soc. Edinb.* 18: 45-60, 4 figs.
533. (J) SLADEN, W. P. 1888. On the Asteroidea of the Mergui Archipelago. *J. Linn. Soc. (Zool.)* 21: 319-331, pl. 28.
534. — 1889. Asteroidea. *Rep. scient. Results Voy. "Challenger"* (Zool.) 30: xlii + 893, 117 pls.
535. (K) SLUITER, C. P. 1881. Ueber einige neue Holothurien von der West-Küste Java's. *Natuurk. Tijdschr. Ned.-Indië* 40: 1-26, 7 pls.
536. (K) — 1888. Die Evertibraten aus der Sammlung des Königlichen Naturwissenschaftlicher Vereins in Niederländisch Indien in Batavia. Die Echinodermen. 1. Holothuroidea. *Natuurk. Tijdschr. Ned.-Indië* 47: 181-220, 2 pls.
537. (K) — 1889. [Same title.] 2. Echinoidea. 3. Asteroidea. *Natuurk. Tijdschr. Ned.-Indië* 48: 285-313.
538. (K) — 1890. Nachträgliches über die Echinodermen-Fauna des Java-Meerres. *Natuurk. Tijdschr. Ned.-Indië* 49: 105-110, 1 pl.
539. (K & L) — 1894. Holothurien. In Semon, R. W. *Zoologische Forschungsreisen in Australien und dem Malayischen Archipel*. *Denk. Ges. Jena* 8: 101-106.
540. — 1895. Die Asteriden Sammlung des Museums zu Amsterdam. Die Echiniden Sammlung des Museums zu Amsterdam. Die Holothuren Sammlung des Museums zu Amsterdam. *Bijdr. Dierk.* 17: 49-64, 65-74, 75-82.
541. (K) — 1901. Die Holothurien der Siboga Expedition. *Siboga Exped.* 44: 1-142, 10 pls.
542. (K) — 1914. Die von Dr. P. N. Kamper während seines Fahrten mit dem Regierungsdampfer "Gier" 1906-1909 im indischen Archipel gesammelten Holothurien. *Contr. Faune Indes néerl.* 1(1): 1-28, 1 pl.
543. (B) SMITH, E. A. 1876. Diagnoses of new species of Echinodermata from the island of Rodriguez. *Ann. Mag. nat. Hist.* (4)17: 406.
544. (O?) — 1878. Description of a new species of Spatangidae. *Ann. Mag. nat. Hist.* (5)1: 67-70, figs. a-d.
545. (N) SMITH, G. A. 1927. A collection of Echinoderms from China. *Ann. Mag. nat. Hist.* (9)20: 272-279.
546. (L) STEPHENSON, W., ENDEAN, R. & BENNETT, I. 1958. An ecological survey of the marine fauna of Low Is., Queensland. *Aust. J. mar. freshw. Res.* 9: 261-318, 2 figs., 11 pls.
547. (K) STUDER, T. 1876. Über Echinodermen aus dem antarktischen Meere und zwei neue Seeigel von den Papua-Inseln gesammelt auf der Reise S.M.S. 'Gazelle' um die Erde. *Mber. K. preuss. Akad. Wiss.* 1876: 452-465.
548. — 1880. Übersicht über die während der Reise S.M.S. Corvette 'Gazelle' um die Erde 1874-76 gesammelten Echinoiden. *Mber. K. preuss. Akad. Wiss.* 1880: 861-885, 2 pls.

549. — 1882. Übersicht über die Ophiuriden, welche während der Reise S.M.S. 'Gazelle' um die Erde 1874-76 gesammelt wurden. *Abh. preuss. Akad. Wiss.* **1882** : 1-37, 3 pls.
550. — 1884. Verzeichniss der während der Reise S.M.S. 'Gazelle' um die Erde 1874-76 gesammelten Asteriden und Euryaliden. *Abh. preuss. Akad. Wiss.* **1884** : 1-64, 5 pls.
551. (N) TCHANG, T. L. 1945. Notes on some chinese Echinoderms. *Lingnan Sci. J.* **21** : 75-78.
552. (L) TENISON-WOODS, J. E. 1878. The Echini of Australia. *Proc. Linn. Soc. N.S.W.* **2** : 145-176, 342-344.
553. THÉEL, H. 1886. Holothurioidea. Part 2. *Rep. scient. Results Voy. "Challenger"* (Zool.) **39** : 1-290, 16 pls.
554. (I) THURSTON, E. 1894a. *Pearl and Chank fisheries of the Gulf of Manaar*. Madras (Madras Government Museum Sci. ser.) No. 1 : 7-62, pls. i-iv.
555. (I) — 1894b. *Ramesvaram Island and fauna of the Gulf of Manaar*. Madras (Madras Government Museum Sci. ser.) No. 1 : 78-138, frontispiece & pls. v-vii.
556. (N) TOKIOKA, T. 1953. Invertebrate fauna of the intertidal zone of the Tokara Is. V. Echinodermata. *Publs Seto mar. biol. Lab.* **3** : 144-148, 3 figs., pl. 7.
557. (D) TORTONESE, E. 1932. Nuova specie di Echinoide del Mar Rosso (*Paraster erythraeus*, n.sp.). *Boll. Musei Zool. Anat. comp. R. Univ. Torino* (3) **42**(19) : 1-6, 2 pls.
558. — 1933. Gli Echinodermi del Museo di Torino. I. Echinoidi. *Boll. Musei Zool. Anat. comp. R. Univ. Torino* (3) **43**(34) : 91-178, 13 pls.
559. — 1934. Gli Echinodermi del Museo di Torino. II. Ofiuroidi. *Boll. Musei Zool. Anat. comp. R. Univ. Torino* (3) **44**(45) : 13-65, 8 pls.
560. (D) — 1936. Echinodermi del Mar Rosso. *Annali Mus. civ. Stor. nat. Giacomo Doria* **59** : 202-245, 8 figs.
561. — 1937a. Gli Echinodermi del Museo di Torino. III. Asteroidei. *Boll. Musei Zool. Anat. comp. R. Univ. Torino* (3) **45**(61) : 27-132, 11 pls.
562. (L) — 1937b. Descrizione di una nuova stella di Mare (*Goniodiscaster australiae* n.sp.). *Boll. Musei Zool. Anat. comp. R. Univ. Torino* (3) **45**(69) : 293-297, figs. A-D, 1 pl.
563. — 1938. Gli Echinodermi del Museo di Torino. IV. Oloturoidi e Crinoidi. *Boll. Musei Zool. Anat. comp. R. Univ. Torino* (3) **46**(82) : 169-221, 3 pls.
564. (D) — 1947. Ricerche zoologiche nel Canale di Suez e dintorni. I. Echinodermi. *Atti Accad. naz. Lincei R.* (8) **2** : 835-838.
565. (C) — 1951. Echinodermi della Somalia Italiana. *Annali Mus. civ. Stor. nat. Giacomo Doria* **64** : 30-42, 1 fig., 1 pl.
566. (D) — 1953. Spedizione subaquea Italiana nel Mar Rosso. Ricerche zoologiche. 2. Echinodermi. *Riv. Biol. colon.* **13** : 25-48, 6 figs., 1 pl.
567. (D) — 1954. Gli Echinodermi viventi presso le coste dello Stato di Israele (Mar di Levante, Golfo di Elath). *Boll. Ist. Mus. Zool. Univ. Torino* **4** : 39-73, 6 figs.
568. — 1955. Notes on Asteroidea. *Ann. Mag. nat. Hist.* (12) **8** : 675-684.
569. (D) — 1960. Echinoderms from the Red Sea. 1. Asteroidea. *Bull. Sea Fish Res. Stn Israel* **29** : 17-23, 1 pl.
570. (N) UTINOMI, H. 1953. A check list of echinoids found in the Kii region. *Publs Seto mar. biol. Lab.* **3** : 339-358, 1 fig.
571. (K-L) — 1955. [On Holothurians from the Pearl Oyster Ground of the Arafura Sea.] *Zool. Mag., Tokyo* **64** : 273-276, 1 fig. [In Japanese with English summary.]
572. (N) — 1956. [Coloured illustrations of sea-shore animals of Japan.] *Fauna and flora of Japan*. Osaka. No. 8 : xvii + 167, figs., 64 pls. [In Japanese; Echinoderms on pp. 105-122, pls. liii-lxi.]
573. (N) — 1962. Recent evidences for northward extensions of the range of some tropical echinoderms in Japanese waters. *Zool. Mag., Tokyo* **71** : 102-108, 9 figs.
574. (E) VANEY, C. 1905. Holothurians recueillis par M. Ch. Gravier sur la côte française de Somalis. *Bull. Mus. Hist. nat., Paris* **11** : 186-190.
575. (K) — 1912. Holothurien der Aru-Inseln nach den Sammlungen von Dr. H. Merton. *Abh. senckenb. naturforsch. Ges.* **34** : 289-291.
576. VERRILL, A. E. 1867-71. Notes on Radiata in the museum of Yale College, with descriptions of new genera and species. *Trans. Conn. Acad. Arts Sci.* **1**(2) : 247-351.
577. — 1869. On new and imperfectly known Echinoderms and corals. *Proc. Boston Soc. nat. Hist.* **12** : 381-396.

578. — 1913. Revision of the genera of starfishes of the subfamily Asterininae. *Amer. J. Sci.* **35**(4) : 477-485.
579. (A) VOELTZKOW, A. 1902. Die von Aldabra bis jetzt bekannte Flora und Fauna. *Abh. senckenb. naturforsch. Ges.* **26** : 539-565. [Echinoderms on p. 565.]
580. (I) WALTER, A. 1885. Ceylons Echinodermen. *Z. Naturw.* **18** : 365-384.
581. (O) WHITELEGGE, T. 1897. The Echinodermata of Funafuti. *Mem. Aust. Mus.* **3** : 155-162.
582. (O) — 1903. The Crustacea and Echinodermata. In: Notes on the zoology of Paanopa or Ocean Id. and Nauru or Pleasant Id., Gilbert Group. *Rec. Aust. Mus.* **5** : 8-13.
583. WOODWARD, S. P. & BARRETT L. 1858. On the genus *Synapta*. *Proc. zool. Soc. Lond.* **1858** : 1-8.
584. (O) YAMANOUTI, T. 1939. Ecological and physiological studies of Holothurians on coral reef of Palao Is. *Palao trop. biol. Stn Stud.* **4** : 603-635, 1 pl.
585. (N) YOSHIWARA, S. 1898-1906. [Japanese Echini.] *Zool. Mag., Tokyo* **10**(1898) : 1-8, 73-76, 145-148, 247-250, 328-331, 439-443; **12** (1900) : 379-405; (1901-1906) pls. [In Japanese.]
586. (N) — 1901. [Echinoids from Oshima and Okinawa.] *Zool. Mag., Tokyo* **13** : 172-174 [In Japanese.]

SUPPLEMENTARY REFERENCES

[At a late stage in preparation of the tables it was decided to include references to preliminary papers containing original descriptions of new species. A few miscellaneous works having some bearing on the subject are also added as well as others recently published.]

587. AGASSIZ, A. 1879. Preliminary report on the Echini of the exploring expedition of H.M.S. 'Challenger'. *Proc. Am. Acad. Arts, Sci.* **14** : 190-212.
588. BELL, F. J. 1882c. An attempt to apply a method of formulation to the species of Comatulæ; with the description of a new species. *Proc. zool. Soc. Lond.* **1882** : 530-536, pl. 35.
589. — 1888. Notes on Echinoderms collected at Port Phillip by Mr. J. Bracebridge Wilson. *Ann. Mag. nat. Hist.* (6) **2** : 401-407.
590. — 1892. A contribution to the classification of Ophiuroids, with descriptions of some new and little known forms. *Proc. zool. Soc. Lond.* **1892** : 175-183, pls. 11, 12.
591. CHERBONNIER, G. 1951. Holothurians de l'Institut Royal des Sciences Naturelles de Belgique. *Mem. Inst. r. Sci. nat. Belg.* (2) **44** : 1-65, 28 pls.
592. CLARK, A. H. 1908b. Notice of some crinoids in the collection of the Museum of Comparative Zoology. *Bull. Mus. comp. Zool. Harv.* **51** : 231-248.
593. — 1908c. New genera and species of crinoids. *Proc. biol. Soc. Wash.* **21** : 219-231.
594. — 1909f. General notes on crinoids:—The type of the genus *Comaster*. Phototaxis among crinoids. Systematic position of *Oligometra studeri*. *Proc. biol. Soc. Wash.* **22** : 87-90.
595. (G-J) — 1909g. New recent Indian crinoids. *Proc. biol. Soc. Wash.* **22** : 143-152.
596. — 1909h. Descriptions of seventeen new species of crinoids. *Proc. U.S. natn. Mus.* **36** : 633-651.
597. (M) — 1909i. On a collection of recent crinoids from the Philippine Islands. *Proc. U.S. natn. Mus.* **36** : 391-410, 1 fig.
598. — 1909j. On a collection of crinoids from the Copenhagen Museum. *Vidensk. Meddr dansk naturh. Foren.* **1909** : 115-194.
599. (K) — 1911e. A new unstalked crinoid from Christmas Island. *Ann. Mag. nat. Hist.* **7** : 644-645.
600. — 1911f. The recent crinoids of the Leiden Museum. *Notes Leyden Mus.* **33** : 175-192.
601. (K) — 1912i. Descriptions of eleven new crinoids belonging to the families Calometridae and Thalassometridae discovered by the "Siboga" in the Dutch East Indies. *Zool. Anz.* **39** : 420-428.
602. (N) CLARK, A. M. & WRIGHT, C. W. 1962. A new genus and species of recent starfishes belonging to the aberrant family Sphaerasteridae, with notes on the possible origins and affinities of the family. *Ann. Mag. nat. Hist.* **5** : 243-251, 4 figs.
603. CLARK, A. M. 1962. *Starfishes and their relations*. London : 1-199, 30 figs., 14 pls.
604. — 1968. Notes on some tropical Indo-Pacific Ophiotrichids and Ophiodermatids (Ophiuroidea). *Bull. Br. Mus. nat. Hist.* (Zool.) **16** : 277-322, 10 figs., 1 pl.
605. — 1970. Notes on the family Amphiuroidae (Ophiuroidea). *Bull. Br. Mus. nat. Hist.* (Zool.) **19** : 1-81, 11 figs.
606. CLARK, H. L. 1911. North Pacific Ophiurans in the collection of the United States National Museum. *Bull. U.S. natn. Mus.* **75** : 1-302, 144 figs.

607. (O) — 1917. Report on the scientific results of the expedition to the tropical Pacific in charge of A. Agassiz, on the U.S. Fish Commission Steamer 'Albatross', from Aug., 1899–Mar., 1900. XVIII. Report on the scientific results of the expedition to the East tropical Pacific in charge of A. Agassiz, by the U.S. Fish Commission Steamer 'Albatross', Oct., 1904–Mar., 1905. XXX. Ophiuroidea. *Bull. Mus. comp. Zool. Harv.* **61** : 429–453, 5 pls.
608. DELLE CHIAJE, S. 1828. *Memorie sulla storia e notomia degli animali senza vertebre del Regno di Napoli*. Napoli. **3** : xx + 231, pls. xxxi–xlix.
609. (K & L) DÖDERLEIN, L. 1898b. Ueber einige epizoisch-lebende Ophiuroidea. In Semon, Zoologische Forschungsreise in Australien und dem Malayischen Archipel. *Denkschr. med.-naturw. Ges. Jena* **8** : 483–488, 1 pl.
610. (N) — 1902. Japanische Euryaliden. Japanische Seesterne. *Zool. Anz.* **25** : 320–335.
611. FELL, H. B. 1960. Synoptic keys to the genera of Ophiuroidea. *Zool. Publs. Vict. Univ. Wellington* No. 26 : 1–44, 6 figs.
612. (K & M) FISHER, W. K. 1913b. Four new genera and fifty-eight new species of starfishes from the Philippine Islands, Celebes and the Moluccas. *Proc. U.S. natn. Mus.* **43** : 599–648.
613. (K & M) — 1917. New starfishes from the Philippines and Celebes. *Proc. biol. Soc. Wash.* **30** : 89–93.
614. (G) GIDEON, P. W., MENON, P. K. B., RAO, S. R. V. & JOSE, K. V. 1957. On the marine fauna of Gulf of Kutch: a preliminary survey. *J. Bombay nat. Hist. Soc.* **54** : 690–706, 1 pl., 5 figs.
615. GISLÉN, T. 1934. A reconstruction problem. Analysis of fossil comatulids from North America with a survey of all known types of comatulid arm-ramifications. *K. fysiogr. Sällsk. Lund. Förh.* **45**(11) : 1–59, 63 figs.
616. (D) GOREAU, T. F. 1964. On the predation of coral by the spiny starfish *Acanthaster planci* in the southern Red Sea. *Bull. Sea Fish Res. Stn Israel* **35** : 23–26, 1 fig.
617. (L) GRAY, J. E. 1845. Description of two new invertebrated animals [*Avicula* and *Spatangus*] from Australia. In Eyre, E. J. *Journals of expeditions of discovery into Central Australia and overland from Adelaide to King George's Sound, in 1840–1, etc.* London **1** [Appendix] : 435–436, pl. 6.
618. — 1847a. Descriptions of some new genera and species of Asteroidea. *Proc. zool. Soc. Lond.* **1847** : 72–83. [Also published in *Ann. Mag. nat. Hist.* **20** : 193–204.]
619. (K & L) — 1847b. Asteroidea. In Jukes, J. B. *Narrative of the surveying voyage of H.M.S. "Fly" in Torres Strait, New Guinea, and other islands of the Eastern Archipelago, during 1842–46.* London. **2** [Appendix No. IX] : 339–354.
620. — 1866. *Synopsis of the species of starfish in the British Museum (with figures of some of the new species.)* London : iv + 17, 16 pls.
621. (N) GRUBE, E. 1868b. Über *Asthenosoma varium* und zwei neue Arten von *Salmacis*. *Jber. schles. Ges. Vaterl. Kult.* **45** : 42–44.
622. HALSTEAD, B. W. 1965. *Poisonous and venomous marine animals of the world.* Washington : xxxv + 994, illust.
623. (N) HARA, J. 1895. Description of a new species of Comatula—*Antedon macrodiscus* n.sp. *Zool. Mag., Tokyo* **7** : 115–116.
624. HARTLAUB, C. 1893. Ueber die Arten und den Skelettbau von *Culcita*. *Notes Leyden Mus.* **14** : 65–118, 2 pls.
625. — 1912. Die Comatuliden [of the steamer 'Blake']. *Mem. Mus. comp. Zool. Harv.* **27** : 277–491, 18 pls.
626. HYMAN, L. H. 1955. *The Invertebrates. 4. Echinodermata.* New York : vii + 763, 280 figs.
627. (I) JAMES, D. B. 1967. *Phyllophorus (Phyllophorella) parvipedes* Clark (Holothuroidea) a new record to the Indian seas. *J. mar. biol. Ass. India* **7** : 325–327, 1 fig., 1 pl.
628. (I) JONES, S. & MAHADEVAN, S. 1967. Notes on animal association. 5. The pea crab, *Pinnotheres deccanensis* Chopra inside the respiratory tree of the sea-cucumber, *Holothuria scabra* Jager. *Adv. Abstr. Contr. Fish. Aquat. Sci. India* **1** : 44.
629. (K) KEIJ, A. J. 1965. Note on the echinoid *Temnopleurus toreumaticus* (Leske) from the coastal cliffs of Penanjong, Brunei. *Rep. (Ann.) geol. Surv. Br. Borneo* **1964** : 159, 1 pl.
630. (G–J) KOEHLER, R. 1899. An account of the deep-sea Ophiuroidea collected by the Royal Indian Marine Survey Ship Investigator. *Echinoderma of the Indian Museum.* Calcutta : viii + 76, 14 pls.
631. — 1927c. Revision de quelques ophiures de Ljungman, appartenant au Musée d'Histoire Naturelle de Stockholm. *Ark. Zool.* **19A**(2) : 1–29, 4 pls.
632. (L) LIVINGSTONE, A. A. 1933b. A new *Mediaster* from Queensland. *Rec. Aust. Mus.* **19** : 21–22, 1 pl.

633. LJUNGMAN, A. 1867b. Om några nya arter af Ophiurider. *Öfvers. K. Vetensk. Akad. Förh.* **1866** : 163–166.
634. LORIOU, P. DE. 1897. Notes pour servir à l'étude des Echinodermes. *Mem. Soc. Phys. Hist. nat. Genève* **32**(2) : 1–26, 3 pls.
635. LÜTKEN, C. F. 1856. Bidrag til kundskab om Slangestjernerne. *Vidensk. Meddr dansk naturh. Foren.* **1856** : 1–26.
636. LYMAN, T. 1860. Descriptions of new Ophiuridae belonging to the Smithsonian Institution and to the Museum of Comparative Zoology at Cambridge. *Proc. Boston Soc. nat. Hist.* **7** : 193–204, 252–262.
637. — 1871. Supplement to the Ophiuridae and Astrophytidae. *Illust. Cat. Mus. comp. Zool. Harv.* No. 6 : 1–17, 2 pls.
638. (N) MORISHITA, A. 1954. Recent and fossil species of *Brissus* from Ryukyu. *Trans. Palaeont. Soc. Japan* n.s. **13** : 131–132, pl. xv.
639. MORTENSEN, T. 1932b. Studies of Indo-Pacific Euryalids. *Vidensk. Meddr dansk naturh. Foren.* **96** : 1–75, 57 figs., 5 pls.
640. — 1933b. Echinoderms of South Africa (Asteroidea and Ophiuroidea). *Vidensk. Meddr dansk naturh. Foren.* **93** : 215–400, 91 figs., 12 pls.
641. — 1942. New Echinoidea (Camarodonta). *Vidensk. Meddr dansk naturh. Foren.* **106** : 225–232.
642. — 1950a. New Echinoidea (Spatangoida). Preliminary notice. *Vidensk. Meddr dansk naturh. Foren.* **112** : 157–163.
643. — 1950b. *Monograph of the Echinoidea. V.I. Spatangoida 1.* Copenhagen : 1–432, 315 figs., 25 pls.
644. (I) NAYAR, K. N. & MAHADEVAN, S. 1967. Underwater ecological observations in the Gulf of Mannar off Tuticorin. IV. The occurrence of crinoids (*Lamprometra* and *Comanthus*) on the gorgonid *Juncella*. *Adv. Abstr. Contr. Fish. Aquat. Sci. India* **1** : 38.
645. NICHOLS, D. 1962. *Echinoderms.* London : 1–200, 26 figs.
646. (N) OHSHIMA, H. & IKEDA, H. 1934. Male-female superposition of the sea-star *Archaster typicus* Müll. et Trosch. Sexual size-dimorphism in the sea-star *Archaster typicus* Müll. et Trosch. *Proc. imp. Acad. Japan* **10** : 125–128; 180–183.
647. (N) OHSHIMA, H. 1935b. [A glimpse on animals of the Yaeyama-Group, RiuKiu.] *Botany Zool., Tokyo* **3** : 89–100, 437–449, 601–612, 775–789, 963–976, 1141–1156, figs. 12, 13, 22–39. [In Japanese.]
648. PANNING, A. 1966. Bemerkungen über die Holothurien-Familie Cucumariidae (Ordnung Dendrochirota). 5. Die Gattungen *Heterothyone* Panning, 1949 und *Leptopentacta* H. L. Clark, 1938. *Mitt. hamb. zool. Mus. Inst.* **63** : 51–69, 9 figs., 1 pl.
649. PAWSON, D. L. & FELL, H. B. 1965. A revised classification of the Dendrochirote Holothurians. *Breviora* No. 214 : 1–7.
650. (I & L) PAWSON, D. L. 1967. Redescription of *Cucumaria semperi* Bell, an Indo-West-Pacific holothurian Echinoderm. *Proc. biol. Soc. Wash.* **80** : 157–162, 10 figs.
651. PERRIER, E. 1869. *Recherches sur les Pédicellaires et les Ambulacres des Astéries et des Oursins.* Paris : 1–188, 2 pls. [Also published in *Annls Sci. nat.* **12** (1869) : 197–304; **13** (1870) : 1–81.]
652. (D) POR, F. D. & LERNER-SEGGEV, R. 1966. Preliminary data about the benthic fauna of the Gulf of Elat (Aqaba), Red Sea. *Israel J. Zool.* **15** : 38–50, 3 figs., 2 pls.
653. (D) SAVIGNY, M. J. C. L. DE. 1809–17. *Description de l'Égypte.* Histoire naturelle. II. Atlas. Echinodermes. Paris. 9 pls.
654. SELENKA, E. 1868. Nachtrag zu den Beiträgen zur Anatomie und Systematik der Holothurien. *Z. wiss. Zool.* **18** : 109–118, 1 pl.
655. SLADEN, W. P. 1882. The Asteroidea of H.M.S. 'Challenger' Expedition. (Preliminary Notices). 1. Pterasteridae. *J. Linn. Soc. (Zool.)* **16** : 189–246.
656. — 1883. The Asteroidea of H.M.S. 'Challenger' Expedition (Preliminary Notices). 2. Astropectinidae. *J. Linn. Soc. (Zool.)* **17** : 214–269.
657. (I) SMITH, E. A. 1878. Description of a remarkable new form of Ophiuridae from Ceylon. *Ann. Mag. nat. Hist.* **5** : 463–465.
658. (D) SMITH, G. A. 1927b. On *Asterina burtoni* Gray. *Ann. Mag. nat. Hist.* **19** : 641–645.
659. STIMPSON, W. 1855. Descriptions of some new marine Invertebrata. *Proc. Acad. nat. Sci. Philad.* **7** : 385–394.

660. THOMAS, L. P. 1966. A revision of the tropical American species of *Amphipholis* (Echinodermata Ophiuroidea). *Bull. mar. Sci. Gulf Caribb.* **16** : 827-833.
661. TROSCHER, F. H. 1869. Über einige neue Seeigel. *Sber. Verh. naturh. Ver. preuss. Rheinl.* **26** : 96.
662. (D) TSURNAMAL, M. & MARDER, J. 1966. Contributions to the knowledge of the Red Sea. No. 33. Observations on the basket star *Astroboa nuda* (Lyman) on coral reefs at Elat (Gulf of Aqaba). *Israel J. zool.* **15** : 9-17, 4 figs.
663. (N) UTINOMI, H. & KOGO, I. 1965. On some comatulids from the coastal sea of Kii Peninsula. *Publ. Seto mar. biol. Lab.* **13** : 263-286, 14 figs., 12 pls.
664. (N) YOSHIWARA, S. 1898. Preliminary notice of new Japanese echinoids. *Annotes zool. jap.* **2** : 57-61.
665. CARPENTER, P. H. 1882b. On the classification of the Comatulae. *Proc. zool. Soc. Lond.* **1882** : 731-747.
666. (N) CHANG, F. Y. 1948. Echinoderms of Tsingtao. *Contr. Inst. zool. Peiping* **4** : 33-104, 24 figs., 11 pls.
667. (H) DÖDERLEIN, L. 1906. Die Echiniden der deutschen Tiefsee-Expedition. *Wiss. Ergebn. dt. Tiefsee-Exped. 'Valdivia'* **5**(2) : 61-290, pls. 9-50.
668. (O & P) DEVANEY, D. M. 1967. An ectocommusal polynoid associated with Indo-Pacific echinoderms, primarily ophiuroids. *Occ. Pap. Bernice P. Bishop Mus.* **23** : 287-304, 5 figs.
669. (L) POPE, E. C. 1967. Lesser known echinoderms of the Great Barrier Reef. *Aust. nat. Hist.* **15** : 310-314, 8 figs.
670. (K) SLUITER, C. P. 1898. On a possible periodical amputation of the disc covering by some ophiuroids. *Tijdschr. ned. dierk. Vereen.* (2) **5** : 306-310, 2 figs.
671. (O) BAKUS, G. J. 1968. Defensive mechanisms and ecology of some tropical holothurians. *Mar. Biol. Berlin* **2** : 23-32.
672. (L) BENNETT, I. 1966. *The fringe of the sea*. Adelaide : 1-261, 179 pls.
673. (L) HINES, J. & KENNY, R. 1967. The growth of *Arachmoides placenta*. *Pacif. Sci.* **21** : 230-235, 4 figs.
674. (J) JAMES, D. B. 1968a. Studies on Indian echinoderms. 1. Rediscovery of the echinoid, *Breyenia vredenburghi* Anderson from Andaman Sea, with an emended description. *J. mar. biol. Ass. India* **8** : 76-81, 2 figs.
675. (I) — 1968b. Studies on Indian echinoderms. 2. The holothurian *Stolus buccalis* (Stimpson) with notes on its systematic position. *J. mar. biol. Ass. India* **8** : 285-289, 1 fig., 1 pl.
676. (L) KENNY, R. 1969. Growth and asexual reproduction of the starfish *Nepanthia belcheri* (Perrier). *Pacif. Sci.* **23** : 51-55, 4 figs.
677. (D) MAGNUS, D. B. E. 1967. Ecological and ethological studies and experiments on the echinoderms of the Red Sea. *Stud. trop. Oceanogr.* No. 5 : 635-664, 15 figs.
678. (M) DOMANTAY, J. S. 1957b. Preliminary reports on the marine fauna of One Hundred Islands and vicinity, Gulf of Lingayen, Pangasinan Province, Luzon, Philippines. *Araneta J. Agric.* (1) **4** : 24-46 [NOT SEEN].
679. (M) DOMANTAY, J. S. & DOMANTAY, C. R. 1967. Studies on the classification and distribution of Philippine littoral Ophiuroidea (brittle stars). *Philipp. J. Sci.* **95** : 1-77, 7 figs., 2 pls.
680. (D) RUTMAN, J. & FISHELSON, L. 1969. Food composition and feeding behaviour of shallow-water crinoids at Eilat (Red Sea). *Mar. Biol. Berlin* **3** (1) : 46-57, 13 figs.
681. JAMES, D. B. 1969. Catalogue of echinoderms in the reference collections of the Central Marine Fisheries Research Institute. *Bull. cent. mar. Fish. Res. Inst.* No. 7 : 51-62.
682. JAMES, D. B. & LAL MOHAN, R. S. 1969. Bibliography of the echinoderms of the Indian Ocean. *Bull. cent. mar. Fish. Res. Inst.* No. 15 : 1-43.
683. (D) ACHITUV, Y. 1969. Studies on the reproduction and distribution of *Asterina burtoni* Gray and *A. waga* Perrier (Asteroidea) in the Red Sea and the eastern Mediterranean. *Israel J. Zool.* **18** : 329-342, 2 pls.
684. PEARSE, J. 1968. Patterns of reproductive periodicities in four species of Indo-Pacific echinoderms. *Proc. Indian Acad. Sci.* **68** : 247-279, 10 figs.
685. (L) POPE, E. C. 1967. The shore reefs of Darwin. *Aust. nat. Hist.* **15** : 278-284, 3 figs.

INDEX OF FAMILY NAMES IN THE TABLES

Acanthasteridae	38	Luidiidae	30
Amphiuridae	78	Mariametridae	8
Antedonidae	10	Metrodiridae	38
Arachnoididae	144	Mithrodiidae	40
Archasteridae	30	Molpadiidae	184, 192
Asteriidae	40	Ophiacanthidae	78
Asterinidae	38	Ophiactidae	82
Asterometridae	10	Ophiasteridae	34
Asteropidae	38	Ophiocomidae	86
Astropectinidae	30	Ophiodermatidae	88
Brissidae	146	Ophiomyxidae	78
Caudinidae	184	Ophionereidae	88
Chaetasteridae	38	Ophiotrichidae	82
Chiridotidae	188, 192	Ophiuridae	90
Cidaridae	140	Oreasteridae	34
Clypeasteridae	144	Palaeostomatidae	146
Colobometridae	8	Parasalenidae	142
Comasteridae	6	Pericosmidae	146
Cucumariidae	180, 192	Phylloporidae	182, 192
Diadematidae	140	Psolidae	180
Echinasteridae	40	Pterasteridae	38
Echinolampadidae	144	Schizasteridae	146
Echinometridae	142	Scutellidae	144
Echinoneidae	142	Spatangidae	146
Echinothuriidae	140	Sphaerasteridae	40
Eudiocrinidae	6	Stomopneustidae	140
Euryalidae	78	Stichopodidae	178, 192
Fibulariidae	144	Synaptidae	184
Goniasteridae	30	Temnopleuridae	140
Gorgonocephalidae	78	Toxopneustidae	147
Himerometridae	6	Tropiometridae	10
Holothuriidae	176, 192	Valvasteridae	38
Laganidae	144	Zygomtridae	6
Loveniidae	146		

INDEX OF GENUS-GROUP NAMES IN TABLES,
NOTES, KEYS AND TEXT-FIGURES

[Numbers in arabic refer to tables and any notes, in italics to the keys and in bold type to the pages of figures.]

<i>Acanthaster</i>	38, 71	<i>Amphilycus</i>	78, 103, 103
<i>Acanthophiothrix</i>	84, 90, 108, 108, 110, 111, 111-112	<i>Amphimetra</i>	6, 12, 19, 21, 23, 23
<i>Acanthotrapeza</i>	176, 197, 198	<i>Amphiodia</i>	78, 98, 98, 99, 99
<i>Acaudina</i>	184, 206, 207	<i>Amphioplus</i>	78, 93-96, 98, 98, 100-103, 102, 132, 134
<i>Actinocucumis</i>	182, 192, 204, 204, 205	<i>Amphipholis</i>	80, 98, 99
<i>Actinopyga</i>	176, 194, 196	<i>Amphispyra</i>	78, 98, 99, 99
<i>Afrocucumis</i>	182, 205, 206	<i>Amphiura</i>	80, 93, 94-98, 94, 95, 96, 100, 131, 132, 133, 134
<i>Amphiacantha</i>	99, 100, 118	<i>Anapta</i>	184, 207
<i>Amphichilus</i>	78, 96, 98, 100, 132		

<i>Anseropoda</i>	38, 65
<i>Antedon</i>	10, 25-26, 25
<i>Anihenea</i>	30, 48 , 51-52
<i>Anthenoides</i>	32, 49
<i>Anthocidaris</i>	142, 157
<i>Arachnoides</i>	144, 161
<i>Archaster</i>	30, 47
<i>Aslia</i>	180, 201 , 202
<i>Asterina</i>	38, 42, 67-68, 69
<i>Asterinopsis</i>	69-70
<i>Asterodiscus</i>	34, 53
<i>Asteropsis</i>	38, 47, 51, 65
<i>Asthenosoma</i>	140, 148, 152
<i>Astriclypeus</i>	144, 162
<i>Astroboa</i>	78, 92
<i>Astrochalcis</i>	78, 92
<i>Astrocladus</i>	78, 90, 92, 92
<i>Astropecten</i>	30, 44-47
<i>Astropyga</i>	140, 152, 152
<i>Astrothamnus</i>	116
<i>Astrothrombus</i>	116
<i>Athyone</i>	192, 194
<i>Axiognathus</i>	99
<i>Basilometra</i>	8, 19
<i>Bertingius</i>	116
<i>Bohadschia</i>	176, 194, 196
<i>Breymia</i>	146, 148-149, 163, 164-165, 165
<i>Brissopsis</i>	146, 149, 165
<i>Brissus</i>	146, 165
<i>Bumaster</i>	34, 60 , 61
<i>Calliaster</i>	32, 47
<i>Capillaster</i>	6, 12, 14-15, 14
<i>Celerina</i>	34, 65
<i>Cenometra</i>	10, 12, 18 , 19
<i>Centrostephanus</i>	140, 148, 153
<i>Certonardoa</i>	34, 58, 64, 65
<i>Chaetaster</i>	38, 57, 65
<i>Chaetodiadema</i>	140, 152
<i>Chiridota</i>	188, 192, 209, 209
<i>Chondrocidaris</i>	140, 151
<i>Choriaster</i>	34, 53
<i>Cistina</i>	40, 57, 72
<i>Cladolabes</i>	182, 204 , 205, 205
<i>Clypeaster</i>	144, 148, 159, 159 , 160-161, 160
<i>Colobocentrotus</i>	142, 158
<i>Colobometra</i>	10, 19
<i>Comantheria</i>	6, 12, 16, 17
<i>Comanthina</i>	6, 16, 17
<i>Comanthus</i>	6, 12, 16, 17
<i>Comaster</i>	6, 12, 14 , 15-16, 15
<i>Comatella</i>	6, 14 , 15
<i>Comatula</i>	6, 12, 14, 15
<i>Comissia</i>	6, 14
<i>Coscinasterias</i>	40, 42, 71
<i>Craspedometra</i>	8, 21
<i>Craspidaster</i>	30, 44
<i>Cryptopelta</i>	88, 128, 128 , 135
<i>Cucumaria</i>	180, 192, 194, 195, 203
<i>Culcita</i>	34, 41, 53-54
<i>Cyllometra</i>	10, 12, 20
<i>Cyrtechinus</i>	142, 156
<i>Cystipus</i>	176, 194, 197 , 200
<i>Dactyloaster</i>	34, 41, 59
<i>Decametra</i>	10, 12, 18 , 19, 20
<i>Diadema</i>	140, 148, 152 , 153, 153
<i>Dichrometra</i>	8, 24
<i>Dictenophiura</i>	90, 128
<i>Diploporaster</i>	146, 149, 166, 166
<i>Disasterina</i>	38, 67
<i>Distichophis</i>	88, 126 , 127
<i>Dorometra</i>	10, 25, 25
<i>Dougaloplus</i>	80, 96 , 100
<i>Echinaster</i>	40, 42, 57, 72-73, 72
<i>Echinocardium</i>	148
<i>Echinocyamus</i>	144, 148, 161
<i>Echinodiscus</i>	144, 148, 162, 163
<i>Echinolampas</i>	144, 148, 163
<i>Echinometra</i>	142, 152 , 156 , 157, 157 , 158
<i>Echinoneus</i>	142, 158, 159
<i>Echinostrephus</i>	142, 157
<i>Echinothrix</i>	140, 152-153, 152 , 153
<i>Euantedon</i>	12, 26
<i>Euaпта</i>	184, 207
<i>Eucidaris</i>	140, 150
<i>Eudiocrinus</i>	6, 16
<i>Euretaster</i>	38, 42, 73
<i>Euryale</i>	78, 92
<i>Fellaria</i>	80, 94-95, 94 , 95 , 96
<i>Ferdina</i>	34, 41, 65
<i>Fibularia</i>	144, 148, 161, 167, 169
<i>Fossothuria</i>	194
<i>Fromia</i>	34, 41, 62-63
<i>Globosita</i>	182, 206
<i>Gomophia</i>	36, 64
<i>Goniodiscaster</i>	32, 48, 48 , 49-50
<i>Gymnanthenea</i>	32, 52
<i>Gymnechinus</i>	142, 155 , 156
<i>Gymnolophus</i>	82, 116, 117, 124
<i>Hacelia</i>	36, 59
<i>Halityle</i>	34, 53
<i>Halodeima</i>	176, 198
<i>Havelockia</i>	180, 194, 195, 201 , 202 , 203
<i>Hemithyone</i>	180, 202 , 204
<i>Heterocentrotus</i>	142, 148, 158, 158
<i>Heterometra</i>	8, 12, 18 , 21-23
<i>Himerometra</i>	8, 21
<i>Holothuria</i>	176, 192, 194, 197, 197 , 198 , 200
<i>Hypselaster</i>	146, 167
<i>Iconaster</i>	32, 47
<i>Iconometra</i>	10, 19
<i>Jaegerothuria</i>	194
<i>Keystonea</i>	86, 90, 105, 106-107, 106 , 108
<i>Labidodemas</i>	176, 197, 198
<i>Labidoplax</i>	184, 208, 209
<i>Laganum</i>	144, 159, 161-162, 162
<i>Lamprometra</i>	8, 23 , 24
<i>Leiaster</i>	36, 57-58, 72
<i>Leptopentacta</i>	180, 194, 195, 202 , 203
<i>Leptosynapta</i>	184, 208, 209
<i>Lessonothuria</i>	176, 197 , 199
<i>Linckia</i>	36, 41, 59 , 60, 61-62
<i>Liparometra</i>	8, 24
<i>Lissodiadema</i>	140, 152
<i>Lissophiothrix</i>	82, 106, 110

<i>Lovenia</i>	146, 163-164, 163 , 164
<i>Luidia</i>	30, 43-44, 48
<i>Lymanella</i>	80, 93 , 94 , 95 , 98 , 101, 102-103, 102
<i>Macrophiothrix</i>	82, 90, 105, 107, 108 , 110, 112, 113-115, 115
<i>Maretia</i>	146, 165, 165
<i>Mastigometra</i>	12, 26
<i>Mediaster</i>	32, 47
<i>Mensamaria</i>	182, 205, 205
<i>Mertensiothuria</i>	176, 197 , 199
<i>Mespilia</i>	140, 154 , 155
<i>Metalia</i>	146, 163 , 165, 166
<i>Metriatyla</i>	176, 197 , 200
<i>Metrodira</i>	38, 57, 57
<i>Microcyphus</i>	140, 148, 154, 155-156
<i>Microthele</i>	178, 197 , 201
<i>Mithrodia</i>	40, 72, 72
<i>Moiria</i>	146, 166
<i>Molpadia</i>	184, 206
<i>Monachaster</i>	32, 48
<i>Nannophiura</i>	105
<i>Nardoa</i>	36, 41, 48 , 59 , 62, 63-64
<i>Neocucumis</i>	182, 195, 205, 205
<i>Neoferdina</i>	36, 41, 64
<i>Neothyonidium</i>	182, 195, 206
<i>Nepanthia</i>	38, 57, 65-66, 66 , 69, 70
<i>Nudechinus</i>	142, 148, 155 , 156, 157
<i>Ocnus</i>	180, 203
<i>Ogmaster</i>	32, 47
<i>Ohshimella</i>	182, 205 , 206
<i>Oligometra</i>	10, 18 , 19, 20
<i>Oligometrides</i>	10, 19
<i>Opheodesoma</i>	184, 207, 208
<i>Ophiacantha</i>	78, 93, 93
<i>Ophiactis</i>	82, 90, 93 , 94 , 102 , 103-105
<i>Ophiarachna</i>	88, 91, 121, 123, 123 , 124, 124 , 126, 127
<i>Ophiarachmella</i>	88, 91, 93, 93 , 94 , 122, 123, 124-126, 124 , 125
<i>Ophiarthrum</i>	86, 119, 121
<i>Ophidiaster</i>	36, 41, 57, 58, 59, 59 , 60-61, 60 , 72
<i>Ophiocentrus</i>	80, 94, 94 , 134
<i>Ophiochaeta</i>	88, 91, 126-127, 126
<i>Ophioclasma</i>	88, 124
<i>Ophioclastus</i>	88, 127
<i>Ophiocnemis</i>	84, 106, 117
<i>Ophiocnida</i>	99, 100
<i>Ophiocoma</i>	86, 91, 93 , 94 , 99, 117 , 118-119
<i>Ophiocomella</i>	86, 93, 99, 117 , 118
<i>Ophiocoris</i>	88, 123, 126 , 127, 128
<i>Ophiocryptus</i>	128
<i>Ophiodaphne</i>	82, 103, 103
<i>Ophioderma</i>	88, 126
<i>Ophiodyscrita</i>	88, 128, 128 , 135
<i>Ophiogymna</i>	84, 116, 117
<i>Ophiolepis</i>	90, 93, 93 , 94 , 121, 128-129, 129
<i>Ophiolophus</i>	84, 105 , 117
<i>Ophiomastix</i>	86, 91, 117 , 118, 119-121, 121 , 129, 135
<i>Ophiomaza</i>	84, 105, 116, 124
<i>Ophiomyxa</i>	78, 92, 93
<i>Ophionema</i>	96
<i>Ophioneptiys</i>	96
<i>Ophionereis</i>	88, 93, 93 , 94 , 100, 121 , 122, 136
<i>Ophiopeltis</i>	80, 95-96, 95
<i>Ophiopozella</i>	90, 91, 124, 126 , 127
<i>Ophiopozella</i>	127
<i>Ophiophragmus</i>	78, 99
<i>Ophiophtirius</i>	84, 105
<i>Ophioplocus</i>	90, 128
<i>Ophiopsammium</i>	84, 116
<i>Ophiopsammus</i>	90, 123, 127
<i>Ophiopsila</i>	88, 94 , 118, 121
<i>Ophiopteron</i>	84, 107, 115
<i>Ophiophaera</i>	82, 103
<i>Ophiostegastus</i>	90, 126 , 127
<i>Ophiostigma</i>	82, 98
<i>Ophioteichus</i>	90, 129
<i>Ophiotauma</i>	78, 93
<i>Ophiothela</i>	84, 90, 106, 116-117
<i>Ophiothrix</i>	84, 90, 93 , 94 , 106-113, 106 , 108 , 111 , 114, 115, 116
<i>Ophiotrichoides</i>	106, 107, 110
<i>Ophiotylos</i>	90, 129
<i>Ophiizonella</i>	90, 93, 129
<i>Ophiura</i>	90, 128, 129, 129
<i>Ophiurodon</i>	127
<i>Orbithyone</i>	180, 201, 203
<i>Oxymetra</i>	8, 23
<i>Palaeostoma</i>	146, 163
<i>Paracaudina</i>	184, 192, 195, 207, 207
<i>Paracrocrida</i>	82, 98 , 100, 100
<i>Paracucumaria</i>	180, 195, 203
<i>Paranepanthia</i>	66, 68, 69-71
<i>Parasalenia</i>	142, 155 , 157, 157
<i>Paraster</i>	146, 166, 166
<i>Paratrema</i>	140, 154
<i>Patinapta</i>	186, 208, 209
<i>Patiria</i>	68, 69
<i>Patiriella</i>	38, 42, 67
<i>Pectinura</i>	124, 127
<i>Pendekaplectana</i>	186, 208
<i>Pentaceraster</i>	34, 41, 48, 54, 55-56, 56
<i>Pentacta</i>	180, 192, 194, 195, 201, 201 , 202
<i>Pentamera</i>	192
<i>Pentaster</i>	34, 49, 54
<i>Pentathyone</i>	194
<i>Pericosmus</i>	146, 163 , 166
<i>Peronella</i>	144, 161, 162
<i>Petasometra</i>	10, 20
<i>Phyllacanthus</i>	140, 150 , 151
<i>Phyllophorella</i>	184, 206
<i>Phyllophorus</i>	184, 192, 195, 204 , 205 , 206
<i>Phyllothuria</i>	184, 205 , 206
<i>Phyrella</i>	184, 205 , 206
<i>Placophiothrix</i>	86, 90, 107, 108, 109, 111, 112-113
<i>Platyperona</i>	178, 197 , 199
<i>Plesiocolochirus</i>	180, 192, 195, 202 , 203
<i>Plococidaris</i>	151
<i>Podosphaeraster</i>	40, 53
<i>Polycheira</i>	188, 207 , 209, 209
<i>Polyplectana</i>	186, 207
<i>Pontiometra</i>	10, 17
<i>Poraster</i>	34, 41, 54
<i>Prionocidaris</i>	140, 148, 150-151, 150 , 151
<i>Protankyra</i>	186, 207 , 208, 208

- Protenaster* 146, 149, 166
Protoreaster 34, 48, 54
Prymnaster 146, 166
Pseudoboletia 142, 148, 156
Pseudocnus 182, 192, 194, **202**, 203
Pseudocolochirus 180, 195, **202**, 203
Pseudogoniodiscaster 32, 49, 50
Pseudomaretia 146, 148, 165, **165**
Pseudoreaster 32, 52
Psolus 180, 194, 201
Pterometra 10, 25
Rhynobrissus 146, 149, 166
Rynkatorpa 186, 208
Salmaciella 140, 148, 155
Salmacis 140, 154, **154**, 155, 156
Schizaster 146, 149, **163**, 166
Sclerodactyla 182, **202**, 204
Selenkiella 184, 206
Selenkothuria 178, 194, **197**, 198
Semperiella 184, **204**, **205**, 206
Semperothuria 178, **197**, 198
Siraster 32, 48, 49
Stauropora 178, **197**, 198, **198**
Staurothyone 182, **202**, 203
Stellaster 32, 48, 49
Stellasteropsis 32, 48
Stephanometra 8, **23**, 24
Stichopus 178, 192, 201
Stolus 182, 195, 204
Stomopneustes 140, 153, **153**, **154**
Styphlaster 32, 49
Synapta 186, 207
Synaptula 186, **207**, 208
Tamaria 36, 41, 42, 58-59, **59**, 60, 72
Tegulaster 38, 67
Temnopleurus 140, 148, 154-155, **154**, **155**
Temnotrema 142, 154, **154**, 155
Theelothuria 178, **197**, 200, **200**
Thelenota 178, **197**, 201
Theophrax 86, 107, 108, **108**
Thorsonia 182, 203
Thymiosycia 178, 199
Thyone 182, 192, 194, 195, **201**, 204
Thyonidiella 184, 206
Tosia 34, 48
Toxometra 12, 25, **25**
Toxopneustes 142, 148, 156, **156**
Trachythyone 182, 195, 202, **202**
Tripneustes 142, **153**, 156
Trochodota 188, 208, **209**
Tropiometra 10, **18**, 25
Unioplus 80, 96, 98, 100
Urodemella 184, 192, 195, **204**, **205**, 206
Valvaster 38, 47, 53, 57, 71
Zenocentrotus 142, 158
Zygometra 6, 12, 17